A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 35

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	**1 mark each** 1 mark for each of the 2 points below. **1** Island communities evolved from few colonising species in isolation, often without mammal predators or large herbivores **1** So indigenous species lack adaptations (eg ground-nesting birds, flightlessness) to survive introduced cats, rats, pigs, goats **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
01.2	**2 marks per point** 2 marks for each of the 3 points below; award 1 mark where a point is only partly made. **2 Competitor:** grey squirrel (North America) out-competes red squirrel - digests acorns, larger, wins nest sites – rhododendron shades ground and releases toxins preventing native regrowth **2 Predator:** American mink (escaped fur farms) reduced water vole range – cane toads in Australia – cats / rats / pigs on islands eating ground-nesting birds – Nile perch in Lake Victoria ate cichlids to extinction **2 Pathogen:** squirrel pox virus carried by grey squirrels kills red squirrels – crayfish plague carried by signal crayfish kills white-clawed crayfish – Dutch elm disease, ash dieback, sudden oak death imported on plants / soil **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	6
01.3	**1 mark each** 1 mark for each of the 2 points below. **1** Closely related introduced species (sika deer; domestic cats) cross-breed producing fertile hybrids **1** The natural gene pool is changed / diluted with genes it would not naturally contain, so the pure indigenous species may disappear **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **gene pool** → the range of alleles / genes present in a population	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 24-25; AQA spec 3.1.2.2.	

Do not write outside the box

Question	Marking guidance	Marks
02.1	**2 marks per point** 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. **2 Tracking:** continuous data on movements, territory size, migration routes and habitat use without disturbance, over large areas and long periods – acoustic tags in seawater – geolocators for small birds – more representative than occasional sightings **2 DNA:** identifies individuals, gene pool size / inbreeding and regional populations (tracing ivory, timber, fish) – eDNA detects rare or hidden aquatic species (great crested newt, invasive carp) from shed cells without capture **2 Image recognition:** software identifies individuals from unique markings (tiger stripes, whale shark spots, fin damage) in camera-trap / drone / satellite images, giving population size, lifespan, social structure from large image sets quickly and objectively **2 Acoustic:** bat detectors, hydrophones and sonograms record species that are hard to see (bats, cetaceans, insects), giving presence, abundance and activity continuously, day and night **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **validity** → actually measures what it is meant to measure • **gene pool** → the range of alleles / genes present in a population	8
02.2	**1 mark each** 1 mark for each of the 2 points below. **1** Data collected continuously / over large areas / at night rather than at a few times and places a researcher can visit **1** Less disturbance so animals behave naturally – larger sample sizes – objective rather than subjective identification **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-406; AQA spec 3.1.2.3.6.	

Do not write outside the box

Question	Marking guidance	Marks
03.1	**1 mark each** 1 mark for each of the 3 points below. **1 Choosing by eye is biased:** people are drawn to patches that look interesting, flowery or easy to reach, so the sample does not represent the whole field **1** Random numbers used as coordinates on a grid give every point an equal chance of being sampled, so the sample is representative and the mean can be applied to the whole area **1** An unbiased sample makes the comparison between the two fields valid, because any difference found is due to the grazing and not to how the sites were chosen **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **quadrat** → a square frame of known area used to sample a fixed area • **random** → positions chosen using random numbers so the choice is not biased • **valid** → actually measures what it is meant to measure **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'pick places at random by eye' - positions have to be generated with random numbers to remove bias	3
03.2	**Calculation** A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. **1** N = (number in first sample x number in second sample) / number marked in second sample = (60 x 75) / 15 **1** = 300 grasshoppers **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • **Lincoln index** → estimating population size from the proportion of marked animals recaptured **Do not credit** • A bare wrong answer with no working.	2

Do not write outside the box

Question	Marking guidance	Marks
03.3	**Any 3 of 4** 1 mark each for any 3 of the 4 points below, in any order, maximum 3. **1** The marked individuals mix randomly back into the population before the second sample is taken **1** The mark does not affect the animal's survival or behaviour, is not lost, and does not make it more visible to predators or to the collector **1 The population is closed:** there are no births, deaths, immigration or emigration between the two samples **1** Marked and unmarked individuals are equally likely to be caught in the second sample **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **valid** → actually measures what it is meant to measure **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'pick places at random by eye' - positions have to be generated with random numbers to remove bias	3
03.4	**1 mark each** 1 mark for each of the 3 points below. **1** The quadrat must be large enough to contain a workable number of individuals of the species present but small enough to count accurately - a small quadrat for low-growing grassland plants, a larger one for shrubs **1 A pilot study is used:** the cumulative number of species found is plotted against the number of quadrats, and enough quadrats are taken for the curve to level off **1** More quadrats reduce the effect of chance on the mean and make the result more reliable, but the time available limits how many can be done, so a compromise is reached **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **quadrat** → a square frame of known area used to sample a fixed area • **reliable** → repeatable / gives consistent results when repeated **Do not credit** • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	3

Do not write outside the box

Question	Marking guidance	Marks
03.5	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Survey both fields on the same day, or in the same weather, so that differences in temperature, rainfall or season do not affect the result **1** Use the same method, the same quadrat size and the same number of samples in each field, so the only difference between them is the grazing **1** Choose fields that match in soil type, aspect, slope and altitude, so grazing really is the only variable being tested **1** Identify the plants with the same key, and have the same person make the estimates, so judgements such as percentage cover are consistent **1** Repeat the whole survey and calculate means, and record the spread of the data so the variability within each field can be compared with the difference between them **1** Avoid trampled areas near gates and the field edges, where conditions are untypical of the field as a whole **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **reliable** → repeatable / gives consistent results when repeated • **valid** → actually measures what it is meant to measure • **quadrat** → a square frame of known area used to sample a fixed area **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 394-402; AQA spec 3.7.2.1-3.7.2.2.	
04.1	**1 mark each** 1 mark for each of the 3 points below. **1 Primary:** succession on a newly created habitat with no life / no soil (bare rock, new pond, sand) **1 Secondary:** succession restarting after an existing community is disturbed (tree felling, ploughing, fire, end of grazing) **1** Faster because soil already exists and many seeds / roots / organisms are still present so there are fewer delays for colonisation **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	3

Do not write outside the box

Question	Marking guidance	Marks
04.2	**1 mark each** 1 mark for each of the 3 points below. **1** Human activity (grazing, mowing, burning, coppicing) regularly removes the later successional species so the climatic climax cannot form **1** The stable community that develops under this repeated disturbance is a plagioclimax **1 Examples:** chalk grassland / hay meadows maintained by grazing or mowing – lowland heath by burning – coppiced woodland – Machair grassland – Broads grazing marshes **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **deflected succession** → a community held back from its climax by human activity • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	3
04.3	**1 mark each** 1 mark for each of the 2 points below. **1** If the traditional activity stops, secondary succession returns the habitat to scrub / woodland and the plagioclimax species are lost **1** Rainforest and coral reefs are climax communities so conservation aims to minimise human impact **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **plagioclimax** → a community held back from its climax by human activity • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	2
04.4	**1 mark each** 1 mark for each of the 2 points below. **1** Extreme environments (deserts, polar) are dominated by abiotic factors – few species tolerate them – populations fluctuate and food webs are simple so changes in one food species have large effects **1** Stable environments allow many species to evolve inter-species relationships – populations are regulated by biotic factors – complex food webs give stability (rainforests, reefs) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity • **abiotic** → non-living / physical factors • **biotic** → living factors / effects of other organisms	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 76-77; AQA spec 3.1.3.3.	

Do not write outside the box

Question	Marking guidance	Marks
05.1	**1 mark each** 1 mark for each of the 4 points below. **1** Area must be large enough to support viable populations (breeding numbers high enough, gene pool large enough to avoid inbreeding) – species higher up food chains need larger areas (lower density) **1** Large areas contain a full range of resources (eg different fruiting trees / feeding areas through the year) **1 Shape:** the perimeter has edge conditions (a mix of neighbouring habitats) – a compact shape maximises core habitat for species needing core conditions **1** Some species benefit from edges (higher light) or small isolated habitats (ponds too small for predatory fish suit amphibians) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **gene pool** → the range of alleles / genes present in a population	4
05.2	**1 mark each** 1 mark for each of the 3 points below. **1 Varied topography:** banks, lagoons, islands, ditches created with machinery give a range of water depths (emergent, floating-leaved, submerged plant zones) **1** Islands provide roosting / nesting sites safe from terrestrial predators (foxes) **1** Control of salinity (eg intertidal conditions for opossum shrimps feeding dunlin and avocet) – scrapes for skylarks – different water depths for waders and ducks **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
05.3	**1 mark each** 1 mark for each of the 2 points below. **1** Mobile species (birds, flying insects) colonise easily **1** Less mobile species (many plants, amphibians, invertebrates) may not reach an isolated site so must be introduced – keystone species especially **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **keystone species** → a species whose loss changes the whole community	2
05.4	1 mark for the point below. **1** Allows dispersal of surplus young, mixing of gene pools (less inbreeding) and recolonisation if a population dies out – avoids hazards (eg rope bridges for howler monkeys over roads) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 40-42; AQA spec 3.1.2.3.4.	

Do not write outside the box

Question	Marking guidance	Marks
06.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1** B	1
06.2	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Harvesting no faster than the MSY - resource never depleted **1** Mixed species plantations - more food choices, relationships and niches **1** Indigenous species - support indigenous insects, birds **1** Mixed age structure - varied light, temperature, wind so more species – continuous cover and yield **1** Selective logging - small clearings, less disturbance, long-term timber benefit **1** Retention of dead wood, buffer zones, corridors **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity • **MSY** → the largest catch that can be taken without reducing the stock **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 360-369; AQA spec 3.5.3.	
07.1	**Calculation** A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. **1 Subsistence maize:** 9.0 / 0.6 = 15 **1 Intensive wheat:** 54.0 / 18.0 = 3 **1 Feedlot beef:** 12.0 / 40.0 = 0.3 **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. **Do not credit** • A bare wrong answer with no working.	3

Do not write outside the box

Question	Marking guidance	Marks
07.2	**1 mark each** 1 mark for each of the 3 points below. **1** An energy subsidy is the energy put into a farming system by people rather than by the Sun: fuel for machinery, the manufacture of fertilisers and pesticides, irrigation, transport, drying and storage **1** Intensive systems raise the yield per hectare by adding large energy subsidies, so the output rises but the input rises faster and the ratio falls **1** The feedlot ratio is below 1, so it takes more energy to produce the beef than the beef contains – the extra trophic level means most of the energy in the feed is lost in respiration, excretion and the inedible parts of the animal **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **trophic level** → the feeding level in a food chain **Do not credit** • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3
07.3	**Any 3 of 6** 1 mark each for any 3 of the 6 points below, in any order, maximum 3. **1** Keep the food chain short by producing crops for direct human consumption rather than feeding them to livestock, so one transfer of about 10% efficiency is avoided **1** Restrict the movement of livestock, so less of the energy in the feed is used for muscular activity and more is converted to biomass **1** Keep the animals warm, or rear them indoors, so less energy is spent maintaining body temperature **1** Slaughter the animals young, while their growth rate and food conversion ratio are still high **1** Use species or breeds with a high food conversion ratio, such as poultry or farmed fish, rather than cattle **1** Control parasites and disease, and use feed that is easy to digest, so more of the food eaten is assimilated **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **food conversion ratio** → the feed needed per unit of food produced **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3

Do not write outside the box

Question	Marking guidance	Marks
07.4	**1 mark each** 1 mark for each of the 2 points below. **1** A single desired gene can be transferred, so the characteristic appears without the unwanted genes that come with a whole parent in conventional breeding **1** Genes can be moved between species that could never interbreed, so characteristics can be introduced that selective breeding could never produce, and the result is achieved in one generation instead of many **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
07.5	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Genes may escape by pollen transfer to wild relatives or to neighbouring non-GM crops, creating herbicide-resistant weeds or making organic certification impossible **1** Insect-resistant crops may kill non-target species, including the pollinators and natural pest predators that the wider ecosystem depends on **1** Pests and weeds evolve resistance to the toxin or the herbicide the crop is designed to be used with, so the advantage is temporary and use of the chemical increases **1** Reliance on a few patented GM varieties narrows the genetic diversity of the crop, making it more vulnerable to a new disease **1** Seed is patented and must be bought each year, which can put subsistence farmers in debt or make them dependent on one supplier **1** Long-term effects on human health are not fully known, and labelling may not let consumers choose **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **genetic diversity** → the range of alleles / genes present in a population **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-328; AQA spec 3.5.1.2.	

Do not write outside the box

Question	Marking guidance	Marks
08.1	**Any 2 of 6** 1 mark each for any 2 of the 6 points below, in any order, maximum 2. **1** Hydrological cycle **1** Carbon cycle **1** Nitrogen cycle **1** Atmospheric circulation **1** Thermohaline circulation **1** Photosynthesis **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **Thermohaline** → the ocean conveyor driven by temperature and salinity **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. • 'plants breathe in carbon dioxide and breathe out oxygen' - name photosynthesis and respiration	2
08.2	**1 mark each** 1 mark for each of the 2 points below. **1** Enzymes reduce the activation energy of reactions **1** So reactions such as photosynthesis, decomposition and nitrogen fixation do not need high temperatures **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **nitrogen fixation** → nitrogen gas converted into ammonium or other nitrogen compounds	2
08.3	**Any 1 of 3** 1 mark each for any 1 of the 3 points below, in any order, maximum 1. **1** Haber process (nitrogen fixation) **1** Incineration of wastes (decomposition) **1** Many manufacturing processes **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **nitrogen fixation** → nitrogen gas converted into ammonium or other nitrogen compounds • **Incineration** → burning waste, usually with energy recovery	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 373; AQA spec 3.6.2.	

Do not write outside the box

Question	Marking guidance	Marks
09.1	**Any 2 of 4** 1 mark each for any 2 of the 4 points below, in any order, maximum 2. **1** Hedgerows **1** Hay meadows **1** Grazed moorland / heathland **1** Chalk grassland **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
09.2	**1 mark each** 1 mark for each of the 2 points below. **1** Drainage produces more aerobic soils so wetland plants and the animals they support cannot survive **1** Fertilisers increase growth of tall species such as grasses which out-compete smaller plants such as wildflowers **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity	2
09.3	1 mark for the point below. **1** The introduced (non-indigenous) predator may eat other species as well as the pest **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biological control** → using a natural predator, parasite or pathogen of the pest	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 328-329; AQA spec 3.5.1.3.	

Do not write outside the box

Question	Marking guidance	Marks
10.1	**Levels of response** Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. **Level 3 (7-9 marks)**: Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. **Level 2 (4-6 marks)**: Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. **Level 1 (1-3 marks)**: Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. **0 marks**: No relevant content. **Indicative content - a guide to placing the mark, not a checklist** • **Protected areas:** Korup NP Cameroon (1260 km^2, 600 tree species, endemic Ancistrocladus korupensis with anti-HIV / antimalarial alkaloids) – Tumucumaque NP Brazil (39 000 km^2, adjoining French Guiana reserve) – Alto Maues – Rio Bravo Belize funded by charities, companies and ecotourism • Debt for nature swaps – sustainable exploitation: selective logging of high-value timber (mahogany) funding conservation – ITTO aims (largely unmet) – CITES listing of timber species (Honduras mahogany Appendix II) • Ecotourism income (but visitor damage in Costa Rica, Malaysia) – community projects and employment – carbon sequestration payments • **Effectiveness:** protected areas work where enforced but face illegal logging, mining, poaching, roads, conflict – drivers (population growth, demand for beef, soya, palm oil, timber, minerals) originate outside the forest – climate change cannot be controlled locally • **Judgement:** combination of large protected areas, economic alternatives for local people and reduced international demand needed – overall loss continues **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • **endemic** → found naturally only in that one place • **sustainable** → meeting present needs without stopping future generations meeting theirs • **CITES** → the treaty that controls international trade in endangered species	9
	Do not credit • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • 'CITES bans all trade in wildlife' - it controls and licenses trade, with different rules for each appendix	
	Model answer - Level 3 (8 marks)	

Do not write outside the box

Question	Marking guidance	Marks
	Protected areas are the core of rainforest conservation. Korup National Park in Cameroon protects 1260 km^2 with about 600 tree species, including the endemic *Ancistrocladus korupensis* whose alkaloids have anti-HIV and antimalarial activity; Brazil's Tumucumaque National Park covers 39 000 km^2 and adjoins a reserve in French Guiana; the Rio Bravo area in Belize is funded by charities, companies, ecotourism and selective logging of high-value mahogany that does not damage the forest long term. Debt-for-nature swaps have cancelled Guatemalan and Brazilian debt in return for protection, CITES listing restricts trade in Honduras mahogany, the ITTO sets sustainable timber aims, ecotourism and community employment give local people an income from standing forest, and carbon sequestration payments are emerging.	
	Where they are enforced, protected areas work, but they face illegal logging, mining, poaching, road building and conflict, and ecotourism itself has damaged sites in Costa Rica and Malaysia. The deeper problem is that the drivers of deforestation - population growth and international demand for beef, soya, palm oil, timber and minerals - originate outside the forest, and climate change threatens even well-protected areas; the ITTO's aims are largely unmet and overall loss continues.	
	The most effective schemes are those that combine large protected areas with economic alternatives for local people, such as Rio Bravo, but they can only slow the loss unless demand in importing countries also falls.	
	Weaker answer - Level 2 (4 marks)	
	Rainforests are protected by national parks where logging is banned, for example in Brazil. Debt-for-nature swaps mean a country's debt is cancelled if it protects its forest. Ecotourism brings money from tourists so the forest is worth more standing than cut down. Sustainable logging only takes some trees. These efforts have saved some areas but deforestation is still happening because of illegal logging and farming, so they have only been partly effective.	
	What makes the difference	
	• Level 2 covers the main types of effort and a fair conclusion, but the question says 'describe' - Level 3 gives named examples with figures (Korup, Tumucumaque, Rio Bravo) as the mark scheme expects.	
	• Level 3 explains *why* effectiveness is limited (drivers originate outside the forest, ITTO aims unmet, climate change) rather than just noting continued loss.	
	• The judgement in Level 3 identifies what works best and what would be needed; Level 2 stops at 'partly effective'.	
10.2	1 mark for the point below. **1** Carbon sequestration reducing climate change – genetic resources / medicines – rainfall regulation – global biodiversity **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodiversity** → the variety of life: habitat, species and genetic diversity	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 56-57; AQA spec 3.1.2.3.4.	

Do not write outside the box

Question	Marking guidance	Marks
11.1	**Discuss the extent to which the resources and services provided by other species justify the conservation of biodiversity.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Resources:** wood, fibres, oils, fuels, food – new food species (morama bean, yeheb, perennial maize, Kernza, bison, eland) and their adaptations • **Biomimetics:** wing-tip feathers, whale tubercles, shark skin, termite mounds, bird bones, gecko adhesion, burrs, lotus, spider silk • **Medicines:** poppies, cinchona, willow, yew (taxol), Mexican yam, sponges (AZT), sharks – few species yet studied – physiological research (marsupials, hippo, sponges) • **Genetic resources:** crop wild relatives, Vavilov centres, gene pools and inbreeding • **Ecosystem services:** atmospheric regulation, hydrological cycle, biogeochemical cycles, soil maintenance – interspecies relationships - food, pollination (Darwin's orchid), seed dispersal, habitat provision • **Evaluation:** economic vs intrinsic / moral arguments – services unnoticed because of dynamic equilibrium – unknown future value – justified conclusion	25
	Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion. **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 10-19; AQA spec 3.1.2.1.	

Do not write outside the box

Question	Marking guidance	Marks
11.2	**Discuss how feedback mechanisms, tipping points and diversity influence the stability of natural systems, and how human activities affect them.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • Sustainability definitions – population and per capita impact – attitudes of rural and urban societies • **Negative feedback:** cloud cover and albedo, CO_2 and photosynthesis, evaporation and precipitation, density-dependent population regulation • Positive feedback driven by human activities: permafrost, acidification, albedo decline, methane hydrates, fires, cirrus clouds, decomposition • **Tipping points:** rare under negative feedback – large events (Permian methane hydrate) – self-sustaining change from human activities • **Diversity and resistance:** reefs and rainforests vs low-diversity agroecosystems lacking detritivores, pollinators and predators • Human responses that override feedback (fertilisers, irrigation, pesticides) – links to climate change chapter – justified conclusion *Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.*	25
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-372; AQA spec 3.6.1.	

Do not write outside the box