A-level

ENVIRONMENTAL SCIENCE

Questions by topic: Manipulation of food species & agricultural energetics - Set 1

Mark scheme

AQA spec 3.5.1.2; Biological resources; textbook pp. 321-327

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	**2 marks per point** 2 marks for each of the 3 points below; award 1 mark where a point is only partly made. **2 Selective breeding:** parents chosen for desirable genetic characteristics (Limousin muscle growth, Merino wool, Cheviot hardiness) – combines genes but characteristics of offspring not fully predictable – many generations needed – risk of inbreeding **2** Asexual reproduction (cuttings, runners, tissue culture, cloning): offspring genetically identical to the parent so characteristics are predictable and survival high – but no variation so no improvement and vulnerability to the same disease – cloning of animals (nucleus transfer into an enucleated egg, surrogate) still developing **2 Cross-breeding:** two breeds combined to give a mix of characteristics with hybrid vigour (heterosis) and lower inbreeding risk, eg Zebu (heat tolerant) x Ayrshire (high milk yield) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round.	6

Do not write outside the box

Question	Marking guidance	Marks
01.2	**1 mark each** 1 mark for each of the 4 points below. **1 AI:** semen from a male with desirable characteristics can fertilise many more females than natural mating – frozen semen stored and transported easily and used after the male dies **1 Embryo transfer:** FSH stimulates a superior female to release many eggs, which are fertilised (IVF) with sperm from a superior male **1** Each embryo is implanted in a different surrogate female **1** So the donor produces many offspring per year rather than one per pregnancy **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-323; AQA spec 3.5.1.2.	
02.1	**1 mark each** 1 mark for each of the 2 points below. **1** Single genes can be transferred from any species, not just closely related ones that produce fertile hybrids **1** Desired characteristics introduced without linked unwanted ones – faster **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	2
02.2	**1 mark each** 1 mark for each of the 3 points below. **1 Bt:** reduces insecticide spraying so fewer non-target deaths, lower cost / energy **1 Roundup Ready:** weeds controlled by spraying glyphosate without harming the crop, so higher yields with less cultivation / tillage **1 Golden rice:** provides vitamin A in the staple diet, reducing about 500 000 cases of blindness a year in India / sub-Saharan Africa **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Do not write outside the box

Question	Marking guidance	Marks
02.3	**1 mark each** 1 mark for each of the 4 points below. **1** Gene transfer by pollen to conventional / organic crops or wild relatives (eg Bt gene killing insects feeding on wild plants) **1** Antibiotic-resistance marker genes could transfer to pathogenic bacteria – possible allergies – gene transfer to gut bacteria **1** Detection in the human food chain from crops approved only for animal feed **1 Economic:** seeds must be bought each year from patent-holding companies, raising costs and reducing local crop diversity and seed saving in LEDCs – herbicide-resistant crops may increase herbicide use **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	4
02.4	1 mark for the point below. **1** Public / political concern that risks are not fully assessed - more evidence needed (precautionary principle) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use • the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 323-324; AQA spec 3.5.1.2.	
03.1	**Calculation** A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. **1** Extensive cereal 5.0 – intensive cereal 3.0 **1** Intensive beef 0.1 **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. **Do not credit** • A bare wrong answer with no working.	2

Do not write outside the box

Question	Marking guidance	Marks
03.2	**1 mark each** 1 mark for each of the 3 points below. **1** Intensive cereal is most productive per hectare (60 GJ) but less efficient (3.0) than extensive (5.0) **1** Each extra unit of input gives a smaller extra yield (law of diminishing returns) **1** Beef has very low productivity and efficiency because energy is lost at an extra trophic level **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **trophic level** → the feeding level in a food chain **Do not credit** • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3
03.3	**Marks shared** Up to 3 marks in total - share them between the 2 points below according to how completely each one is made. **up to 2** Any input that increases productivity but requires the use of energy (usually fossil fuel) **up to 2** Manufacture of nitrate fertiliser (Haber process) and pesticides – fuel for machinery – pumping irrigation water – grain drying – food processing and transport – embodied energy of machinery **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **embodied energy** → all the energy used to make and transport a product **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	3
03.4	**1 mark each** 1 mark for each of the 2 points below. **1** Because of diminishing returns, the first units of input on unfertilised land give the largest yield increases **1** Moving inputs from intensively farmed land (where extra input adds little) to extensively farmed land gives a greater total yield - though land, cost and distribution limit this **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 324-327; AQA spec 3.5.1.2.	

Do not write outside the box

Question	Marking guidance	Marks
04.1	**1 mark each** 1 mark for each of the 3 points below. **1** Chicken and salmon need far less feed per kg gained (1.2-1.8 vs 7.0) **1** Fish are ectotherms so no energy is used for thermoregulation and water supports their mass – poultry grow fast and are kept warm indoors with movement restricted **1** Cattle are large endotherms, use energy in movement, and lose energy in methane from cellulose digestion **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
04.2	**1 mark each** 1 mark for each of the 3 points below. **1** Control of movement (housing / restricted grazing) so less energy is used in muscle activity **1** Temperature control (heated / insulated buildings) so less energy is used in maintaining body temperature **1 Species selection:** choose species with low FCRs (poultry, fish) – high-energy easily digested diets – slaughter at the fastest growth stage **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3
04.3	**1 mark each** 1 mark for each of the 4 points below. **1** Only about 10% of the energy at one trophic level is passed to the next – most is lost as heat in respiration / metabolism or in undigested material **1** Humans eating plants (primary consumers) receive more of the energy captured by photosynthesis than eating animals fed on those plants (secondary consumers) **1** Livestock better where land cannot grow crops (upland, semi-arid, steep, thin soils): grazing animals with symbiotic gut bacteria digest cellulose in grass that humans cannot **1** Omnivores (pigs) convert food wastes (dairy by-products, catering waste) into meat **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **trophic level** → the feeding level in a food chain • **symbiotic** → a close relationship in which both species benefit **Do not credit** • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 326-328; AQA spec 3.5.1.2.	

Do not write outside the box

Question	Marking guidance	Marks
05.1	1 mark for the point below. **1** Cross-bred offspring are healthier / more productive because the problems caused by homozygous recessive genes in inbred varieties are reduced (heterosis) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
05.2	**1 mark each** 1 mark for each of the 2 points below. **1** Zebu tolerate heat but have a low milk yield – Ayrshire have a high milk yield but are not heat tolerant **1** Cross-breeding combined the desirable characteristics: heat tolerance with a high milk yield **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **tolerance** → the range of conditions in which a species can survive	2
05.3	**Any 2 of 3** 1 mark each for any 2 of the 3 points below, in any order, maximum 2. **1** Replacement of valuable animals that die with genetically identical individuals **1** Replacement of herds culled during a disease outbreak **1** Production of large numbers of individuals with desirable characteristics **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-322; AQA spec 3.5.1.2.	
06.1	**Calculation** 1 mark for the correct answer; working does not have to be shown. **1** 1000 / 100 000 x 100 = 1% **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (%) is already printed on the answer line. **Do not credit** • A bare wrong answer with no working.	1

Do not write outside the box

Question	Marking guidance	Marks
06.2	**1 mark each** 1 mark for each of the 3 points below. **1** Some light is reflected by the leaves **1** Some light is transmitted (passes through the leaves without being absorbed) or is of wavelengths not absorbed **1** Much of the energy captured is used in the plant's metabolic processes and released as low energy-density heat (respiration) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
06.3	**1 mark each** 1 mark for each of the 2 points below. **1** Less energy is passed to each trophic level than was received from the previous one (heat losses in respiration) **1** After four levels too little energy remains to support a further population **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **trophic level** → the feeding level in a food chain **Do not credit** • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	2
06.4	**1 mark each** 1 mark for each of the 2 points below. **1** Permanent grassland is a more sustainable land use than arable crops in these areas (soil / rainfall unsuitable for crops) **1** Grazing animals can digest grass cellulose using symbiotic bacteria in their stomachs, producing food that humans can eat **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainable** → meeting present needs without stopping future generations meeting theirs • **symbiotic** → a close relationship in which both species benefit **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	2
06.5	**1 mark each** 1 mark for each of the 2 points below. **1** Pigs are omnivores that can eat food wastes not wanted by people (eg cheese-making wastes, catering leftovers) **1** So edible meat is produced from material that would otherwise be wasted, without using land / crops that could feed people **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 326-328; AQA spec 3.5.1.2.	

Do not write outside the box

Question	Marking guidance	Marks
07.1	**1 mark each** 1 mark for each of the 2 points below. **1** Yield increases as inputs increase **1** But each extra unit of input produces a smaller increase in yield than the previous one (the curve flattens / law of diminishing returns) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
07.2	**Calculation** A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. **1 Second unit:** 70 - 50 = 20 units **1 Fifth unit:** 94 - 90 = 4 units **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (units) is already printed on the answer line. **Do not credit** • A bare wrong answer with no working.	2
07.3	**1 mark each** 1 mark for each of the 2 points below. **1** The first units of input on each area give the largest yield increases **1** Concentrating inputs means later units add very little, whereas the same inputs spread thinly all work at the steep part of the curve **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
07.4	**1 mark each** 1 mark for each of the 2 points below. **1** Some areas have much greater potential productivity so investment there is sensible **1** Affluent societies can afford to buy more inputs while poorer communities that would benefit most cannot afford them (economic reasons) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
07.5	**1 mark each** 1 mark for each of the 2 points below. **1** Yield per unit area is very high because of large inputs **1** But the extra yield per unit of input is small, so efficiency (yield per unit input / energy ratio) is low **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 324-325; AQA spec 3.5.1.2.	

Do not write outside the box

Question	Marking guidance	Marks
08.1	**Calculation** A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. **1 Subsistence maize:** 9.0 / 0.6 = 15 **1 Intensive wheat:** 54.0 / 18.0 = 3 **1 Feedlot beef:** 12.0 / 40.0 = 0.3 **Also accept** • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. **Do not credit** • A bare wrong answer with no working.	3
08.2	**1 mark each** 1 mark for each of the 3 points below. **1** An energy subsidy is the energy put into a farming system by people rather than by the Sun: fuel for machinery, the manufacture of fertilisers and pesticides, irrigation, transport, drying and storage **1** Intensive systems raise the yield per hectare by adding large energy subsidies, so the output rises but the input rises faster and the ratio falls **1** The feedlot ratio is below 1, so it takes more energy to produce the beef than the beef contains – the extra trophic level means most of the energy in the feed is lost in respiration, excretion and the inedible parts of the animal **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **trophic level** → the feeding level in a food chain **Do not credit** • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3

Do not write outside the box

Question	Marking guidance	Marks
08.3	**Any 3 of 6** 1 mark each for any 3 of the 6 points below, in any order, maximum 3. **1** Keep the food chain short by producing crops for direct human consumption rather than feeding them to livestock, so one transfer of about 10% efficiency is avoided **1** Restrict the movement of livestock, so less of the energy in the feed is used for muscular activity and more is converted to biomass **1** Keep the animals warm, or rear them indoors, so less energy is spent maintaining body temperature **1** Slaughter the animals young, while their growth rate and food conversion ratio are still high **1** Use species or breeds with a high food conversion ratio, such as poultry or farmed fish, rather than cattle **1** Control parasites and disease, and use feed that is easy to digest, so more of the food eaten is assimilated **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **food conversion ratio** → the feed needed per unit of food produced **Do not credit** • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3
08.4	**1 mark each** 1 mark for each of the 2 points below. **1** A single desired gene can be transferred, so the characteristic appears without the unwanted genes that come with a whole parent in conventional breeding **1** Genes can be moved between species that could never interbreed, so characteristics can be introduced that selective breeding could never produce, and the result is achieved in one generation instead of many **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2

Do not write outside the box

Question	Marking guidance	Marks
08.5	**Any 4 of 6** 1 mark each for any 4 of the 6 points below, in any order, maximum 4. **1** Genes may escape by pollen transfer to wild relatives or to neighbouring non-GM crops, creating herbicide-resistant weeds or making organic certification impossible **1** Insect-resistant crops may kill non-target species, including the pollinators and natural pest predators that the wider ecosystem depends on **1** Pests and weeds evolve resistance to the toxin or the herbicide the crop is designed to be used with, so the advantage is temporary and use of the chemical increases **1** Reliance on a few patented GM varieties narrows the genetic diversity of the crop, making it more vulnerable to a new disease **1** Seed is patented and must be bought each year, which can put subsistence farmers in debt or make them dependent on one supplier **1** Long-term effects on human health are not fully known, and labelling may not let consumers choose **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **genetic diversity** → the range of alleles / genes present in a population **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-328; AQA spec 3.5.1.2.	

Do not write outside the box