

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 24

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- The number in brackets after each marking point is the mark it earns; the note above the points says how many are needed.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- Alternative correct wording and other relevant, accurate points are credited.
- For levels-of-response questions, first determine the level using the descriptors, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	<i>1 mark for each point.</i> • B: frost-free period (150 days) exceeds the 120 needed whereas A (110) is too short - late frosts would kill seedlings (1) • B is warmer / longer thermal growing season because south-facing slopes receive more insolation; valley floors are frost pockets where cold dense air collects (1) • But B has lower rainfall and a steeper slope (erosion / machinery difficulties) so irrigation / contour cultivation may be needed (1)	3
01.2	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Greenhouses / polytunnels heated by solar gain or burning gas / paraffin (ventilated to prevent overheating) (1) • Woven plastic cloches / fleece over rows to retain warm air near the ground (1) • Burning oil / gas or using large fans in orchards to prevent frost damage to blossom (1) • Site selection (aspect, avoiding frost pockets); heated buildings and shelter for livestock (1)	3
01.3	<i>1 mark for each point.</i> • Mammals and birds use food energy to maintain a constant body temperature (thermoregulation) (1) • Reducing heat loss (shelter, heated buildings) means less food energy is used for heat and more is available for growth (1)	2
01.4	<i>1 mark for each point.</i> • Long days increase milk production and egg laying; poultry grow best with short days; sheep mate as days shorten in autumn (1) • Artificial lighting extends the growing season for greenhouse crops or simulates autumn in spring to give sheep a second mating / lambing season (1)	2

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 306-309; AQA spec 3.5.1.1.	
02.1	<i>Correct answer only.</i> • Its mass (1)	1
02.2	<i>1 mark for each point.</i> • The 24-hour rotation period means the surface is not exposed to sunlight for long, so temperature extremes / excessive heating and cooling are reduced (1) • The axis is tilted relative to the orbit so the amount of insolation at each latitude changes through the year, producing seasonal variations in conditions (1)	2
02.3	<i>1 mark for each point.</i> • The distance from the Sun gives surface temperatures between 0 and 35 °C in most areas: too close and water would boil / evaporate, too far and it would freeze (1) • Atmospheric pressure (produced by the mass of gases held by gravity) is high enough to stop the water boiling / evaporating away; at much lower pressure there would be no liquid water (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-7; AQA spec 3.1.1.1.	
03.1	<i>1 mark for each point.</i> • Its reading is adjusted to match a meter known to be accurate so that the results are accurate / comparable (1) • If it cannot be adjusted the percentage error should be recorded so the results can be corrected (1)	2
03.2	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Droppings: diet, gender, territory size (1) • Owl pellets: diet (1) • Feeding marks (eg chewed hazel nuts): presence of species such as dormice (1) • Nests / burrows: presence and breeding (1) • Tracks / footprints: presence, movements (1) • Territorial marks (scratching posts): presence and territory (1)	3
03.3	<i>1 mark for each point.</i> • Bat detectors / sonograms record the ultrasonic sounds bats produce, which differ between species (1) • The recordings provide evidence of presence, abundance and activity of species that cannot easily be seen (1)	2
03.4	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Marked individuals mix freely with the rest of the population (1) • Marks do not fall off or wear away, and marking does not affect survival (1) • The population does not change during the study (no births, deaths or migration) (1) • All individuals have an equal chance of being caught / animals are mobile and can be caught (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402, 405, 407; AQA spec 3.1.2.3.5-3.1.2.3.6.	

Question	Marking guidance	Marks
04.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Selective breeding: parents chosen for desirable genetic characteristics (Limousin muscle growth, Merino wool, Cheviot hardiness); combines genes but characteristics of offspring not fully predictable; many generations needed; risk of inbreeding (2) • Asexual reproduction (cuttings, runners, tissue culture, cloning): offspring genetically identical to the parent so characteristics are predictable and survival high; but no variation so no improvement and vulnerability to the same disease; cloning of animals (nucleus transfer into an enucleated egg, surrogate) still developing (2) • Cross-breeding: two breeds combined to give a mix of characteristics with hybrid vigour (heterosis) and lower inbreeding risk, eg Zebu (heat tolerant) x Ayrshire (high milk yield) (2)	6
04.2	<i>1 mark for each point.</i> • AI: semen from a male with desirable characteristics can fertilise many more females than natural mating; frozen semen stored and transported easily and used after the male dies (1) • Embryo transfer: FSH stimulates a superior female to release many eggs, which are fertilised (IVF) with sperm from a superior male (1) • Each embryo is implanted in a different surrogate female (1) • So the donor produces many offspring per year rather than one per pregnancy (1)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-323; AQA spec 3.5.1.2.	
05.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Light: selective felling to create clearings for plants needing high light while retaining dense canopy for shade species; clearings also give warm sand / soil for lizard eggs; leave dead wood; woodland floor plants (bluebells) grow before the canopy leafs (2) • Dissolved oxygen: narrowing a slow river increases flow and turbulence so more oxygen dissolves, suiting trout and mayfly larvae; shallow water warms quickly for egg development (2) • Nutrients: removing fertile topsoil / not fertilising allows plants of nutrient-poor soils (eg sundew on acidic nitrate-deficient soils) that cannot compete on fertile ground; dung patches add local nutrients (2)	6
05.2	<i>Any 4 from the points below - 1 mark each, maximum 4.</i> • Food: wildflower grasslands for seed-eating birds; providing food species (1) • Control of predation: island nest sites unreachable by foxes; trapping / culling / eradicating introduced rats (Scilly Isles - Manx shearwater and storm petrel breeding success increased) (1) • Control of competitors: removing rhododendron so wildflowers get light (1) • Pollination: a range of flowering plants with different flowering times so pollinators have food all season (1) • Seed dispersal species (hippos, elephants, monkeys) conserved; control of introduced pathogens (1)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 43-46; AQA spec 3.1.2.3.4, 3.1.3.1.	

Question	Marking guidance	Marks
06.1	<i>1 mark for each point.</i> • Small clearings were farmed for a few years then abandoned as nutrients declined; the forest recolonised and soil fertility recovered before the area was cleared again (1) • Population growth shortens the gap between clearances so the forest and soil do not recover (1) • Clearings enlarge and degrade; less regrowth (1)	3
06.2	<i>1 mark for each point.</i> • Rainforest soils are thin and nutrient-poor (nutrients held in the biomass); once cleared, fertility falls in a few years and yields drop, so more land is cleared (1) • Abandoned land may not be recolonised if no forest survives nearby; erosion of exposed soil (1)	2
06.3	<i>1 mark for each point.</i> • Mining (aluminium, iron, gold, copper) destroys habitat directly and pollutes rivers with turbid drainage, cyanide and mercury from processing (1) • Reservoirs (eg Tucurui, 2850 km²) flood large areas, block migratory fish and river dolphins; decomposing vegetation produces acidic, deoxygenated water; fluctuating downstream flows (1) • Droughts increase frequency, area and duration of fires (long fires boil sap and kill trees); cloud forests lose humidity as clouds form higher so frogs and epiphytes decline; some models predict replacement by savannah (1)	3
06.4	<i>1 mark for each point.</i> • A creditor country or conservation charity cancels / buys part of a debtor country's foreign debt (1) • In return the country guarantees to protect an area of rainforest (eg USA - Guatemala, Brazil; WWF - Costa Rica, Philippines) (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 55-57; AQA spec 3.1.2.3.4.	
07.1	<i>1 mark for each point.</i> • In winter nutrients are high (storms disturb sediments, deep mixing) but light is too low for photosynthesis (1) • In spring light rises while nutrients are still high so growth is rapid - the spring bloom (peak about May) (1) • The bloom uses up nutrients (falling to 10 by July); dead plankton sink out of the photic zone carrying nutrients to the seabed (1) • So nutrients become limiting in summer despite high light; a smaller autumn bloom follows when storms return nutrients while light is still adequate (1)	4
07.2	<i>1 mark for each point.</i> • Warm surface water is stable (no seasonal mixing / storms) so nutrients lost to deep water in sinking dead organisms are not replaced (1) • Nutrient (especially phosphate) concentrations in the photic zone remain very low - the limiting factor (1)	2

Question	Marking guidance	Marks
07.3	<i>1 mark for each point.</i> • Upwelling (offshore winds, seamounts, currents deflected upwards) brings cold nutrient-rich deep water into the photic zone (1) • Coastal waters receive nutrients washed off the land in rivers and storms disturb shallow sediments (1) • Nutrients plus light in the shallow photic zone allow high algal productivity supporting rich food webs and fisheries (eg Peru anchovy) (1)	3
07.4	<i>1 mark.</i> • Phosphates have low solubility and no atmospheric reservoir; they are only added by river runoff or upwelling and are lost to sediments (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 338-339; AQA spec 3.5.2.1.	
08.1	<i>1 mark for each point.</i> • Irrigation depletes rivers and aquifers (eg Aral Sea, Ogallala); increases evaporation (1) • Soil erosion and compaction reduce water retention and infiltration so runoff and river flow fluctuations increase (1) • Evapotranspiration changes: increased in irrigated arid areas, decreased where forests were cleared (1)	3
08.2	<i>2 marks for each point (partial credit for a partly correct point).</i> • Seasonal / local: avoids energy for heating, lighting greenhouses out of season and long-distance transport (food miles) and the pollution this causes (2) • Organic: uses natural processes (rotation, legumes, manure, biological control, predator habitats) instead of artificial fertilisers and pesticides, so less pollution, energy use and harm to non-target species; free-range and Fairtrade also accepted for welfare / social reasons (2)	4
08.3	<i>1 mark for each point.</i> • Food shortages after 1945 (dependence on US food aid); farmers could not afford loans to invest so grants funded machinery, drainage, hedgerow removal, liming, improved livestock (1) • Guaranteed market / price support: government bought surpluses to hold prices up (and sold stores in poor years) giving farmers security to increase output (1) • Consequences: loss of hedgerows and wetlands, intensification, pesticide and fertiliser pollution; later food surpluses (butter mountains) that could not be sold without harming LEDC producers (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 329-333; AQA spec 3.5.1.3-3.5.1.4.	
09.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Image databases: identifying individuals (tiger stripes, whale shark spots, dolphin fins) to find territory size, movements, lifespan, social groups - few species have unique recognisable features (2) • eDNA: detecting the presence of a species from DNA shed into water (great crested newt, invasive carp) - shows presence not abundance; contamination / DNA transport by water (2) • Geolocator tags: tracking small birds on migration where transmitters are too heavy - only record light and time so position is approximate; animal must be recaptured to download data (2)	6

Question	Marking guidance	Marks
09.2	1 mark for each point. • Microwaves emitted by the satellite reflect off the surface giving data on wave height, wind velocity, sea surface altitude and oil slicks (which smooth the surface) (1) • Microwaves pass through cloud so monitoring is not interrupted by weather (1)	2
09.3	Any 2 from the points below - 1 mark each, maximum 2. • Droppings: diet, gender, territory size (1) • Owl pellets: diet (1) • Feeding marks (chewed hazel nuts - dormouse), tracks / footprints, nests / burrows, scratching posts (territory) (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-407; AQA spec 3.7.2.3.	
10.1	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) • Resources: wood, fibres (cotton, wool, silk), oils, fuels (wood, biofuels), food; new food species (morama bean, perennial cereals, eland, bison) better adapted to local conditions • Biomimetics: vehicle design, architecture, structures, adhesion, materials, ultrasound • Medicines from plants and animals (examples); most species unstudied - argument for habitat conservation • Physiological research using wildlife species; wildlife as pest control agents (ladybirds, Encarsia, Cactoblastis, Bt) • Genetic resources: crop wild relatives, Vavilov centres, gene pools • Ecosystem services: atmospheric composition, hydrological and biogeochemical cycles, soil maintenance, pollination, seed dispersal, habitat provision • Ethical / aesthetic / recreational arguments; the unknown value of species not yet investigated (precautionary principle) • Evaluation: which arguments are most persuasive to decision makers; economic valuation vs intrinsic value; judgement	9
	Model answer - Level 3 (8 marks)	

Question	Marking guidance	Marks
	Human society depends on other species first as resources: wood, fibres such as cotton, wool and silk, oils, fuels and, above all, food, with wild species such as the morama bean, perennial cereals, eland and bison offering new crops and livestock better adapted to local conditions. Biomimetics copies adaptations into vehicle design, architecture, structures, adhesives, materials and ultrasound; medicines such as taxol, quinine and AZT came from plants and animals, and physiological research on marsupials, hippos and sponges continues to yield medical insights. Wild species are pest-control agents - ladybirds, <i>Encarsia</i> , <i>Cactoblastis</i> , <i>Bacillus thuringiensis</i> - and crop wild relatives in Vavilov centres hold the genes future crops will need.	
	Less visibly, other species provide the services that keep the planet habitable: regulating atmospheric composition, driving the hydrological and biogeochemical cycles, maintaining soil, pollinating crops, dispersing seeds and providing habitat. Most species have never been investigated, so their value is unknown, and there are ethical, aesthetic and recreational reasons for conservation that owe nothing to usefulness.	
	Which arguments persuade decision-makers? Economic valuation of resources and services speaks the language of policy and has been most effective, but it undervalues the services that go unnoticed because they operate in dynamic equilibrium and it can never capture the value of species not yet studied. The strongest case combines the precautionary logic of unknown value with the intrinsic argument: conserving biodiversity protects both what we know we need and what we cannot yet know.	
	Weaker answer - Level 1 (3 marks)	
	Biodiversity is important for humans in many ways. We get food, wood and cotton from plants and animals. Many medicines come from plants. Bees pollinate our crops so we need to conserve them. Animals and plants are also nice to look at and people like to visit nature. We should conserve biodiversity because we might need species in the future.	
	What makes the difference	
	• Level 1 names categories without examples; Level 3 gives specific, accurate examples in every category.	
	• Level 3 includes ecosystem services, genetic resources and pest control that Level 1 omits.	
	• 'Discuss' at the top level means weighing the arguments against each other - Level 3 evaluates which arguments persuade and why; Level 1 does not.	
10.2	<i>1 mark.</i> • The variety and abundance of life (species, genes, habitats) in an area / on Earth (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 10-19; AQA spec 3.1.2.1.	

Question	Marking guidance	Marks
11.1	Discuss the extent to which agriculture can be made sustainable while feeding a growing human population. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Need: population possibly 12 billion; humans raise carrying capacity; trophic level of diet • Impacts to be reduced: habitat loss, drainage, nutrient enrichment, introduced species, pesticide and nutrient pollution, nitrate toxicity, greenhouse gases, hydrological changes, soil erosion • Social, economic and political influences: consumer choices, technology availability, grants, guaranteed markets, surpluses, quotas, set-aside, agri-environment schemes • Strategies: cultural and biological pest control, integrated control, organic nutrient supply, legumes, low tillage, water conservation, CWR conservation, renewable energy, methane reduction, habitat retention • Limits: little new land, imports reducing local availability, cost and acceptance of new techniques, past land degradation • Justified conclusion Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 328-337; AQA spec 3.5.1.3-3.5.1.5.	25

Question	Marking guidance	Marks
11.2	Using named examples, discuss how the ecological features of a habitat determine its importance, the threats it faces and the conservation strategies that are appropriate. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Temperate broadleaf woodland: seasonality, deep soils, high biodiversity, resources, climate and soil regulation; deforestation, fragmentation, management change; SSSIs, ancient woodland protection, coppicing, mixed planting • Tropical rainforest: stable warm wet climate, stratification, very high biodiversity, carbon and hydrological roles, thin soils; fuelwood, timber, agriculture, mining, reservoirs, climate change; protected areas, debt-for-nature swaps, sustainable exploitation • Tropical coral reefs: cnidarian-zooxanthellae symbiosis, light, temperature, turbidity, salinity; fisheries, erosion protection, medicines, tourism; damage, souvenirs, sedimentation, pollution, bleaching, fishing, introduced species; MPAs, no-take zones, control of activities • Deep-water reefs: cold, dark, slow growth; research, fisheries; trawling, oil / gas, acidification; SACs • Oceanic islands: isolation, endemism, no mammal predators; exploitation, introduced species, habitat change, sea level; eradications, control of development and visitors • Mangroves: halophytes, anaerobic mud; erosion protection, fisheries nurseries, sediment trapping; clearance for aquaculture / urban / ports, pollution, climate change; protection, replanting • Antarctica: extreme cold, seasonality, marine nutrients, ice; water store, albedo, carbon, research; climate change, ozone, tourism, fishing, minerals; Antarctic Treaty, CCAMLR, tourism and waste rules • Synthesis: features -> importance -> threats -> strategy; evaluation of success; conclusion Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 50-71; AQA spec 3.1.2.3.4.	25