

A-level

ENVIRONMENTAL SCIENCE

Questions by topic: Ecological monitoring & new technologies - Set 1

Mark scheme

AQA spec 3.1.2.3.5-3.1.2.3.6; The living environment; textbook pp. 402-407

Marking guidance

- The number in brackets after each marking point is the mark it earns; the note above the points says how many are needed.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- Alternative correct wording and other relevant, accurate points are credited.
- For levels-of-response questions, first determine the level using the descriptors, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Size: shows whether the population is viable / how urgent action is; sets a baseline to judge success; needed to estimate carrying capacity and sustainable off-take (2) • Distribution: shows which habitats / areas are used and whether the population is fragmented into non-viable isolated groups needing corridors; identifies key areas to protect (2) • Survival rate (mortality): identifies the life stage and causes of death (predation, disease, poaching) so management targets the limiting factor (2) • Age structure: many young indicates a growing population; few young / ageing population indicates breeding failure or high juvenile mortality even if adults are numerous; k-selected species need breeding adults protected (2)	8
01.2	<i>1 mark for each point.</i> • Direct counts from vehicles / aircraft / drones along transects, or camera traps with individual recognition (1) • Sub-sample counts in known areas scaled up to the whole reserve; mark-release-recapture (Lincoln index) for smaller species (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 393-394, 400-402; AQA spec 3.1.2.3.5.	

Question	Marking guidance	Marks
02.1	<i>2 marks for each point (partial credit for a partly correct point).</i> - Tracking: continuous data on movements, territory size, migration routes and habitat use without disturbance, over large areas and long periods; acoustic tags in seawater; geolocators for small birds; more representative than occasional sightings (2) - DNA: identifies individuals, gene pool size / inbreeding and regional populations (tracing ivory, timber, fish); eDNA detects rare or hidden aquatic species (great crested newt, invasive carp) from shed cells without capture (2) - Image recognition: software identifies individuals from unique markings (tiger stripes, whale shark spots, fin damage) in camera-trap / drone / satellite images, giving population size, lifespan, social structure from large image sets quickly and objectively (2) - Acoustic: bat detectors, hydrophones and sonograms record species that are hard to see (bats, cetaceans, insects), giving presence, abundance and activity continuously, day and night (2)	8
02.2	<i>1 mark for each point.</i> - Data collected continuously / over large areas / at night rather than at a few times and places a researcher can visit (1) - Less disturbance so animals behave naturally; larger sample sizes; objective rather than subjective identification (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-406; AQA spec 3.1.2.3.6.	
03.1	<i>Correct answer only.</i> B - radio waves do not travel through seawater; acoustic or satellite tags transmit position (1)	1
03.2	<i>2 marks for each point (partial credit for a partly correct point).</i> - Shows survival, dispersal and breeding of released individuals so success can be assessed and future releases improved (2) - Radio / GPS tags or collars; leg rings / wing tags on birds; camera traps; DNA from droppings to confirm identity and diet (2)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 393-394, 402-407; AQA spec 3.1.2.3.5-3.1.2.3.6.	
04.1	<i>Correct answer only.</i> Environmental DNA (eDNA) analysis (1)	1
04.2	<i>1 mark for each point.</i> - Transmitters are too heavy for small birds / their batteries would not last for a long-term study (1) - Geocator tags are small and only record time and light levels; latitude and longitude for each day are worked out when the bird is recaptured and the data downloaded (1)	2
04.3	<i>1 mark for each point.</i> - Each separate (regional) population has its own unique gene pool (1) - DNA from seized ivory can be compared with the database to identify where the elephant came from, so poaching hotspots / trade routes can be targeted (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 404-405; AQA spec 3.1.2.3.6.	

Question	Marking guidance	Marks
05.1	<i>1 mark for each point.</i> • Images / maps of large areas; land-use change, deforestation, flooding (1) • Vegetation density and surface temperature (1) • Wind velocity, sea-surface altitude, wave height, oil pollution (1)	3
05.2	<i>1 mark.</i> • Microwaves pass through clouds (unlike visible light) (1)	1
05.3	<i>1 mark for each point.</i> • Very large / remote areas can be surveyed quickly and repeatedly so changes over time are detected (1) • No need for researchers to visit inaccessible areas, reducing cost and disturbance; data are standardised across the whole area (1)	2
05.4	<i>Any 4 from the points below - 1 mark each, maximum 4.</i> • Motion-sensitive cameras placed along trails record animals passing, using visible light by day and infrared at night (1) • Each tiger has a unique pattern of facial / body stripes (1) • Images are compared with the database so individuals are recognised rather than counted twice (1) • The number of different individuals recorded gives a minimum population; repeated captures give territory size, movements, lifespans and social groupings (1) • Limitation: only works for species with unique visible features (1)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-403, 406-407; AQA spec 3.1.2.3.6.	
06.1	<i>1 mark for each point.</i> • Its reading is adjusted to match a meter known to be accurate so that the results are accurate / comparable (1) • If it cannot be adjusted the percentage error should be recorded so the results can be corrected (1)	2
06.2	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Droppings: diet, gender, territory size (1) • Owl pellets: diet (1) • Feeding marks (eg chewed hazel nuts): presence of species such as dormice (1) • Nests / burrows: presence and breeding (1) • Tracks / footprints: presence, movements (1) • Territorial marks (scratching posts): presence and territory (1)	3
06.3	<i>1 mark for each point.</i> • Bat detectors / sonograms record the ultrasonic sounds bats produce, which differ between species (1) • The recordings provide evidence of presence, abundance and activity of species that cannot easily be seen (1)	2
06.4	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Marked individuals mix freely with the rest of the population (1) • Marks do not fall off or wear away, and marking does not affect survival (1) • The population does not change during the study (no births, deaths or migration) (1) • All individuals have an equal chance of being caught / animals are mobile and can be caught (1)	3

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402, 405, 407; AQA spec 3.1.2.3.5-3.1.2.3.6.	
07.1	<i>A correct final answer (with unit where asked) scores full marks. If the answer is wrong, award 1 mark for each correct step of working shown.</i> • $(15 - 6) / 6 \times 100$ (1) • = 150% (1)	2
07.2	<i>1 mark for each point.</i> • Cells shed by the newts into the water contain their DNA (1) • Water samples are analysed for DNA sequences unique to the species (1)	2
07.3	<i>1 mark for each point.</i> • Catches depend on trapping effort, weather and newt activity on the night, so they vary from year to year (1) • Trapping only samples one pond and one part of the population, whereas eDNA surveys all 20 ponds with a standard method (1)	2
07.4	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) • Image databases of unique markings (tiger stripes, whale shark spots, dolphin fins) giving territory size, movements, lifespan and social groups; limited to species with unique features • Motion-sensitive and infrared cameras, CCTV of nests with less disturbance; marking (rings, wing tags) • DNA: eDNA to detect presence (great crested newts, invasive carp); DNA databases to identify regional populations and trace timber, ivory and fish • Auditory monitoring: bat detectors and sonograms for presence, abundance and activity • Position monitoring: radio, GPS and acoustic transmitters; geolocator tags for small birds; data recorders; carrier systems - ROVs / drones, AUVs, balloons, aircraft, satellites, animals • Satellites: visible light for land use and deforestation, infrared for vegetation and temperature, radar for wind, waves, sea level and oil; GPS for tracking • Evaluation: greater coverage, less disturbance and continuous data vs cost, battery / weight limits, calibration, need for ground-truthing, ethical issues of tagging; indirect evidence and traditional methods still needed • Justified conclusion	9
	Model answer - Level 3 (9 marks)	

Question	Marking guidance	Marks
	New technologies have transformed what can be monitored and how often. Image databases of unique markings - tiger stripes, whale-shark spots, dolphin fin scars - let individuals be recognised, giving territory size, movements, lifespan and social structure without repeated capture, though only for species with unique features. Motion-sensitive and infrared cameras and CCTV record activity day and night with far less disturbance than observers, especially at nests.	
	Genetics adds detection where nothing can be seen: eDNA in water reveals great crested newts or invasive carp from shed cells, and DNA databases identify which regional population timber, ivory or fish came from, supporting enforcement. Bat detectors and sonograms give presence, abundance and activity of species heard but not seen. Position monitoring uses radio, GPS and acoustic transmitters, or tiny geolocator tags for birds too small to carry a transmitter, while data recorders on drones, AUVs, balloons, aircraft, satellites or the animals themselves collect abiotic data. Satellites map land use and deforestation in visible light, vegetation density and temperature in infrared, and wind, waves, sea level and oil slicks with radar that works through cloud.	
	The gains are coverage, continuity and reduced disturbance. The limits are cost, battery life and weight, the need to calibrate sensors and ground-truth remote data, ethical questions about tagging, and the fact that many species still require traditional methods and indirect evidence. New technology therefore complements rather than replaces fieldwork, but for rare, remote or nocturnal species it has made effective conservation possible where it was not before.	
	Weaker answer - Level 1 (3 marks)	
	New technologies help monitor wildlife. Cameras can take pictures of animals at night. GPS collars can track where animals go. Satellites can see deforestation from space. DNA can tell which animals are present. Bat detectors can hear bats. These help conservation because we know where animals are and how many there are. They can be expensive though.	
	What makes the difference	
	• Level 1 lists technologies with no detail of how they work or what data they give; Level 3 links each to the information it provides (territory size, presence, activity).	
	• Level 3's evaluation considers several limitations (calibration, ground-truthing, ethics, species coverage) and reaches a balanced judgement; Level 1 has one word - 'expensive'.	
	• Structure: Level 3 groups by imagery, genetics, sound, position and remote sensing; the list in Level 1 has no organisation.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-407; AQA spec 3.1.2.3.5-3.1.2.3.6.	