A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 18

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

• Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
• The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
• **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
• Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
• For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
• Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	**Any 2 of 6** 1 mark each for any 2 of the 6 points below, in any order, maximum 2. **1** Potato bean (N America): high protein content **1** Morama bean (southern Africa): protein content similar to soya, drought resistant **1** Yeheb tree (Somalia): edible nuts, drought resistant, grows on poor soils **1** Perennial maize (Mexico) / Kernza: no need to buy seed each year, less ploughing so less soil erosion **1 American bison:** graze grassland too poor for cattle **1 Common eland:** browse and graze so can be kept with cattle without severe competition **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. • 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	2

Do not write outside the box

Question	Marking guidance	Marks
01.2	**1 mark each** 1 mark for each of the 2 points below. **1** Indigenous species are better adapted to local conditions such as climate, pests / diseases and soil **1** So they have higher survival rates / productivity is not reduced, as it is when introduced species are kept in areas to which they are not adapted **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
01.3	1 mark for the point below. **1** They grow in soils with a high salt content, so their genes could be used in breeding programmes to increase the salt tolerance of crops grown on soils salinised by irrigation **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **tolerance** → the range of conditions in which a species can survive	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 11; AQA spec 3.1.2.1.1.	
02.1	**1 mark each** 1 mark for each of the 3 points below. **1 MEDCs:** market demand and higher prices for the flavour of carnivorous fish (salmon, trout) justify high inputs (fishmeal, cooler climates suit them) **1 LEDCs:** herbivores / omnivores feed on natural vegetation, phytoplankton and wastes so need low inputs – warm climates suit tilapia **1** Herbivores are more energy-efficient (lower trophic level) so more food per unit area **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **aquaculture** → fish or shellfish farming • **trophic level** → the feeding level in a food chain **Do not credit** • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3
02.2	**1 mark each** 1 mark for each of the 3 points below. **1** Some genetically female (XX) fish are treated with testosterone so they become functional males producing only X-carrying sperm **1** Crossed with normal females (XX) all offspring are XX females **1** Female trout meat has a better flavour – in tilapia the reverse (all males) because males grow larger / more efficiently **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Do not write outside the box

Question	Marking guidance	Marks
02.3	**1 mark each** 1 mark for each of the 4 points below. **1 Salmon need high oxygen:** water sprays / weirs aerate – wastes removed to prevent deoxygenation **1** Constant circular flow keeps fish swimming the same way - fewer collisions / injuries, more muscular fish, higher stocking density **1** Artificial lighting delays maturation (salmon stop growing at maturity) so larger fish – controls smoltification **1** Cool sites (Scotland, Norway) because warm water holds less oxygen although warmth increases growth **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **abiotic** → non-living / physical factors • **deoxygenation** → loss of dissolved oxygen from the water	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 352-355; AQA spec 3.5.2.3.	
03.1	**1 mark each** 1 mark for each of the 4 points below. **1** Less dead organic matter / leaf litter so less humus and slower soil formation – fewer nutrients returned **1** Loss of canopy and litter exposes soil to rain splash and wind **1** Decomposing roots no longer bind soil so erosion, gullying and landslides increase (especially on slopes) **1** Reduced organic matter and biota lower infiltration and water retention **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **humus** → dark, decomposed organic matter in soil • **infiltration** → water soaking into the soil surface **Do not credit** • 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss	4

Do not write outside the box

Question	Marking guidance	Marks
03.2	**1 mark each** 1 mark for each of the 4 points below. **1** Reduced interception and transpiration so less water returned to the atmosphere and less rainfall downwind **1 Increased runoff:** more flooding after rain, lower flows in dry periods – sedimentation of rivers **1** Increased albedo of cleared land (reflects more sunlight) **1** Reduced carbon sequestration and loss of the carbon reservoir (CO_2 released by burning / decay) contributing to climate change **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **transpiration** → water lost as vapour from the leaves • **albedo** → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back **Do not credit** • 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss • a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	4
03.3	**Any 2 of 3** 1 mark each for any 2 of the 3 points below, in any order, maximum 2. **1** Fragmentation of remaining forest into isolated patches with non-viable populations / edge effects **1** Loss of inter-species relationships (pollinators, seed dispersers) causing further declines **1** Loss of genetic resources / potential medicines before they are discovered **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. • 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 368-369; AQA spec 3.5.3.3.	

Do not write outside the box

Question	Marking guidance	Marks
04.1	**1 mark each** 1 mark for each of the 6 points below. **1** Cycling of materials (like biogeochemical cycles) - recycling, re-use **1** Energy from renewable sources **1** Human activities should support ecosystems / conserve biodiversity **1** Separation of technical and biological materials – connected systems where the waste of one process feeds another (industrial symbiosis) **1** Diverse systems are more resistant to change **1** Design of products for extended use and end-of-life re-use – optimum rather than maximum production – technologies that improve efficiency and enable dismantling **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **recycling** → reprocessing a material to make something new • **biodiversity** → the variety of life: habitat, species and genetic diversity • **symbiosis** → a close relationship in which both species benefit **Do not credit** • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	6
04.2	**1 mark each** 1 mark for each of the 2 points below. **1** Natural systems over-produce so the surplus supports the processes the system relies on: plant products feed pollinators, seed dispersers, decomposers, mycorrhizae **1** Agroecosystems aim for maximum harvested yield, removing the surplus that would maintain soil biota, pollinators and pest predators, so they need artificial inputs **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round.	2
04.3	**1 mark each** 1 mark for each of the 2 points below. **1** Costs of environmental measures could put companies in one country at a disadvantage against competitors in countries without them **1** A common approach gives a level playing field, coordinated monitoring and support for less successful countries **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 374-375; AQA spec 3.6.4.1.	

Do not write outside the box

Question	Marking guidance	Marks
05.1	**1 mark each** 1 mark for each of the 2 points below. **1** Single genes can be transferred from any species, not just closely related ones that produce fertile hybrids **1** Desired characteristics introduced without linked unwanted ones – faster **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	2
05.2	**1 mark each** 1 mark for each of the 3 points below. **1 Bt:** reduces insecticide spraying so fewer non-target deaths, lower cost / energy **1 Roundup Ready:** weeds controlled by spraying glyphosate without harming the crop, so higher yields with less cultivation / tillage **1 Golden rice:** provides vitamin A in the staple diet, reducing about 500 000 cases of blindness a year in India / sub-Saharan Africa **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
05.3	**1 mark each** 1 mark for each of the 4 points below. **1** Gene transfer by pollen to conventional / organic crops or wild relatives (eg Bt gene killing insects feeding on wild plants) **1** Antibiotic-resistance marker genes could transfer to pathogenic bacteria – possible allergies – gene transfer to gut bacteria **1** Detection in the human food chain from crops approved only for animal feed **1 Economic:** seeds must be bought each year from patent-holding companies, raising costs and reducing local crop diversity and seed saving in LEDCs – herbicide-resistant crops may increase herbicide use **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	4

Do not write outside the box

Question	Marking guidance	Marks
05.4	1 mark for the point below. **1** Public / political concern that risks are not fully assessed - more evidence needed (precautionary principle) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use • the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 323-324; AQA spec 3.5.1.2.	
06.1	**1 mark each** 1 mark for each of the 4 points below. **1** Natural cycles use a small number of abundant elements (C, H, O, N, P) built into monomers and polymers (carbohydrates, proteins) – wastes of one process are raw materials for another so nothing is depleted or accumulates **1** Natural wastes are biodegradable / non-toxic and are broken down by decomposers into raw materials **1 Human systems are linear:** extract - process - manufacture - use - discard – minerals are dispersed after use or mixed so recovery is difficult **1** Human wastes are often persistent and toxic (organochlorines, PCBs, heavy metals in electronics) and build up – fossil fuel use is inherently linear and unsustainable **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodegradable** → broken down by decomposers • **persistent** → does not break down / stays in the environment for a long time **Do not credit** • 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	4
06.2	**1 mark each** 1 mark for each of the 2 points below. **1** Metals are dispersed in small amounts within complex mixed products so they cannot easily be separated / recovered at end of life **1** They leach from landfill or are released by incineration – persistent, bioaccumulating **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **sustainability** → meeting present needs without stopping future generations meeting theirs • **incineration** → burning waste, usually with energy recovery • **persistent** → does not break down / stays in the environment for a long time **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	2

Do not write outside the box

Question	Marking guidance	Marks
06.3	**1 mark each** 1 mark for each of the 4 points below. **1** Design for durability, repair and re-use (replaceable parts, no built-in batteries, spare parts and support, no planned obsolescence) **1** Easy identification of materials (coding) and separation of components so they can be recycled **1** Separation of technical materials (metals, plastics) from biological materials (which can be composted / digested) **1** Use of recycled and recyclable / biodegradable materials – reduced packaging and material use (Cradle to Cradle) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **biodegradable** → broken down by decomposers	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 373-374; AQA spec 3.6.3.	
07.1	**1 mark each** 1 mark for each of the 3 points below. **1** Anchovy r-selected – blue whale k-selected **1** r-selected: mature quickly, produce many young, disperse widely, short lives – adapted to respond rapidly to high death rates / unstable conditions (mice, locusts, greenfly, rabbits) **1** k-selected: mature late, few young with parental care, long-lived – populations stable near carrying capacity (whales, elephants, rhinos) **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • **carrying capacity** → the largest population the area can support **Do not credit** • 'the population cannot grow any more' as a definition - numbers fluctuate around the carrying capacity	3
07.2	**1 mark each** 1 mark for each of the 3 points below. **1** Low reproductive rate means losses from hunting / habitat change cannot be replaced quickly **1** An increase in death rate above the low birth rate causes a population crash **1** Recovery takes decades (eg blue whale still far below pre-whaling numbers after the 1986 moratorium) – r-selected species rebound within a few years once exploitation stops **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Do not write outside the box

Question	Marking guidance	Marks
07.3	1 mark for the point below. **1** New population = starting population + births + immigrants - deaths - emigrants **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
07.4	**1 mark each** 1 mark for each of the 3 points below. **1** The greatest rate of exploitation (harvest) possible without causing long-term population decline **1 Equals the surplus production:** highest when the population is well below carrying capacity where growth rate is fastest (middle of the sigmoid curve) **1** At carrying capacity net growth is zero so any harvest reduces the population – harvesting above MSY causes decline **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **maximum sustainable yield** → the largest catch that can be taken without reducing the stock • **sustainable** → meeting present needs without stopping future generations meeting theirs • **carrying capacity** → the largest population the area can support **Do not credit** • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • 'the population cannot grow any more' as a definition - numbers fluctuate around the carrying capacity	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 79-80; AQA spec 3.1.3.4.	
08.1	**1 mark each** 1 mark for each of the 2 points below. **1** A community maintained at a stage before the climax by regular human activity (grazing, mowing, burning, coppicing) that deflects succession **1** Chalk grassland was produced by centuries of sheep grazing – without it succession to scrub and woodland resumes **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **plagioclimax** → a community held back from its climax by human activity • **succession** → the gradual change in the community over time **Do not credit** • 'the climax community never changes' - it is stable only while the conditions stay the same	2

Do not write outside the box

Question	Marking guidance	Marks
08.2	**1 mark each** 1 mark for each of the 4 points below. **1** Grazing removes taller / dominant grasses and prevents scrub establishing (5% cover) so small plants are not shaded out **1** Trampling creates bare ground for wildflower seed germination and warm patches for invertebrates / reptiles **1** Dung creates small nutrient-rich patches supporting different plants and invertebrates – sheep eat short grasses and some bushes **1** Mowing removes everything at once including plants grazers avoid, and removes flowers / seeds before setting – burning removes vegetation but also kills invertebrates and allows scrub regrowth – abandoned plot dominated by scrub (55%) so few species **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
08.3	**1 mark each** 1 mark for each of the 2 points below. **1** Sheep eat short grass (some breeds eat scrub) – ponies avoid flowers but eat bracken – cattle remove long rough grass **1** Choice depends on the vegetation to be controlled and the plants to be protected **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **plagioclimax** → a community held back from its climax by human activity	2
08.4	**1 mark each** 1 mark for each of the 2 points below. **1** Removes mature heather bushes and young trees that grazers will not eat, creating open unshaded ground **1** Heat stimulates dormant heather seeds to germinate so young heather re-establishes **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 47-49; AQA spec 3.1.3.3.	
09.1	**Correct answer only** 1 mark for the correct option. No mark if more than one box is ticked. **1** B **Also accept** • **abiotic** → non-living / physical factors	1

Do not write outside the box

Question	Marking guidance	Marks
09.2	**Any 4 of 5** 1 mark each for any 4 of the 5 points below, in any order, maximum 4. **1** Deforestation **1** Ploughing of grassland / expansion of farmland **1** Reservoir creation / flooding **1** Mineral extraction, especially open-cast mining **1** Urban expansion **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. **Do not credit** • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss • a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 20-26; AQA spec 3.1.2.2.	
10.1	**Any 4 of 5** 1 mark each for any 4 of the 5 points below, in any order, maximum 4. **1** Zooxanthellae are photosynthetic algae living inside the polyp cells **1** The algae absorb CO_2 and excretory wastes from the polyp for photosynthesis and growth (efficient nutrient recycling) **1** They supply the polyp with oxygen and glucose - over 95% of its food energy **1** In return the algae gain a protected habitat and nutrients they could not absorb from the nutrient-deficient water **1** Polyps also feed on plankton captured by cilia and nematocysts **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes. • **recycling** → reprocessing a material to make something new **Do not credit** • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	4
10.2	**1 mark each** 1 mark for each of the 2 points below. **1** Corals deposit a skeleton of calcium carbonate (calcite) **1** Each carbonate molecule requires the absorption of a molecule of carbon dioxide, so reefs are a carbon sink **Also accept** • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Do not write outside the box

Question	Marking guidance	Marks
10.3	**Levels of response** Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. **Level 3 (7-9 marks)**: Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. **Level 2 (4-6 marks)**: Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. **Level 1 (1-3 marks)**: Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. **0 marks**: No relevant content. **Indicative content - a guide to placing the mark, not a checklist** • **Importance:** cover 1% of ocean area but support over a quarter of marine species – fisheries (fish, lobsters, conch) – medicines (AZT, Ara-C, dolastatin, secosteroids, bryostatin, trabectedin, bone grafts) – climate control as carbon sink – erosion protection of low-lying islands – tourism income • **Threats:** physical damage (anchors, divers, litter, coral extraction), collection of ornaments (CITES Appendix II), sedimentation from rivers and coastal development, pollution (oil, nutrients causing algal shading, sewage, pesticides, sunscreen), ocean acidification, bleaching from warming, overfishing (giant triton / crown of thorns starfish), introduced species (red lionfish), loss of mangroves and seagrass nurseries • **Conservation:** marine protected areas / national parks (Great Barrier Reef, Belize, Chagos), mooring buoys, diver education, No Take Zones which can increase catches elsewhere, sustainable ecotourism and fishing, protection of mangroves and seagrass, erosion and pollution control, planning control of ports and resorts • **Fishing controls:** closed seasons, minimum and maximum catchable sizes, bans on dynamite, trawling and small-mesh nets • **Evaluation:** local measures cannot control global threats (warming, acidification) which need international action – enforcement in remote areas is difficult – conflicts with local livelihoods – large vs small NTZs • Justified conclusion **Also accept**	9

Do not write outside the box

Question	Marking guidance	Marks
	• Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • **CITES** → the treaty that controls international trade in endangered species • **sustainable** → meeting present needs without stopping future generations meeting theirs **Do not credit** • carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen • 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	
	Model answer - Level 3 (9 marks)	
	Tropical coral reefs cover about one per cent of the oceans yet support over a quarter of marine species, a diversity built on the symbiosis between polyps and zooxanthellae that recycles nutrients in nutrient-poor water. They matter to people for fisheries of fish, lobsters and conch; for medicines such as AZT, Ara-C, dolastatin, secosteroids, bryostatin and trabectedin discovered in reef organisms; as a carbon sink, since every carbonate unit in coral skeleton absorbs a molecule of carbon dioxide; for dissipating wave energy that would erode low-lying islands; and for tourism income.	
	They are also unusually vulnerable because they need narrow abiotic conditions. Anchors, divers, litter and coral extraction kill polyps; ornaments are collected; sediment from rivers and coastal development smothers them; oil, sewage and nutrients cause algal shading; ocean acidification hinders skeleton formation; warming causes bleaching; overfishing of giant tritons lets crown-of-thorns starfish destroy reefs; introduced lionfish eat native fish; and loss of mangroves and seagrass removes the nurseries and sediment traps reefs depend on.	
	Marine protected areas such as the Great Barrier Reef, Belize and Chagos combine mooring buoys, diver education, no-take zones that raise catches outside them, sustainable tourism and protection of linked habitats, while fishing controls set closed seasons, minimum and maximum sizes and ban dynamite, trawling and small mesh. These work well against local threats where they are enforced, and no-take zones have measurable benefits, but they cannot touch warming and acidification, which need international action, enforcement in remote areas is weak, and restrictions conflict with local livelihoods. Local conservation buys time; only global climate action can secure the reefs.	
	Weaker answer - Level 1 (3 marks)	
	Coral reefs are important because lots of fish live there and people catch them for food. Tourists visit reefs to dive and this brings money. Reefs also protect the coast from waves. Reefs are threatened by climate change which causes bleaching, and by pollution and damage from boats. They are conserved by making marine protected areas where fishing is banned. This helps but climate change is still a problem.	
	What makes the difference	
	• Level 1 has the right headings but Level 3 explains each (why reefs are diverse, why they are a carbon sink, how each threat acts).	
	• Level 3 uses named reserves and specific management measures; Level 1 gives one generic measure.	

Do not write outside the box

Question	Marking guidance	Marks
	• Level 3's evaluation separates local from global threats and reaches a nuanced judgement; Level 1 states that climate change is 'still a problem'.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	
11.1	**Discuss the methods that can be used to conserve biodiversity and evaluate their effectiveness.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Setting priorities:** IUCN Red List criteria, EDGE, endemic, keystone, flagship species, population dispersal • **Legislation and protocols:** Wildlife and Countryside Act, designated areas (SSSI to MCZ), CITES Appendices, IWC, EU CFP, ITTO - successes and limits of enforcement • **Captive breeding and release:** selection, difficulties, techniques, release site criteria, hard / soft release, monitoring – seed banks • **Habitat conservation:** creation, design (area, shape, corridors, age structure, colonisation), abiotic and biotic management, plagioclimax maintenance, population control, reintroductions • Habitat case studies (woodland, rainforest, coral reefs, islands, mangroves, Antarctica) illustrating threats and conservation efforts • Monitoring and new technologies informing decisions • **Evaluation:** examples of success (Iberian lynx, Hawaiian goose, Scilly rats, Yellowstone) and failure (ITTO, tigers) – cost, politics, climate change – judgement on the most effective combination	25
	Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion. **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 26-71; AQA spec 3.1.2.3.	
	Model answer - Level 5 (23 marks)	

Do not write outside the box

Question	Marking guidance	Marks
	Biodiversity is lost through direct exploitation, habitat destruction, introduced species, pollution and changes to abiotic factors, so its conservation needs methods that address each cause, at scales from a single species to international law. Their effectiveness varies with the threat, the species and the resources available.	
	Deciding what to conserve comes first. The IUCN Red List uses population size, area, decline rate and probability of extinction to prioritise species, and endemic, keystone, flagship and evolutionarily distinct species receive weight because their loss has wider consequences. This is effective at directing scarce resources, but it favours well-studied vertebrates over invertebrates and plants.	
	Legislation and agreements protect species and habitats. In the UK the Wildlife and Countryside Act, SSSIs, NNRs and Marine Conservation Zones, and in Europe SACs, SPAs and the Habitats Directive, restrict damaging activities; internationally CITES controls trade in threatened species, the IWC regulates whaling, the Ramsar Convention protects wetlands and the Rio Convention on Biological Diversity commits nations to conservation. Their effectiveness depends on enforcement: CITES has reduced trade in ivory and rhino horn but poaching continues where enforcement is weak; the IWC moratorium allowed some whale populations to recover but Japan and Norway continued whaling; designations protect against development but not against pollution or climate change crossing boundaries.	
	In-situ habitat conservation and management are the most fundamental methods because they keep species with the community and abiotic conditions they depend on. Management uses ecological understanding: maintaining plagioclimaxes such as chalk grassland and heathland by grazing or burning, coppicing and pollarding woodland, controlling water levels, light and grazing, designing reserves with the right area, shape, biological corridors and buffer zones, and creating new habitats such as wetlands in worked-out gravel pits. Case studies show it works - coppiced woodland restored dormice and butterflies, wetland creation increased bitterns - but reserves are often small and fragmented and need permanent funding.	
	Ex-situ methods rescue species for which in-situ protection has failed. Captive breeding faces problems of space, diet, breeding triggers, social groups and small gene pools, addressed with studbooks, artificial insemination, embryo transfer and cryopreservation; seed banks such as the Millennium Seed Bank store plant genetic diversity cheaply. The Arabian oryx, California condor and pool frog show captive breeding can bring species back, but only where protected habitat exists for hard or soft release with post-release monitoring, and it is expensive and works for few species.	
	Ecological monitoring - image databases, eDNA, tracking, satellites - measures whether any of this is working and has improved the targeting of effort. Overall, legislation is effective when enforced, habitat management is the most effective and widely applicable method, and captive breeding is a last resort that succeeds only in combination with habitat protection. The Living Planet Index continues to fall, however, which shows that conservation methods are winning individual battles while the drivers of loss - population, consumption, land-use change and climate change - remain unaddressed.	

Do not write outside the box

Question	Marking guidance	Marks
	What makes the difference	
	• The essay is structured by **type of method** and evaluates the effectiveness of each in turn, with named examples for both successes and failures.	
	• It draws on several specification areas (biodiversity, conservation legislation, habitat management, captive breeding, ecological processes, monitoring) - the synoptic breadth Level 5 requires.	
	• The conclusion ranks the methods and then steps back to the bigger picture (Living Planet Index, underlying drivers) - a supported judgement rather than a summary.	
	• A Level 3 essay would describe the same methods accurately but with fewer examples, little evaluation of enforcement or cost, and a conclusion that all methods are important.	

Do not write outside the box

Question	Marking guidance	Marks
11.2	**Discuss the extent to which the resources and services provided by other species justify the conservation of biodiversity.** **Levels of response** **Level 5 (21-25 marks)**: Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. **Level 4 (16-20 marks)**: Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. **Level 3 (11-15 marks)**: Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. **Level 2 (6-10 marks)**: Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. **Level 1 (1-5 marks)**: Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. **0 marks**: No relevant content. **Indicative content - students are not expected to cover all of these** • **Resources:** wood, fibres, oils, fuels, food – new food species (morama bean, yeheb, perennial maize, Kernza, bison, eland) and their adaptations • **Biomimetics:** wing-tip feathers, whale tubercles, shark skin, termite mounds, bird bones, gecko adhesion, burrs, lotus, spider silk • **Medicines:** poppies, cinchona, willow, yew (taxol), Mexican yam, sponges (AZT), sharks – few species yet studied – physiological research (marsupials, hippo, sponges) • **Genetic resources:** crop wild relatives, Vavilov centres, gene pools and inbreeding • **Ecosystem services:** atmospheric regulation, hydrological cycle, biogeochemical cycles, soil maintenance – interspecies relationships - food, pollination (Darwin's orchid), seed dispersal, habitat provision • **Evaluation:** economic vs intrinsic / moral arguments – services unnoticed because of dynamic equilibrium – unknown future value – justified conclusion	25
	Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion. **Source:** R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 10-19; AQA spec 3.1.2.1.	

Do not write outside the box