

A-level

ENVIRONMENTAL SCIENCE

Paper 1 - Generated practice paper Set 01

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	1 mark each 1 mark for each of the 3 points below. 1 UV light splits diatomic oxygen (O₂) into two monatomic oxygen atoms (O) 1 Monatomic oxygen reacts with diatomic oxygen to form ozone (O₃) 1 UV light also splits ozone into O₂ and O – the reactions form a dynamic equilibrium which absorbs UV (converting it to chemical energy / heat) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
01.2	Marks shared Up to 6 marks in total - share them between the 4 points below according to how completely each one is made. up to 2 Useful: boiling points near ambient temperature so easily liquefied under low pressure (aerosol propellants, fridge / air-conditioning coolants) – dissolve grease but do not damage electrical components (solvents) – non-flammable – non-toxic up to 2 Persistence: chemically stable / unreactive in the troposphere so they remain long enough to be carried up to the stratosphere up to 2 Dissociation by UV: in the stratosphere higher UV levels break the carbon-chlorine bonds releasing chlorine free radicals up to 2 Chlorine reacts with monatomic oxygen (and ozone), preventing ozone formation – chlorine is regenerated so one atom destroys many ozone molecules – bromine / iodine act similarly Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • CFCs → CFCs / halogenated organic compounds releasing chlorine • Persistence → does not break down / stays in the environment for a long time Do not credit • answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	6
01.3	1 mark each 1 mark for each of the 3 points below. 1 UVB energy is absorbed by cells and breaks up biological molecules / DNA causing mutations, skin cancer, cataracts, sunburn (human health) 1 Damage to leaf tissue and reduced photosynthesis / crop yields (plants) 1 Damage to marine algae, phytoplankton, corals and planktonic larvae (marine organisms), reducing productivity and food webs Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
01.4	1 mark for the point below. 1 An area where the total ozone column falls below 220 Dobson Units (normal is about 300 DU) - a level never recorded before CFC pollution Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	1

Question	Marking guidance	Marks
01.5	1 mark for the point below. 1 Concentration varies with altitude and the stratosphere is not normally sampled – Dobson Units measure the total column thickness instead Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	1
01.6	1 mark for the point below. 1 The British Antarctic Survey at Halley detected higher UV at ground level, showing ozone above had decreased (satellites above the stratosphere cannot measure downward UV directly) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 108-109; AQA spec 3.2.1.3.	
02.1	1 mark each 1 mark for each of the 2 points below. 1 Negative feedback: a change causes other changes that reduce the rate or size of the original change, re-establishing equilibrium 1 Positive feedback: a change causes other changes that increase the original change Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. positive feedback → a change that makes itself larger / a self-reinforcing cycle Negative feedback → a change that cancels itself out / a self-correcting cycle	2

Question	Marking guidance	Marks
02.2	2 marks per point 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. 2 Increased low-level cloud: higher temperatures increase evaporation and condensation, producing more cloud – clouds have a high albedo so more sunlight is reflected and warming is reduced 2 Increased photosynthesis: higher temperatures and CO₂ increase photosynthesis, removing CO₂ – if stored in woody tissue atmospheric CO₂ rises less Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • negative feedback → a change that cancels itself out / a self-correcting cycle • albedo → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back Do not credit • 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	4
02.3	1 mark each 1 mark for each of the 4 points below. 1 Permafrost: frozen waterlogged Arctic soils contain dead organic matter that decomposed anaerobically producing methane trapped in the frozen ground 1 Warming thaws the permafrost, releasing methane (a powerful greenhouse gas) and allowing further decomposition, causing more warming 1 Methane hydrate: methane from decomposed organic matter in deep sea sediments is held as a solid under high pressure and low temperature 1 If deep water warms the hydrate melts, releasing methane into the atmosphere and causing further warming Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • positive feedback → a change that makes itself larger / a self-reinforcing cycle • waterlogged → soil pores filled with water so there is no air	4

Question	Marking guidance	Marks
02.4	Any 3 of 6 1 mark each for any 3 of the 6 points below, in any order, maximum 3. 1 Reduced albedo as snow / ice melts 1 Ocean acidification reducing coral survival and carbon sequestration 1 Increased forest and peat fires releasing CO₂ 1 Faster decomposition of soil organic matter releasing CO₂ 1 Increased water vapour (a greenhouse gas) in warmer air 1 Increased cirrus (high) cloud which traps infrared Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. positive feedback → a change that makes itself larger / a self-reinforcing cycle albedo → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back infrared → heat radiation / long-wave radiation re-emitted by the Earth Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. - carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	3
02.5	1 mark each 1 mark for each of the 2 points below. 1 A point at which natural processes triggered by human-caused warming become self-sustaining / unstoppable 1 So that stopping the original human activity would no longer stop climate change (eg runaway permafrost melt, methane hydrate release, forest fires) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 103-104, 371-372; AQA spec 3.2.1.2, 3.6.1.	
03.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 C Also accept Critical Group → the people most at risk / most heavily exposed	1
03.2	1 mark each 1 mark for each of the 2 points below. 1 Monitoring can be focused on the sites predicted to be most at risk / where the pollutant will concentrate 1 No need to sample sites that were never likely to be polluted – sampling also checks the accuracy of the predictions Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. accuracy → close to the true value	2

Question	Marking guidance	Marks
03.3	1 mark each 1 mark for each of the 2 points below. 1 Behaviour of new chemicals can be predicted from similar existing chemicals: it is likely to persist, bioaccumulate and biomagnify 1 So acceptable emission limits, control methods and monitoring programmes can be set before release (precautionary principle) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. persistent → does not break down / stays in the environment for a long time Do not credit - the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 243-245; AQA spec 3.4.3.1.	
04.1	1 mark each 1 mark for each of the 2 points below. 1 Occupancy sensors detect infrared / movement and switch lights or appliances off when no one is in the room 1 Programmable thermostats set different temperatures for different rooms and times so unused rooms / periods are not heated Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infrared → heat radiation / long-wave radiation re-emitted by the Earth	2
04.2	Marks shared Up to 3 marks in total - share them between the 2 points below according to how completely each one is made. up to 2 LEDs convert a much larger proportion of electricity to light rather than heat up to 2 Washing machines with cold / low-temperature cycles and fast spins (less drying) - dishwashers using less water so less heating - cookers with double / triple glazed doors - fridges with linear compressors - LED screens using half the power of plasma - germanium transistors Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
04.3	Any 3 of 5 1 mark each for any 3 of the 5 points below, in any order, maximum 3. 1 Turning off lights / appliances rather than standby 1 Turning thermostats and radiator valves down / off in unused rooms 1 Only heating the water needed (kettle) 1 Showering instead of bathing – eco-cycles 1 Choosing smaller vehicles / less travel Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
04.4	1 mark each 1 mark for each of the 2 points below. 1 Stored hot water loses heat continuously through the tank walls and pipes 1 Heating as needed (or just before) avoids these standing losses – if storage is needed the tank should be well insulated Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 232-233; AQA spec 3.3.4.2.2.	
05.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B - Low liposolubility and low persistence Also accept persistence → does not break down / stays in the environment for a long time Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	1

Question	Marking guidance	Marks
05.2	1 mark each 1 mark for each of the 2 points below. 1 Bioaccumulation: build-up of a pollutant in the tissues of an individual organism over time because uptake is faster than excretion / breakdown 1 Biomagnification: increase in concentration of the pollutant at successive trophic levels of a food chain Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. bioaccumulation → a pollutant building up inside one organism over time biomagnification → concentration rising at each step along a food chain Do not credit - answers that swap the two terms - bioaccumulation is the build-up inside one organism, biomagnification is the rise along a food chain 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	2
05.3	1 mark each 1 mark for each of the 2 points below. 1 They are intended to be toxic (to the target species) 1 They are deliberately released / spread into the environment (rather than being an accidental or waste release) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 262-266; AQA spec 3.4.3.2.8.	
06.1	1 mark each 1 mark for each of the 3 points below. 1 Each regional population has its own unique gene pool / DNA profile 1 DNA from seized timber or ivory is compared with the database of regional populations 1 This identifies where the material came from, showing whether it was legally harvested and where poaching occurs Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. gene pool → the range of alleles / genes present in a population	3

Question	Marking guidance	Marks
06.2	1 mark each 1 mark for each of the 2 points below. 1 Radio / GPS transmitters use radio waves - work in air and fresh water, giving positions (GPS stores or transmits location) 1 Radio waves do not travel through seawater so acoustic transmitters (sound) are used for marine animals, giving real-time positions Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round.	2
06.3	Marks shared Up to 3 marks in total - share them between the 2 points below according to how completely each one is made. up to 2 Drones / ROVs, AUVs (eg Autosub), balloons, aircraft, satellites, animals (tags) up to 2 Drones: cheap, low disturbance, high-resolution images of areas hard to reach (cliffs, canopy, ice), repeated surveys – infrared cameras detect animals at night Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infrared → heat radiation / long-wave radiation re-emitted by the Earth Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
06.4	1 mark each 1 mark for each of the 2 points below. 1 Cameras record automatically (visible light by day, infrared at night) without researchers being present 1 So animals behave naturally and nests are not deserted – monitoring continues 24 hours Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infrared → heat radiation / long-wave radiation re-emitted by the Earth	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 404-406; AQA spec 3.7.2.3.	
07.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 C: Organic (methyl) mercury Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	1

Question	Marking guidance	Marks
07.2	1 mark each 1 mark for each of the 2 points below. 1 Anaerobic microbes converted the inorganic mercury into organic methyl mercury 1 Methyl mercury is liposoluble so it is absorbed, crosses into the brain and biomagnifies along the food chain to fish eaten by people Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	2
07.3	1 mark each 1 mark for each of the 2 points below. 1 Most heavy metals are less soluble at high pH 1 So they remain immobile and are not leached into water or absorbed by organisms Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. leached → nutrients or ions washed down out of the soil / washed away by water Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 275-279; AQA spec 3.4.3.2.11.	

Question	Marking guidance	Marks
08.1	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Carbon: combustion of fossil fuels and biomass moving carbon from long-term stores to the atmosphere – deforestation reducing photosynthesis – ploughing / drainage increasing aerobic decomposition – new anaerobic environments (paddies, landfill, reservoirs, livestock) releasing methane – marine pollution reducing phytoplankton – consequences: rising CO₂ and CH₄, climate change, ocean acidification, reduced soil organic matter • Nitrogen: Haber process doubling fixation – legume cultivation – drainage increasing nitrification and reducing denitrification – combustion NO_x – sewage and fertiliser leaching – consequences: eutrophication, smogs, acid rain, N₂O warming, NO_x toxicity • Counter-strategies carbon: renewables / nuclear replacing fossil fuels, energy conservation, afforestation matched to deforestation and timber use, conserving peat bogs and forests, increasing soil organic matter (low tillage, mulching), CCS (pre / post combustion, storage) • Counter-strategies nitrogen: reduced combustion, catalytic converters / urea sprays, biological fixation instead of Haber, legumes and crop rotation, management of biological wastes as fertiliser, low-solubility fertilisers, timing, buffer strips, low tillage, nitrate vulnerable zones • Evaluation: some strategies well established and cheap (rotation, buffer strips), others expensive or unproven (CCS) – scale of fossil fuel dependence – feedback and time lags – link to circular economy and low-temperature natural processes – judgement	9

Question	Marking guidance	Marks
	Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - Any accurate, relevant material that is not in the indicative content. nitrification → ammonium oxidised to nitrite and then nitrate denitrification → nitrate converted back to nitrogen gas leaching → nutrients or ions washed down out of the soil / washed away by water Do not credit - carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	
	Model answer - Level 3 (8 marks)	
	Humans have shifted the carbon cycle by burning fossil fuels and biomass, moving carbon from long-term stores into the atmosphere faster than photosynthesis and ocean uptake remove it, while deforestation reduces photosynthesis, ploughing and drainage speed aerobic decomposition, and paddies, landfills and livestock create new anaerobic sources of methane. The nitrogen cycle has changed as much: the Haber process has roughly doubled fixation, legume crops add more, drainage increases nitrification and reduces denitrification, combustion produces NO _x , and leached fertiliser and sewage nitrate cause eutrophication, while nitrous oxide adds to warming.	
	Carbon can be counteracted by replacing fossil fuels with renewables and nuclear power, energy conservation, afforestation matched to deforestation and timber use, conserving peat bogs and forests, and increasing soil organic matter through low tillage and mulching, with carbon capture and storage as an unproven option. For nitrogen, catalytic converters and urea sprays reduce combustion NO _x , biological fixation by legumes and rotation can replace manufactured nitrate, biological wastes can be managed as fertiliser, and low-solubility fertilisers, careful timing and buffer strips reduce leaching.	
	Some strategies are cheap and established - rotation, buffer strips, fertiliser timing - but others are expensive or untested, and the scale of fossil-fuel dependence, together with feedback and time lags, means the atmosphere will respond slowly. The strategies that mimic natural low-temperature cycling, as in the circular economy, are the most sustainable; the most effective is simply to leave carbon in the ground.	
	Weaker answer - Level 1 (3 marks)	
	Humans have changed the carbon cycle by burning fossil fuels which releases carbon dioxide, and by cutting down trees. They have changed the nitrogen cycle by using fertilisers which run off into rivers and cause eutrophication. To counteract this we could use renewable energy instead of fossil fuels and plant more trees. We could use less fertiliser. These would help the cycles go back to normal.	
	What makes the difference	
	Level 1 names one or two changes per cycle; Level 3 covers several processes for each (decomposition, methane sources, Haber process, nitrification, NO_x).	

Question	Marking guidance	Marks
	Level 3 connects each counter-strategy to the process it reverses; Level 1's strategies are general.	
	The evaluation in Level 3 distinguishes established from unproven strategies and comments on scale and time lags - Level 1 has no evaluation.	
08.2	1 mark for the point below. 1 The average time an atom / molecule remains in the reservoir before being transferred out (volume / transfer rate) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. residence time → the time a molecule stays in the atmosphere / atmospheric lifetime Do not credit - a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 148-157; AQA spec 3.2.4.	
09.1	1 mark each 1 mark for each of the 2 points below. 1 The void fills with water naturally - wetlands are uncommon / valuable habitats in most regions 1 The new habitat may have greater wildlife value than the farmland lost - low cost compared with filling and levelling Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes.	2
09.2	1 mark each 1 mark for each of the 2 points below. 1 Housing: ground must be stable (no subsidence), no toxic metal wastes (otherwise industrial use is safer) 1 Farmland: landscape not too steep or uneven, no toxic materials, sufficiently fertile soil (topsoil replaced) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
09.3	1 mark for the point below. 1 Species that cannot be caught / found, or whose habitat requirements are unknown or hard to recreate, are lost - transplanted plants often fail Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 140, 142; AQA spec 3.2.3.6.	

Question	Marking guidance	Marks
10.1	1 mark each 1 mark for each of the 3 points below. 1 Together they form a dispersed layer in the stratosphere (the ozone layer / ozonosphere) 1 They absorb ultraviolet light, which drives a dynamic equilibrium of reactions that form and destroy ozone 1 The UV energy is converted to chemical / heat energy so most UV that passed the upper atmosphere never reaches the surface Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. ozone layer → the ozone in the stratosphere that absorbs UV Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	3
10.2	Any 2 of 5 1 mark each for any 2 of the 5 points below, in any order, maximum 2. 1 Provides carbon, oxygen, hydrogen and nitrogen (as N₂, O₂, CO₂, H₂O) for biological molecules 1 Delays the escape of infrared energy, keeping the surface warm 1 Distributes heat and water vapour by winds / ocean currents 1 Provides atmospheric pressure so liquid water can exist 1 Deflects damaging radiation of the solar wind in the upper atmosphere Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infrared → heat radiation / long-wave radiation re-emitted by the Earth Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
10.3	1 mark for the point below. 1 Energy is absorbed at different altitudes (eg UV absorbed in the stratosphere, surface heating warms the troposphere) so temperature gradients change with altitude, producing layers Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. stratified → sampling each area or group in proportion to its size	1

Question	Marking guidance	Marks
10.4	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Troposphere: enhanced greenhouse effect - anthropogenic CO₂ (fossil fuels, deforestation), methane (rice, livestock, landfill), N₂O, CFCs, tropospheric ozone – more infrared absorbed and re-emitted – aerosols and smoke increase albedo / scatter light – land-use change alters surface albedo and evapotranspiration • Stratosphere: CFCs / halons / HCFCs release chlorine and bromine which catalyse ozone destruction, shifting the O / O₂ / O₃ equilibrium – less UV absorbed in the stratosphere, more reaches the surface – stratospheric cooling • Consequences: changes to climate, ocean currents (thermohaline), hydrological cycle, sea level, species distributions – increased UV damage to organisms • Difficulties of prediction: linked processes where one change alters others – feedback (positive and negative) and tipping points – time lags (ocean heat capacity, long residence times of CFCs and CO₂) – natural variability (solar output, volcanoes, Milankovitch cycles) – incomplete understanding of atmospheric processes – limited historical data so proxies needed – models with different assumptions • Evaluation: some effects well understood (greenhouse physics, ozone chemistry proven, Montreal Protocol success) but scale and timing of regional impacts uncertain – precautionary principle • Justified conclusion Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content.	9
	• enhanced greenhouse effect → extra warming caused by added greenhouse gases • anthropogenic → human-caused / caused by human activity • CFCs → CFCs / halogenated organic compounds releasing chlorine Do not credit • answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated • 'the greenhouse effect is bad for the planet' - the natural greenhouse effect keeps the Earth habitable; it is the enhanced effect that causes the problem	

Question	Marking guidance	Marks
	Model answer - Level 3 (8 marks)	
	In the troposphere human activity enhances the greenhouse effect: fossil fuels and deforestation add CO ₂ , rice, livestock and landfill add methane, fertilisers add nitrous oxide, and CFCs and tropospheric ozone are new absorbers. More outgoing infrared is absorbed and re-emitted, warming the surface, while smoke and aerosols scatter sunlight and land-use change alters albedo and evapotranspiration. In the stratosphere, CFCs, halons and HCFCs release chlorine and bromine that catalyse ozone destruction, shifting the O / O ₂ / O ₃ equilibrium so that less UV is absorbed there and more reaches the surface, cooling the stratosphere as well.	
	The consequences run through every system the atmosphere's energy drives: climate, thermohaline circulation, the hydrological cycle, sea level and species distributions, plus UV damage to organisms. Predicting them is hard because the processes are linked - one change alters others - and because feedback can amplify (albedo loss, methane release) or damp (cloud cover, photosynthesis) the effect, sometimes past tipping points. Time lags from ocean heat capacity and the long residence times of CO ₂ and CFCs, natural variability from solar output, volcanoes and orbital cycles, sparse historical data replaced by proxies, and models built on different assumptions all add uncertainty.	
	Some things are nevertheless well established: the physics of infrared absorption, the chemistry of ozone loss, and the success of the Montreal Protocol. What is uncertain is the scale and timing of regional impacts, which is exactly why the precautionary principle, not certainty, should guide action.	
	Weaker answer - Level 1 (3 marks)	
	Humans release greenhouse gases like carbon dioxide from burning fossil fuels into the troposphere, which traps more heat and causes global warming. CFCs go into the stratosphere and destroy the ozone layer, so more UV reaches the Earth. It is hard to predict what will happen because the atmosphere is complicated and scientists do not know everything about it. There could be feedback effects that make it worse.	
	What makes the difference	
	• Level 1 gives one cause per layer; Level 3 lists several gases and processes and explains the mechanism (absorption and re-emission; catalytic destruction shifting an equilibrium).	
	• 'Difficulties of prediction' is answered in Level 3 with specific reasons (linked processes, feedback, time lags, natural variability, proxy data, models); Level 1 says 'complicated'.	
	• Level 3 evaluates - separating what is certain from what is not - and links this to the precautionary principle.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 86-89, 108-113; AQA spec 3.2.1.1, 3.2.1.3.	

Question	Marking guidance	Marks
11.1	Discuss the extent to which the study of ozone depletion illustrates how scientific investigation can lead to the successful solution of an environmental problem. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Stages of investigation: identifying the issue (Halley Station UV data, Dobson unit measurements), hypothesis formation (Rowland-Molina 1974: persistence, UV dissociation, chlorine reactions), data collection (ground, satellite, balloon and aircraft air sampling detecting CIO), analysis of spatial, temporal and altitude variability, proposal of solutions, enactment • Why Antarctica: low stratospheric temperatures, ice crystals, stratospheric clouds, polar vortex, spring sunlight • Effects of UVB: skin cancer, cataracts, DNA damage, plant and marine damage - motivating action • Solutions: Vienna Convention, Montreal Protocol - phase-out and bans, alternative processes (pump sprays), alternative materials (HCFCs, HFCs, hydrocarbons, HFAs), collection and incineration of CFCs, fund for developing countries • Evaluation of success: ozone hole area / depth stabilising, CFC levels falling	25
	– limitations - persistence, remaining ODSs, HFCs as greenhouse gases, decades to full recovery • Comparison with other atmospheric problems (climate change, acid rain) - why ozone was easier – role of peer review, international cooperation, availability of substitutes • Conclusion on the extent to which it is a model for other issues <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 108-113; AQA spec 3.2.1.3.	

Question	Marking guidance	Marks
11.2	Discuss the difficulties in monitoring and predicting global climate change and evaluate the methods used to overcome them. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Nature of the problem: interconnected - atmosphere-hydrosphere-biosphere systems – changes over different time and spatial scales – natural fluctuations (solar output, orbit) masking or exaggerating anthropogenic change – time delay between cause and effect (ocean heat capacity) • Limitations of historic data: sparse global coverage, unsophisticated equipment, heat island bias, no atmospheric composition records • Proxy data and their reliability: dendrochronology, coral growth rings, pollen in dated sediments, ice cores (gas bubbles, isotope ratios, volcanic ash layers, compaction problems) • Modern monitoring: long-term data sets (Mauna Loa), electronic equipment, satellites (LEO vs geostationary), Argo floats, remote sensing of ice thickness / area / sea level • Feedback mechanisms and tipping points adding uncertainty – ecological uncertainty (species survival, distribution, fragmentation) • Computer models: how they are tested and refined – importance of accurate representative data – scenario-based predictions and ranges	25
	• Uncertainty over ENSO / Conveyor / jet stream responses • Evaluation and conclusion: confidence in the overall trend and human cause despite detailed uncertainty – role of peer review and international bodies (IPCC) <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 89-90, 100-104, 10; AQA spec 3.2.1.2, 3.1.1.3.	