

A-level

ENVIRONMENTAL SCIENCE

Paper 1 - Generated practice paper Set 04

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	1 mark each 1 mark for each of the 2 points below. 1 Landfill fell from 79% to 14% (large decrease) 1 Incineration rose from 9% to 42% and recycling / composting rose from 11% to 43% (now the largest) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Incineration → burning waste, usually with energy recovery • recycling → reprocessing a material to make something new Do not credit • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new • 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	2

Question	Marking guidance	Marks
01.2	Any 3 of 5 1 mark each for any 3 of the 5 points below, in any order, maximum 3. 1 Organic matter decays anaerobically releasing methane (and CO₂) - greenhouse gases 1 Toxic leachate may leak into groundwater / rivers from poorly managed sites 1 Uses large areas of land – loss of habitats / farmland – contamination prevents later use 1 Resource value of metals, glass, plastics is lost 1 Transport noise / congestion / litter / pests / odour Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • leachate → polluted liquid draining out of waste Do not credit • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	3
01.3	Any 4 of 7 1 mark each for any 4 of the 7 points below, in any order, maximum 4. 1 Polymer / clay liner to prevent escape of leachate 1 Collection and treatment of leachate 1 Collection of methane and use as a fuel 1 Impermeable cap (clay and polymer) when complete to stop water entering 1 Regular covering with soil (pests, odour) – deodorising sprays 1 Perimeter fence to trap wind-blown litter 1 Separation and recording of waste types – reactive / flammable wastes not dumped together Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • leachate → polluted liquid draining out of waste • Impermeable → does not let water through Do not credit • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. • 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	4
01.4	1 mark for the point below. 1 Mixed / contaminated / dirty wastes (plastics, dirty paper) are difficult and costly to separate and recycle but can be burnt with energy recovery Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • incineration → burning waste, usually with energy recovery • recycling → reprocessing a material to make something new Do not credit • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	1

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 280-282; AQA spec 3.4.3.2.12.	
02.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 A: Its total annual discharge	1
02.2	1 mark each 1 mark for each of the 2 points below. 1 Public supplies cannot match consumer demand / the water is often cleaner than rivers 1 It also reduces urban flooding after heavy rain – surplus can be used for aquifer recharge Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. aquifer → a permeable rock that stores groundwater / underground water store	2
02.3	1 mark each 1 mark for each of the 2 points below. 1 The reservoir is created in the estuary so no farmland / settlements need to be flooded 1 But it changes important inter-tidal habitats, obstructs shipping and can be polluted by activities anywhere in the river's catchment Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 122-123; AQA spec 3.2.2.5.	
03.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $4.2 / 0.7 = 6$ Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (times) is already printed on the answer line. Do not credit - A bare wrong answer with no working.	1
03.2	1 mark each 1 mark for each of the 2 points below. 1 Long summer days (almost 24 hours of daylight) so the total energy received is high, even though the Sun is low 1 In winter days are very short / the Sun does not rise, so light levels are extremely low Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
03.3	1 mark each 1 mark for each of the 2 points below. 1 Reflectors can only focus parallel rays of direct sunlight onto the absorber 1 Clouds, smoke and dust scatter the light so it cannot be focused and intensified Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
03.4	1 mark for the point below. 1 Very large areas of collectors are needed to harness significant amounts of energy (and the changing angle of incidence reduces it further) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1

Question	Marking guidance	Marks
03.5	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Problems: intermittency (daily and seasonal cycles), unpredictable cloud cover, low energy density, changing angle of incidence, land requirements, water for cleaning in deserts, toxic wastes in manufacture (silicon tetrachloride, cadmium), efficiency loss at high temperature • Photothermal: evacuated tubes reduce conduction / convection losses – thermal stores (water, sand, concrete, molten salt) allow later use – passive solar architecture, brise soleil, light tubes – heat pumps deliver up to four times the energy used • Photovoltaic developments: multijunction cells absorbing more wavelengths, anti-reflective / moth-eye textured surfaces (smooth cells reflect 30%), PV-thermal hybrids cooling the cell, transparent PV in windows, heliostats keeping the optimum angle, self-cleaning nanohydrophobic surfaces • Concentrating solar power with molten-salt storage to 550 °C so steam turbines run when needed - overcomes intermittency • Integration: grid-connected solar farms, rooftop space avoiding land conflicts, batteries, pumped storage, links to energy storage and demand management • Evaluation: strong in sunny deserts / low latitudes, weaker in high latitudes in winter – cost falling – manufacturing impacts – no single technology solves all problems – justified conclusion Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content.	9
	• intermittency → only generates when the wind blows or the Sun shines / supply is not continuous • pumped storage → water pumped uphill when demand is low and released to generate at peak Do not credit • 'solar panels do not work in cold countries' - output depends on insolation, and cells are slightly more efficient when cool • 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	

Question	Marking guidance	Marks
	Model answer - Level 3 (9 marks)	
	Solar power's problems are intrinsic: it is intermittent with daily and seasonal cycles, cloud makes it unpredictable and scatters light so it cannot be focused, its low energy density demands large collector areas, the angle of incidence keeps changing, cleaning in deserts uses scarce water, manufacturing PV produces toxic wastes such as silicon tetrachloride and cadmium, and PV efficiency falls as cells heat up.	
	New technology addresses most of these. Evacuated-tube photothermal panels cut conduction and convection losses, and thermal stores of water, sand, concrete or molten salt hold heat for later; passive solar design, brise soleil and light tubes reduce demand; heat pumps deliver up to four times the energy used to run them. Multijunction PV cells absorb more wavelengths, moth-eye anti-reflective surfaces stop the 30% of light a smooth cell reflects, PV-thermal hybrids cool the cell and use the heat, transparent PV turns windows into generators, heliostats keep panels at the optimum angle and nanohydrophobic surfaces self-clean. Concentrating solar power with molten salt stored at 550 °C runs steam turbines when electricity is wanted, directly overcoming intermittency, and grid-connected farms, rooftops that avoid land conflicts, batteries and pumped storage integrate the output.	
	Even so, no technology changes the fact that winter insolation at high latitudes is tiny, that CSP needs cloudless skies, or that manufacturing has impacts. Solar can dominate supply in sunny, low-latitude regions and contribute strongly elsewhere in summer, but overcoming its problems fully depends on storage and a diverse energy mix rather than on solar technology alone.	
	Weaker answer - Level 1 (2 marks)	
	Solar power has problems because it does not work at night or when it is cloudy, and solar panels are not very efficient. New technologies can help. Better solar panels are more efficient. Solar power can be stored in batteries for use at night. Mirrors can concentrate the sunlight to make it hotter. So new technologies can overcome most of the problems with solar power.	
	What makes the difference	
	• Level 1 identifies two problems and three vague technologies; Level 3 names each technology and explains which problem it solves and how.	
	• Level 3 acknowledges what technology cannot fix (high-latitude winters, cloud for CSP, manufacturing impacts) - the 'extent' in the question.	
	• Numbers (30% reflection, 550 °C, four-fold heat-pump output) show detailed knowledge applied to the argument.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 199-203; AQA spec 3.3.4.1.	
04.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 C: Organic (methyl) mercury Do not credit • 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	1

Question	Marking guidance	Marks
04.2	1 mark each 1 mark for each of the 2 points below. 1 Anaerobic microbes converted the inorganic mercury into organic methyl mercury 1 Methyl mercury is liposoluble so it is absorbed, crosses into the brain and biomagnifies along the food chain to fish eaten by people Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	2
04.3	1 mark each 1 mark for each of the 2 points below. 1 Most heavy metals are less soluble at high pH 1 So they remain immobile and are not leached into water or absorbed by organisms Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. leached → nutrients or ions washed down out of the soil / washed away by water Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 275-279; AQA spec 3.4.3.2.11.	
05.1	1 mark each 1 mark for each of the 3 points below. 1 The amount of energy contained in a given mass of the resource (or harnessed per kg of equipment for renewables) 1 High energy density means smaller quantities are needed so storage and transport are easier and cheaper (eg 75 t of aviation fuel carries a 400 t aircraft 5600 km) 1 High energy density fuels reach high temperatures needed for smelting / steam turbines Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts	3

Question	Marking guidance	Marks
05.2	Calculation A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. 1 $500\,000 / 28 = 17\,857\text{ kg}$ 1 = 17.9 tonnes (accept 18; book quotes 13 t for 0.7% enriched fuel) Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (tonnes) is already printed on the answer line. Do not credit • A bare wrong answer with no working.	2
05.3	1 mark each 1 mark for each of the 2 points below. 1 The electricity they generate can power high-energy-requirement technologies 1 Electricity can be converted to high energy density secondary fuels, eg hydrogen by electrolysis, or stored (batteries, pumped storage) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • pumped storage → water pumped uphill when demand is low and released to generate at peak Do not credit • 'wind turbines can generate all the time' - output depends on wind speed, and they shut down in very high winds	2
05.4	1 mark each 1 mark for each of the 2 points below. 1 Intermittent: not available all the time, eg tidal (but the times are predictable so alternatives can be planned) 1 Unpredictable: intermittent and the timing / amount cannot be forecast accurately, eg wind, solar Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • Any appropriate named example, including ones that are not listed here. • intermittent → only generates when the wind blows or the Sun shines / supply is not continuous	2
05.5	1 mark for the point below. 1 Gaseous natural gas has a very low energy density by volume – LNG at -160 °C has 160 times the energy density so a ship can carry a worthwhile amount Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 175-178; AQA spec 3.3.2.	

Question	Marking guidance	Marks
06.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 A: A waste is assumed to cause pollution until research shows it is unlikely to do so Do not credit the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	1
06.2	1 mark each 1 mark for each of the 2 points below. 1 If the cost of preventing damage is less than the (penalty for) damage there is a financial incentive to prevent pollution 1 If polluters can escape their responsibilities / penalties are low, there is little incentive to comply Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. reliable → repeatable / gives consistent results when repeated Do not credit 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	2
06.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Marine discharges where currents dilute and disperse emissions 1 Emissions downwind of urban areas 1 Not discharging waste onto permeable rock above an aquifer Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. permeable → how easily water passes through / lets water through aquifer → a permeable rock that stores groundwater / underground water store Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 243-244; AQA spec 3.4.3.1.	
07.1	1 mark each 1 mark for each of the 3 points below. 1 UV light splits diatomic oxygen (O₂) into two monatomic oxygen atoms (O) 1 Monatomic oxygen reacts with diatomic oxygen to form ozone (O₃) 1 UV light also splits ozone into O₂ and O – the reactions form a dynamic equilibrium which absorbs UV (converting it to chemical energy / heat) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
07.2	Marks shared Up to 6 marks in total - share them between the 4 points below according to how completely each one is made. up to 2 Useful: boiling points near ambient temperature so easily liquefied under low pressure (aerosol propellants, fridge / air-conditioning coolants) – dissolve grease but do not damage electrical components (solvents) – non-flammable – non-toxic up to 2 Persistence: chemically stable / unreactive in the troposphere so they remain long enough to be carried up to the stratosphere up to 2 Dissociation by UV: in the stratosphere higher UV levels break the carbon-chlorine bonds releasing chlorine free radicals up to 2 Chlorine reacts with monatomic oxygen (and ozone), preventing ozone formation – chlorine is regenerated so one atom destroys many ozone molecules – bromine / iodine act similarly Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • CFCs → CFCs / halogenated organic compounds releasing chlorine • Persistence → does not break down / stays in the environment for a long time Do not credit • answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	6
07.3	1 mark each 1 mark for each of the 3 points below. 1 UVB energy is absorbed by cells and breaks up biological molecules / DNA causing mutations, skin cancer, cataracts, sunburn (human health) 1 Damage to leaf tissue and reduced photosynthesis / crop yields (plants) 1 Damage to marine algae, phytoplankton, corals and planktonic larvae (marine organisms), reducing productivity and food webs Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
07.4	1 mark for the point below. 1 An area where the total ozone column falls below 220 Dobson Units (normal is about 300 DU) - a level never recorded before CFC pollution Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	1

Question	Marking guidance	Marks
07.5	1 mark for the point below. 1 Concentration varies with altitude and the stratosphere is not normally sampled – Dobson Units measure the total column thickness instead Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	1
07.6	1 mark for the point below. 1 The British Antarctic Survey at Halley detected higher UV at ground level, showing ozone above had decreased (satellites above the stratosphere cannot measure downward UV directly) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 108-109; AQA spec 3.2.1.3.	
08.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B: Oxygen	1
08.2	1 mark each 1 mark for each of the 2 points below. 1 A change to one process causes other processes to alter as a direct result (chains of linked processes / feedback) 1 There is still a lot that is not understood about how atmospheric processes work Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
08.3	1 mark each 1 mark for each of the 2 points below. 1 The surface warmed in the tropics heats the air above – warm winds (south-westerlies from the Caribbean) carry heat energy to higher latitudes 1 Winds carry water vapour (evaporated from warm oceans) to areas that would otherwise receive little precipitation Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 86-88; AQA spec 3.2.1.1.	

Question	Marking guidance	Marks
09.1	1 mark each 1 mark for each of the 2 points below. 1 Soil loss increases as vegetation cover decreases: forest lowest (0.5), bare soil highest ($60 \text{ t ha}^{-1} \text{ yr}^{-1}$) - over 100 times more 1 Ploughing downslope loses nearly three times as much as contour ploughing for the same crop Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. contour ploughing → ploughing along the slope rather than up and down it	2
09.2	Any 4 of 5 1 mark each for any 4 of the 5 points below, in any order, maximum 4. 1 Leaves / leaf litter intercept raindrops so soil particles are not dislodged by rain splash 1 Roots bind soil particles together 1 Vegetation acts as a windbreak reducing wind velocity and the kinetic energy available to carry particles 1 Plants increase infiltration (root channels, organic matter) so less surface runoff 1 Organic matter / humus from vegetation binds particles into stable peds Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. windbreak → a line of trees or hedge that slows the wind infiltration → water soaking into the soil surface humus → dark, decomposed organic matter in soil Do not credit - Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	4
09.3	1 mark each 1 mark for each of the 2 points below. 1 Furrows running downslope act as channels / gulleys that increase the velocity (kinetic energy) of runoff 1 Furrows along the contour trap the water so it loses energy, deposits particles and infiltrates Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. contour ploughing → ploughing along the slope rather than up and down it	2
09.4	1 mark each 1 mark for each of the 2 points below. 1 In the dry season the soil (especially low-clay soils) is loose and dry with little cohesion so wind blows it away 1 In the wet season heavy rain causes rain splash and surface runoff when infiltration capacity is exceeded Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infiltration → water soaking into the soil surface	2

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 162-164; AQA spec 3.2.5.2.	
10.1	1 mark each 1 mark for each of the 2 points below. 1 t-test (or Mann-Whitney U if not normally distributed) 1 Comparing two means of counted / measured data from two independent samples Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. t-test → a test for a difference between the means of two normally distributed sets Mann-Whitney → a test for a difference between two sets of unpaired, non-normal data Do not credit 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	2
10.2	1 mark each 1 mark for each of the 2 points below. 1 The difference is statistically significant (less than 1% probability that it arose by chance) 1 The null hypothesis (no difference between fields) is rejected – the organic field has significantly more earthworms Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. statistically significant → a probability of 0.05, ie a 1 in 20 chance that the result happened by chance null hypothesis → a statement that there is no significant difference or correlation Do not credit 'the hypothesis was proved' - a statistical test either rejects the null hypothesis or fails to reject it	2
10.3	1 mark each 1 mark for each of the 2 points below. 1 A significant difference does not show a causal relationship 1 Other variables (soil type, moisture, pH, cultivation history) may differ between the two fields and cause the difference Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. causal → one variable actually causing the change in the other Do not credit 'organic farming uses no pesticides' - a restricted list of pesticides is permitted	2

Question	Marking guidance	Marks
10.4	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Scientific methodology: identifying the topic, reviewing existing knowledge, formulating a testable hypothesis and null hypothesis, designing the study, analysing and drawing conclusions, planning further research • Sample location: random (grid coordinates / numbered sites) or systematic (transects, fixed intervals) to avoid bias – interval chosen so variation is detected without excess data • Sample timing: diurnal, seasonal, weather-related and long-term changes – sampling on different occasions – interval matched to rate of change • Sample size and number: larger and more samples for non-homogeneous variables – running mean and standard deviation show when the mean is reliable – preliminary study to decide • Standardisation and control of variables – accuracy, precision, reliability, representativeness – anomalies and repeats – calibration of equipment – appropriate techniques and risk management • Statistical analysis: choosing the test (Spearman, chi-squared, t-test, Mann-Whitney), significance and p-values, error bars, correlation vs causation • Evaluation: trade-offs between cost, time, disturbance and reliability – limitations of sub-sampling – justified conclusion Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content.	9

Question	Marking guidance	Marks
	• valid → actually measures what it is meant to measure • null hypothesis → a statement that there is no significant difference or correlation • random → positions chosen using random numbers so the choice is not biased Do not credit • a correlation presented as proof of cause - say that it suggests a link that further work would have to test • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	
	Model answer - Level 3 (8 marks)	
	A valid investigation begins with a clear, testable hypothesis and a null hypothesis, informed by existing knowledge, so that the data collected can actually accept or reject it. The first design decision is sample location: random sampling (grid coordinates or numbered sites) or systematic sampling along transects avoids the bias that would come from choosing convenient sites, and a preliminary study shows the interval needed to detect variation without collecting unnecessary data.	
	Timing matters because many variables change diurnally, seasonally or with weather, so samples on different occasions are needed and the interval must match the rate of change. Sample size and number depend on how variable the population is: a running mean shows when enough samples have been taken and the standard deviation shows the scatter around the mean. Techniques must be standardised so results from different sites, times or researchers are comparable, other variables controlled or monitored, and equipment calibrated so that precise readings are also accurate; anomalies should be repeated rather than ignored.	
	Finally the analysis must be chosen to suit the data - Spearman's rank for correlation, chi-squared for frequencies, a t-test for two means or Mann-Whitney U for medians - so that significance ($p < 0.05$) can be assessed, remembering that a significant correlation does not prove causation. Every decision trades reliability against cost, time and disturbance; sub-samples can only estimate the whole, so the most valid study is the one whose sampling design makes its limitations explicit.	
	Weaker answer - Level 2 (5 marks)	
	When planning fieldwork you need a hypothesis. You should choose sites randomly so it is not biased, for example using random numbers. You need to take enough samples and repeat them so the results are reliable. The method should be the same each time. You should measure accurately with calibrated equipment. Then you do a statistical test such as a t-test to see if the results are significant. If p is less than 0.05 the result is significant. This makes the conclusions valid.	
	What makes the difference	
	• Level 2 is sound but generic: it says 'enough samples' where Level 3 explains how a running mean and standard deviation tell you how many.	
	• Level 3 covers timing and the choice between statistical tests; Level 2 mentions one test only.	
	• The evaluation is missing from Level 2 - there is no discussion of trade-offs or of correlation vs causation, so it cannot reach the top level however accurate it is.	

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 390-393, 420-423; AQA spec 3.7.1, 3.7.2.3.	
11.1	Discuss the extent to which energy conservation technologies could reduce the need for new energy supplies in a developed country. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Scale of the problem: how energy is used (transport, buildings, industry, water) – links between affluence and per capita use • Transport: bulk / integrated transport, ATM, vehicle design (aerodynamics, mass, tyres, KERS, combustion efficiency), low embodied energy, design for end of life, driver behaviour, electric vehicles • Buildings: orientation and passive solar, SA:V, thermal mass, low embodied energy materials, earth sheltering, glazing (low-e, inert gas, vacuum), insulation optimum, heat exchangers, automatic ventilation, occupancy sensors, thermostats, low-energy appliances, behaviour • Industry: heat recovery and exchangers, insulation and high-volume storage, CHP, integrated manufacture, recycling and mass reduction, high-voltage grid, peak shaving, ICT management • Limits: rebound effect, cost and payback, existing building stock, embodied energy of replacements, behaviour • Evaluation with quantitative examples – comparison with the cost of new supply – conclusion that conservation is the cheapest first step but cannot alone meet demand growth <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 170-174, 225-235; AQA spec 3.3.4.2, 3.3.1.	25

Question	Marking guidance	Marks
11.2	Discuss how knowledge of the properties of energy resources can be used to reduce the severity of their impact on the environment. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Properties: energy density, renewability, abundance, location, intermittency / predictability, storage, transport, conversions, technology level, environmental impacts • Fossil fuels: choosing lower-impact fuels (gas over coal), desulfurisation, CCS, efficient combustion, siting power stations near cooling water and coal ports – new extraction technologies (directional drilling, secondary / tertiary recovery) and their impacts (fracking, tar sands) • Nuclear: high energy density reduces transport – waste properties (half-life) determine storage – thorium and fusion prospects • Renewables: matching resource to location (wind, HEP, solar, wave, tidal, geothermal, biofuel siting) – intermittency managed by storage (pumped HEP, batteries, hydrogen, P2G, V2G), grid management and diversity – low-impact designs (helical turbines, VAWT, tidal lagoons) • Energy conservation reduces demand: transport, buildings, industry (CHP, heat exchangers) • Impacts before and during use – life-cycle / embodied energy • Evaluation: no resource is impact-free – knowledge allows the best mix and mitigation – judgement <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 175-235; AQA spec 3.3.2-3.3.4.	25