

A-level

ENVIRONMENTAL SCIENCE

Paper 1 - Generated practice paper Set 05

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B - rivers are accessible over a large area with few natural contaminants	1
01.2	1 mark each 1 mark for each of the 2 points below. 1 Potable / public supply: no pathogens, low toxins, good appearance / taste / smell (public health) 1 Industrial boiler / cooling water: soft water with low calcium so mineral deposits do not block pipes or reduce heat exchange – spray irrigation: low turbidity to avoid blocked pipes and low heavy metals Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. • 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	2

Question	Marking guidance	Marks
01.3	1 mark each 1 mark for each of the 2 points below. 1 Canals / pipes move water from areas with a surplus to areas with a shortage (eg Wales to England, China's Yangtze transfers) 1 Disadvantage: high cost / energy for pumping – ecological impacts on the donor river – transfer of pollutants or invasive species – political conflict Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 122-128; AQA spec 3.2.2.4-3.2.2.5.	
02.1	Any 4 of 5 1 mark each for any 4 of the 5 points below, in any order, maximum 4. 1 Sludge from primary sedimentation is digested by anaerobic microbes in a warm tank for about four weeks 1 Kills most pathogens 1 Reduces odour and volume of the sludge 1 Produces biogas (mainly methane with some CO₂) used as fuel to heat the digester / generate electricity 1 Digested sludge has a better C:N ratio and can be used as agricultural fertiliser Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
02.2	1 mark each 1 mark for each of the 4 points below. 1 Heavy metals from urban wastes / road runoff may be present and absorbed by crops - reduced by adding lime to lower metal solubility 1 Remaining pathogens - destroyed by heat treatment of the sludge before use 1 Timing: spreading in the growing season covers crops – in winter vehicles compact wet soils - apply at suitable times / when soils are dry 1 Odour / public objection - digestion reduces odour Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	4

Question	Marking guidance	Marks
02.3	1 mark each 1 mark for each of the 2 points below. 1 Foul waste is a small volume needing full treatment so smaller, cheaper treatment works can be built – surface water needs little treatment 1 The treatment works is not affected by weather-related fluctuations in flow (storms) so storm overflows of untreated sewage are avoided Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 270-273; AQA spec 3.4.3.2.9.	
03.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B - Low liposolubility and low persistence Also accept persistence → does not break down / stays in the environment for a long time Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	1
03.2	1 mark each 1 mark for each of the 2 points below. 1 Bioaccumulation: build-up of a pollutant in the tissues of an individual organism over time because uptake is faster than excretion / breakdown 1 Biomagnification: increase in concentration of the pollutant at successive trophic levels of a food chain Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. bioaccumulation → a pollutant building up inside one organism over time biomagnification → concentration rising at each step along a food chain Do not credit - answers that swap the two terms - bioaccumulation is the build-up inside one organism, biomagnification is the rise along a food chain 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	2
03.3	1 mark each 1 mark for each of the 2 points below. 1 They are intended to be toxic (to the target species) 1 They are deliberately released / spread into the environment (rather than being an accidental or waste release) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 262-266; AQA spec 3.4.3.2.8.	

Question	Marking guidance	Marks
04.1	1 mark each 1 mark for each of the 6 points below. 1 Instability / landslips on the hillside, especially after heavy rain - compaction, drainage, establishing vegetation whose roots bind the spoil, regrading slopes 1 Acid drainage from oxidation of pyrites, with toxic metals - collect and treat leachate, add lime to raise pH 1 Spontaneous combustion of residual coal / hydrocarbons - layers of fine-grained material to reduce air flow 1 Lack of nutrients / poor plant growth - add topsoil, sewage sludge, fertiliser 1 Unattractive topography - landscaping / reshaping 1 Dust / heavy metals - cover and keep at high pH Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. leachate → polluted liquid draining out of waste Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	6
04.2	1 mark each 1 mark for each of the 2 points below. 1 So that plant roots cannot reach the toxic layer 1 Otherwise toxins could be taken up and brought to the surface / dispersed via leaf litter and food chains Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
04.3	1 mark each 1 mark for each of the 2 points below. 1 Steel slag is alkaline, producing unusual calcareous / high-pH soil conditions 1 Supports uncommon plants such as cowslips / orchids that cannot compete on fertile neutral soils Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 282-283; AQA spec 3.4.3.2.12.	

Question	Marking guidance	Marks
05.1	1 mark each 1 mark for each of the 4 points below. 1 Inorganic mercury settled into anaerobic sediments where anaerobic microbes converted it to organic (methyl) mercury 1 Methyl mercury is liposoluble so it is absorbed easily and stored in fat / passes through cell membranes 1 It bioaccumulated in fish and shellfish and biomagnified along the food chain to reach much higher concentrations than in the water 1 Local people ate large amounts of fish (critical group) so received toxic doses Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. critical group → the people most at risk / most heavily exposed Do not credit 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	4
05.2	1 mark each 1 mark for each of the 3 points below. 1 Liposoluble so it crosses the blood-brain barrier into the brain, inhibiting enzymes / nerve function (neurotoxin) 1 It crosses the placenta and harms the developing unborn baby 1 Mercury is a teratogen, preventing normal gene expression / development Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	3
05.3	1 mark each 1 mark for each of the 3 points below. 1 Elemental (liquid) mercury: not easily absorbed through skin or gut, though vapour is absorbed in the lungs 1 Inorganic compounds (eg mercury oxide): moderately well absorbed in the gut 1 Organic compounds (eg methyl mercury): easily absorbed through skin, gut and lungs – liposoluble so most toxic and bioaccumulates Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 276-277; AQA spec 3.4.3.2.11.	

Question	Marking guidance	Marks
06.1	1 mark each 1 mark for each of the 5 points below. 1 Trays of the same soil (texture, compaction, organic matter, depth) with different percentage vegetation cover (eg 0, 25, 50, 75, 100% grass), replicated 1 Same slope / gradient – simulated rain from a standard height at a standard rate and drop size (eg watering can / sprinkler) for a standard time 1 Collect the soil splashed / washed off (eg onto a sheet or into a trough at the base), dry and weigh it 1 Repeat each treatment several times and calculate means (and standard deviation) 1 Plot soil loss against cover – statistical test (Spearman's rank / t-test) for significance Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. standard deviation → a measure of the spread of the data about the mean Spearman → a test for correlation between two sets of ranked data t-test → a test for a difference between the means of two normally distributed sets Do not credit 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	5
06.2	Any 3 of 5 1 mark each for any 3 of the 5 points below, in any order, maximum 3. 1 Rainfall intensity / raindrop size / height 1 Soil texture, compaction, organic matter, depth 1 Permeability of the material beneath 1 Gradient 1 Root binding Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Permeability → how easily water passes through / lets water through Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
06.3	1 mark each 1 mark for each of the 2 points below. 1 All variables except the independent variable can be standardised in the laboratory – in the field uncontrollable variables (weather) must be measured instead 1 Laboratory conditions may not represent natural conditions so results may not apply directly to real ecosystems Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. valid → actually measures what it is meant to measure	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 390-393, 419-420; AQA spec 3.7.1, 3.7.2.2.	

Question	Marking guidance	Marks
07.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 A: A waste is assumed to cause pollution until research shows it is unlikely to do so Do not credit the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	1
07.2	1 mark each 1 mark for each of the 2 points below. 1 If the cost of preventing damage is less than the (penalty for) damage there is a financial incentive to prevent pollution 1 If polluters can escape their responsibilities / penalties are low, there is little incentive to comply Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. reliable → repeatable / gives consistent results when repeated Do not credit 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	2
07.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Marine discharges where currents dilute and disperse emissions 1 Emissions downwind of urban areas 1 Not discharging waste onto permeable rock above an aquifer Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. permeable → how easily water passes through / lets water through aquifer → a permeable rock that stores groundwater / underground water store Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 243-244; AQA spec 3.4.3.1.	
08.1	1 mark each 1 mark for each of the 2 points below. 1 Negative feedback: a change causes other changes that reduce the rate or size of the original change, re-establishing equilibrium 1 Positive feedback: a change causes other changes that increase the original change Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. positive feedback → a change that makes itself larger / a self-reinforcing cycle Negative feedback → a change that cancels itself out / a self-correcting cycle	2

Question	Marking guidance	Marks
08.2	2 marks per point 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. 2 Increased low-level cloud: higher temperatures increase evaporation and condensation, producing more cloud – clouds have a high albedo so more sunlight is reflected and warming is reduced 2 Increased photosynthesis: higher temperatures and CO₂ increase photosynthesis, removing CO₂ – if stored in woody tissue atmospheric CO₂ rises less Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • negative feedback → a change that cancels itself out / a self-correcting cycle • albedo → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back Do not credit • 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	4
08.3	1 mark each 1 mark for each of the 4 points below. 1 Permafrost: frozen waterlogged Arctic soils contain dead organic matter that decomposed anaerobically producing methane trapped in the frozen ground 1 Warming thaws the permafrost, releasing methane (a powerful greenhouse gas) and allowing further decomposition, causing more warming 1 Methane hydrate: methane from decomposed organic matter in deep sea sediments is held as a solid under high pressure and low temperature 1 If deep water warms the hydrate melts, releasing methane into the atmosphere and causing further warming Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • positive feedback → a change that makes itself larger / a self-reinforcing cycle • waterlogged → soil pores filled with water so there is no air	4

Question	Marking guidance	Marks
08.4	Any 3 of 6 1 mark each for any 3 of the 6 points below, in any order, maximum 3. 1 Reduced albedo as snow / ice melts 1 Ocean acidification reducing coral survival and carbon sequestration 1 Increased forest and peat fires releasing CO₂ 1 Faster decomposition of soil organic matter releasing CO₂ 1 Increased water vapour (a greenhouse gas) in warmer air 1 Increased cirrus (high) cloud which traps infrared Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. positive feedback → a change that makes itself larger / a self-reinforcing cycle albedo → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back infrared → heat radiation / long-wave radiation re-emitted by the Earth Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. - carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	3
08.5	1 mark each 1 mark for each of the 2 points below. 1 A point at which natural processes triggered by human-caused warming become self-sustaining / unstoppable 1 So that stopping the original human activity would no longer stop climate change (eg runaway permafrost melt, methane hydrate release, forest fires) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 103-104, 371-372; AQA spec 3.2.1.2, 3.6.1.	
09.1	2 marks per point 2 marks for each of the 3 points below; award 1 mark where a point is only partly made. 2 Ploughing: increases the oxygen supply to soil decomposers so aerobic decomposition of dead organic matter is faster – carbon in the soil DOM store falls and atmospheric CO₂ rises 2 Draining: waterlogged anaerobic conditions preserved dead organic matter (peat) and produced methane slowly – drainage makes the soil aerobic so stored carbon is rapidly decomposed to CO₂ (though methane release stops) 2 Marine pollution: kills phytoplankton so less dissolved CO₂ is absorbed by photosynthesis and less carbon sinks to sediments in dead plankton – less CO₂ then dissolves from the atmosphere to replace it, so atmospheric CO₂ rises Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. waterlogged → soil pores filled with water so there is no air	6

Question	Marking guidance	Marks
09.2	Any 3 of 5 1 mark each for any 3 of the 5 points below, in any order, maximum 3. 1 Rice paddy fields 1 Landfill sites 1 Anaerobic sediments in reservoirs 1 Livestock intestines (cattle) 1 Manure / slurry stores Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	3
09.3	1 mark for the point below. 1 More CO₂ dissolves in the sea, forming carbonic acid which dissociates into hydrogen carbonate and hydrogen ions – more H⁺ lowers the pH Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 150-151; AQA spec 3.2.4.2.	
10.1	1 mark each 1 mark for each of the 3 points below. 1 Together they form a dispersed layer in the stratosphere (the ozone layer / ozonosphere) 1 They absorb ultraviolet light, which drives a dynamic equilibrium of reactions that form and destroy ozone 1 The UV energy is converted to chemical / heat energy so most UV that passed the upper atmosphere never reaches the surface Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. ozone layer → the ozone in the stratosphere that absorbs UV Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	3

Question	Marking guidance	Marks
10.2	Any 2 of 5 1 mark each for any 2 of the 5 points below, in any order, maximum 2. 1 Provides carbon, oxygen, hydrogen and nitrogen (as N₂, O₂, CO₂, H₂O) for biological molecules 1 Delays the escape of infrared energy, keeping the surface warm 1 Distributes heat and water vapour by winds / ocean currents 1 Provides atmospheric pressure so liquid water can exist 1 Deflects damaging radiation of the solar wind in the upper atmosphere Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infrared → heat radiation / long-wave radiation re-emitted by the Earth Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
10.3	1 mark for the point below. 1 Energy is absorbed at different altitudes (eg UV absorbed in the stratosphere, surface heating warms the troposphere) so temperature gradients change with altitude, producing layers Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. stratified → sampling each area or group in proportion to its size	1

Question	Marking guidance	Marks
10.4	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Troposphere: enhanced greenhouse effect - anthropogenic CO₂ (fossil fuels, deforestation), methane (rice, livestock, landfill), N₂O, CFCs, tropospheric ozone – more infrared absorbed and re-emitted – aerosols and smoke increase albedo / scatter light – land-use change alters surface albedo and evapotranspiration • Stratosphere: CFCs / halons / HCFCs release chlorine and bromine which catalyse ozone destruction, shifting the O / O₂ / O₃ equilibrium – less UV absorbed in the stratosphere, more reaches the surface – stratospheric cooling • Consequences: changes to climate, ocean currents (thermohaline), hydrological cycle, sea level, species distributions – increased UV damage to organisms • Difficulties of prediction: linked processes where one change alters others – feedback (positive and negative) and tipping points – time lags (ocean heat capacity, long residence times of CFCs and CO₂) – natural variability (solar output, volcanoes, Milankovitch cycles) – incomplete understanding of atmospheric processes – limited historical data so proxies needed – models with different assumptions • Evaluation: some effects well understood (greenhouse physics, ozone chemistry proven, Montreal Protocol success) but scale and timing of regional impacts uncertain – precautionary principle • Justified conclusion Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content.	9
	• enhanced greenhouse effect → extra warming caused by added greenhouse gases • anthropogenic → human-caused / caused by human activity • CFCs → CFCs / halogenated organic compounds releasing chlorine Do not credit • answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated • 'the greenhouse effect is bad for the planet' - the natural greenhouse effect keeps the Earth habitable; it is the enhanced effect that causes the problem	

Question	Marking guidance	Marks
	Model answer - Level 3 (8 marks)	
	In the troposphere human activity enhances the greenhouse effect: fossil fuels and deforestation add CO ₂ , rice, livestock and landfill add methane, fertilisers add nitrous oxide, and CFCs and tropospheric ozone are new absorbers. More outgoing infrared is absorbed and re-emitted, warming the surface, while smoke and aerosols scatter sunlight and land-use change alters albedo and evapotranspiration. In the stratosphere, CFCs, halons and HCFCs release chlorine and bromine that catalyse ozone destruction, shifting the O / O ₂ / O ₃ equilibrium so that less UV is absorbed there and more reaches the surface, cooling the stratosphere as well.	
	The consequences run through every system the atmosphere's energy drives: climate, thermohaline circulation, the hydrological cycle, sea level and species distributions, plus UV damage to organisms. Predicting them is hard because the processes are linked - one change alters others - and because feedback can amplify (albedo loss, methane release) or damp (cloud cover, photosynthesis) the effect, sometimes past tipping points. Time lags from ocean heat capacity and the long residence times of CO ₂ and CFCs, natural variability from solar output, volcanoes and orbital cycles, sparse historical data replaced by proxies, and models built on different assumptions all add uncertainty.	
	Some things are nevertheless well established: the physics of infrared absorption, the chemistry of ozone loss, and the success of the Montreal Protocol. What is uncertain is the scale and timing of regional impacts, which is exactly why the precautionary principle, not certainty, should guide action.	
	Weaker answer - Level 1 (3 marks)	
	Humans release greenhouse gases like carbon dioxide from burning fossil fuels into the troposphere, which traps more heat and causes global warming. CFCs go into the stratosphere and destroy the ozone layer, so more UV reaches the Earth. It is hard to predict what will happen because the atmosphere is complicated and scientists do not know everything about it. There could be feedback effects that make it worse.	
	What makes the difference	
	• Level 1 gives one cause per layer; Level 3 lists several gases and processes and explains the mechanism (absorption and re-emission; catalytic destruction shifting an equilibrium).	
	• 'Difficulties of prediction' is answered in Level 3 with specific reasons (linked processes, feedback, time lags, natural variability, proxy data, models); Level 1 says 'complicated'.	
	• Level 3 evaluates - separating what is certain from what is not - and links this to the precautionary principle.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 86-89, 108-113; AQA spec 3.2.1.1, 3.2.1.3.	

Question	Marking guidance	Marks
11.1	Discuss how knowledge of the properties of energy resources can be used to reduce the severity of their impact on the environment. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Properties: energy density, renewability, abundance, location, intermittency / predictability, storage, transport, conversions, technology level, environmental impacts • Fossil fuels: choosing lower-impact fuels (gas over coal), desulfurisation, CCS, efficient combustion, siting power stations near cooling water and coal ports – new extraction technologies (directional drilling, secondary / tertiary recovery) and their impacts (fracking, tar sands) • Nuclear: high energy density reduces transport – waste properties (half-life) determine storage – thorium and fusion prospects • Renewables: matching resource to location (wind, HEP, solar, wave, tidal, geothermal, biofuel siting) – intermittency managed by storage (pumped HEP, batteries, hydrogen, P2G, V2G), grid management and diversity – low-impact designs (helical turbines, VAWT, tidal lagoons) • Energy conservation reduces demand: transport, buildings, industry (CHP, heat exchangers) • Impacts before and during use – life-cycle / embodied energy • Evaluation: no resource is impact-free – knowledge allows the best mix and mitigation – judgement <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 175-235; AQA spec 3.3.2-3.3.4.	25

Question	Marking guidance	Marks
11.2	Discuss how the atmosphere supports life on Earth and evaluate the extent to which human activities threaten these life-support functions. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Composition and structure: N₂, O₂, Ar, CO₂, ozone – troposphere and stratosphere – pressure and liquid water – gases for biological molecules and industry • Energy processes: UV absorbed by O / O₂ / O₃ dynamic equilibrium – visible light absorbed at the surface – infrared absorbed by greenhouse gases (33 °C warming) – heat distribution by winds and ocean currents – transport of water vapour – energy budget and albedo • Global climate change: anthropogenic greenhouse gases, sources, feedback and tipping points, consequences for climate, sea level, currents, species – difficulties of monitoring and prediction – control strategies and agreements • Ozone depletion: CFCs and halons, catalytic destruction, effects of UV, Montreal Protocol and replacements, recovery time • Other threats: aerosols, smoke, land-use change – interconnection of processes	25
	• Evaluation: which functions are most at risk – success of ozone controls vs slow progress on greenhouse gases – justified conclusion <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 86-113; AQA spec 3.2.1.	