

A-level

ENVIRONMENTAL SCIENCE

Paper 1 - Generated practice paper Set 07

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B - Steam washing (hot water / steam jets kill organisms in the sediment)	1
01.2	1 mark each 1 mark for each of the 2 points below. 1 Chemicals cause the oil molecules to join together / solidify 1 Producing more solid material that can be collected / lifted more easily than liquid oil Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
01.3	1 mark each 1 mark for each of the 2 points below. 1 Air contains about 210 cm³ of oxygen per litre whereas water at 20 °C holds a maximum of about 6 cm³ per litre (less than 3% of the amount in air) 1 So a small amount of oxygen-consuming activity (decomposition, respiration) or warming can remove most of the oxygen – many aquatic organisms are near the lower end of their range of tolerance Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. deoxygenation → loss of dissolved oxygen from the water range of tolerance → the range of conditions in which a species can survive	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 254-262; AQA spec 3.4.3.2.6-3.4.3.2.7.	
02.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $(44 - 8) / 50 = 0.72 \text{ m yr}^{-1}$ Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (m yr⁻¹) is already printed on the answer line. Do not credit - A bare wrong answer with no working.	1
02.2	1 mark each 1 mark for each of the 2 points below. 1 Abstraction (for irrigation) exceeds the rate of natural recharge by infiltration / percolation of precipitation 1 The dynamic equilibrium between inflow and outflow has been upset so the stored volume declines Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Abstraction → water taken out of a river, lake or aquifer infiltration → water soaking into the soil surface percolation → water moving downwards through soil or rock	2

Question	Marking guidance	Marks
02.3	1 mark each 1 mark for each of the 3 points below. 1 Porosity: a high proportion of the rock volume is space that can hold water (chalk, limestone, sandstone) 1 Permeability: the spaces are interconnected and large enough for water to flow through (clay is porous but not permeable) 1 Impermeable rock (granite, clay) beneath to stop water escaping, and permeable rock / soil above to allow recharge Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. aquifer → a permeable rock that stores groundwater / underground water store Permeability → how easily water passes through / lets water through Impermeable → does not let water through	3
02.4	Any 4 of 5 1 mark each for any 4 of the 5 points below, in any order, maximum 4. 1 Salt water incursion: seawater flows into the aquifer to replace the fresh water, making it unusable for irrigation (osmotic dehydration of crops) 1 Subsidence: emptied pore spaces no longer support the rock so it compacts, damaging buildings and pipes (eg Mexico City) 1 Drying up of groundwater-fed rivers, lakes and wetlands as the water table falls below their beds 1 Ecological impacts: plants needing high water availability die - wetland animals lost - food chain effects 1 Reduced supplies: abstraction may suddenly have to stop after years of hidden decline Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. aquifer → a permeable rock that stores groundwater / underground water store abstraction → water taken out of a river, lake or aquifer Do not credit - Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 119-121; AQA spec 3.2.2.1-3.2.2.2.	
03.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B - tiny pores between clay particles allow capillary rise none in sand	1

Question	Marking guidance	Marks
03.2	1 mark each 1 mark for each of the 3 points below. 1 Hygroscopic: held tightly by adhesive forces on particle surfaces – cannot drain and cannot be absorbed by plants 1 Capillary: held in pores by surface tension – does not drain but can be absorbed by plants 1 Gravitational: drains freely through large pores – available to plants only briefly as it passes Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
03.3	1 mark for the point below. 1 Small round crumbs leave spaces giving good drainage, aeration and easy root penetration – large flat platy peds pack together reducing all three Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. peds → soil crumbs / aggregates of soil particles	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 158-169; AQA spec 3.2.5.	
04.1	1 mark each 1 mark for each of the 4 points below. 1 Wheel vibration: track polishing / grinding, sound-absorbing ballast, sound-absorbing suspension 1 Pantograph: aerodynamic fairing 1 Wheel squeal: lubrication of wheels / track on corners 1 Braking: composite-material brakes instead of cast iron Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	4
04.2	1 mark for the point below. 1 Roads pass through / near almost all residential areas and traffic is continuous through the day, unlike airports or railways which affect limited areas Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1

Question	Marking guidance	Marks
04.3	Any 3 of 5 1 mark each for any 3 of the 5 points below, in any order, maximum 3. 1 Sound-absorbing road surfaces (porous asphalt / rubber-crumb asphalt) 1 Acoustic fences, embankments / baffle mounds, walls or dense tree planting 1 Traffic management for free flow (less acceleration noise) – re-routing traffic away from residential areas 1 Double glazing / acoustic insulation of buildings 1 Vehicle design: better aerodynamics, engine insulation, quieter exhausts, quieter tyres Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
04.4	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Air bubble curtains around the pile driver absorb noise 1 Acoustic survey to detect cetaceans first and delay work if present – increase volume gradually (soft start) so animals can leave 1 Drilling instead of pile-driving Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'wind turbines can generate all the time' - output depends on wind speed, and they shut down in very high winds	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 292-294; AQA spec 3.4.3.2.13.	
05.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 C Also accept Critical Group → the people most at risk / most heavily exposed	1
05.2	1 mark each 1 mark for each of the 2 points below. 1 Monitoring can be focused on the sites predicted to be most at risk / where the pollutant will concentrate 1 No need to sample sites that were never likely to be polluted – sampling also checks the accuracy of the predictions Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. accuracy → close to the true value	2

Question	Marking guidance	Marks
05.3	1 mark each 1 mark for each of the 2 points below. 1 Behaviour of new chemicals can be predicted from similar existing chemicals: it is likely to persist, bioaccumulate and biomagnify 1 So acceptable emission limits, control methods and monitoring programmes can be set before release (precautionary principle) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. persistent → does not break down / stays in the environment for a long time Do not credit - the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 243-245; AQA spec 3.4.3.1.	
06.1	1 mark each 1 mark for each of the 3 points below. 1 UV light splits diatomic oxygen (O₂) into two monatomic oxygen atoms (O) 1 Monatomic oxygen reacts with diatomic oxygen to form ozone (O₃) 1 UV light also splits ozone into O₂ and O – the reactions form a dynamic equilibrium which absorbs UV (converting it to chemical energy / heat) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
06.2	Marks shared Up to 6 marks in total - share them between the 4 points below according to how completely each one is made. up to 2 Useful: boiling points near ambient temperature so easily liquefied under low pressure (aerosol propellants, fridge / air-conditioning coolants) – dissolve grease but do not damage electrical components (solvents) – non-flammable – non-toxic up to 2 Persistence: chemically stable / unreactive in the troposphere so they remain long enough to be carried up to the stratosphere up to 2 Dissociation by UV: in the stratosphere higher UV levels break the carbon-chlorine bonds releasing chlorine free radicals up to 2 Chlorine reacts with monatomic oxygen (and ozone), preventing ozone formation – chlorine is regenerated so one atom destroys many ozone molecules – bromine / iodine act similarly Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. CFCs → CFCs / halogenated organic compounds releasing chlorine Persistence → does not break down / stays in the environment for a long time Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	6

Question	Marking guidance	Marks
06.3	1 mark each 1 mark for each of the 3 points below. 1 UVB energy is absorbed by cells and breaks up biological molecules / DNA causing mutations, skin cancer, cataracts, sunburn (human health) 1 Damage to leaf tissue and reduced photosynthesis / crop yields (plants) 1 Damage to marine algae, phytoplankton, corals and planktonic larvae (marine organisms), reducing productivity and food webs Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
06.4	1 mark for the point below. 1 An area where the total ozone column falls below 220 Dobson Units (normal is about 300 DU) - a level never recorded before CFC pollution Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1
06.5	1 mark for the point below. 1 Concentration varies with altitude and the stratosphere is not normally sampled – Dobson Units measure the total column thickness instead Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	1
06.6	1 mark for the point below. 1 The British Antarctic Survey at Halley detected higher UV at ground level, showing ozone above had decreased (satellites above the stratosphere cannot measure downward UV directly) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 108-109; AQA spec 3.2.1.3.	

Question	Marking guidance	Marks
07.1	1 mark each 1 mark for each of the 4 points below. 1 Most solar energy is absorbed at the surface in the tropics where insolation is most intense / the Sun is overhead 1 The warm surface heats the air above – warm winds (eg south-westerlies) carry heat energy to higher latitudes 1 Winds blowing over the oceans create currents (North Atlantic Conveyor / Gulf Stream) carrying warm water from the tropics to NW Europe 1 Evaporation in the tropics stores latent heat in water vapour which is released when it condenses at higher latitudes OR transports water to areas that would be dry Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • insolation → incoming solar radiation / energy arriving from the Sun • latent heat → the energy absorbed or released when water changes state	4
07.2	1 mark each 1 mark for each of the 2 points below. 1 The North Atlantic Conveyor brings warm water from the tropics to the coast of NW Europe 1 Prevailing south-westerly winds blowing over the warm sea carry the heat onto the land Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
07.3	1 mark each 1 mark for each of the 2 points below. 1 Atmospheric pressure controls how easily water molecules evaporate / escape from the surface 1 At low pressure water would boil / evaporate at low temperatures so all surface water would become vapour Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
07.4	Any 2 of 4 1 mark each for any 2 of the 4 points below, in any order, maximum 2. 1 Nitrogen 1 Oxygen 1 Carbon dioxide 1 Argon / neon / krypton / xenon Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 87, 96-97; AQA spec 3.2.1.1, 3.2.2.3.	

Question	Marking guidance	Marks
08.1	1 mark each 1 mark for each of the 3 points below. 1 Sieves assembled with the coarsest mesh on top – a dried, crushed soil sample is placed in the top sieve 1 Stack shaken (about 2 minutes) until no more particles pass – each fraction weighed 1 Percentages of sand (0.02-2 mm), silt (0.002-0.02 mm) and clay (base pan, below 0.002 mm) calculated – material over 2 mm (stones, twigs) is not soil – plotted on a soil triangle Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
08.2	1 mark each 1 mark for each of the 2 points below. 1 Auger collects a core of known cross-sectional area and depth 1 So samples from different sites are directly comparable (also needed for bulk density = dry mass / volume) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
08.3	1 mark each 1 mark for each of the 2 points below. 1 Minerals such as calcium carbonate break down releasing carbon dioxide 1 So mass is lost that is not organic matter Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
08.4	1 mark each 1 mark for each of the 3 points below. 1 A beam of light passes through the sample in a dark chamber – a light sensor at 90° measures light scattered by suspended particles - more turbid, more scatter 1 Standardise bulb brightness / colour, distance and container 1 A calibration curve is produced using samples with known amounts of suspended matter so readings convert to concentrations – Secchi discs / turbidity bottles give only semi-quantitative results Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 410-413, 417; AQA spec 3.7.2.1-3.7.2.2.	

Question	Marking guidance	Marks
09.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $180 / 1.2 = 150$ Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (times) is already printed on the answer line. Do not credit - A bare wrong answer with no working. 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	1
09.2	1 mark for the point below. 1 Cadmium and zinc occur together in the same ores so mine drainage / smelting releases both Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	1
09.3	1 mark each 1 mark for each of the 4 points below. 1 Mine drainage water contaminated irrigation water / paddy soil so rice absorbed cadmium (1.2 vs 0.05 mg kg^{-1}) 1 Cadmium is liposoluble / not excreted so it bioaccumulates in the body (kidneys) with chronic exposure to small doses over years 1 Cadmium causes kidney failure and bone decalcification / skeletal collapse (itai-itai disease) 1 Rice is the staple food so residents receive a large dose – village B has no exposure and no disease (correlation supports causation) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. correlation → a relationship in which the two variables change together causation → one variable actually causing the change in the other Do not credit - a correlation presented as proof of cause - say that it suggests a link that further work would have to test 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	4

Question	Marking guidance	Marks
09.4	Any 2 of 4 1 mark each for any 2 of the 4 points below, in any order, maximum 2. 1 Collect mine drainage water and neutralise / raise pH with lime so cadmium precipitates and stays insoluble 1 Cover / cap spoil heaps to prevent leaching and dust 1 Recycle nickel-cadmium batteries / hazardous waste landfill 1 Phytoremediation of contaminated paddy soils Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. leaching → nutrients or ions washed down out of the soil / washed away by water Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	2
09.5	1 mark each 1 mark for each of the 2 points below. 1 Manufacture may release cadmium in effluents / dust 1 Panels have a limited life – disposal of old panels (landfill, incineration of pigments) could release cadmium unless recycled Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. incineration → burning waste, usually with energy recovery Do not credit 'solar panels do not work in cold countries' - output depends on insolation, and cells are slightly more efficient when cool 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 275-279; AQA spec 3.4.3.2.11.	
10.1	Calculation A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. 1 No reservoir range = $3.9 - 0.7 = 3.2$ m – with reservoir = $2.7 - 1.7 = 1.0$ m 1 Reduction = 2.2 m Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (m) is already printed on the answer line. Do not credit - A bare wrong answer with no working. - a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	2

Question	Marking guidance	Marks
10.2	1 mark each 1 mark for each of the 2 points below. 1 After heavy rainfall surplus water is stored, reducing peak flows / flooding downstream 1 During dry periods the dam is opened to release water and maintain river levels Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	2
10.3	1 mark each 1 mark for each of the 2 points below. 1 Deforestation / urbanisation reduce infiltration and interception 1 So runoff reaches the river faster after rain and less water is stored to maintain flow in dry periods Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infiltration → water soaking into the soil surface Do not credit 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss - a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	2

Question	Marking guidance	Marks
10.4	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Site factors: topography - narrow exit from a large deep basin so a small dam holds a large volume – impermeable, strong bedrock without faults or seismic activity – large catchment with regular high rainfall and low evaporation – catchment land use with low pollution risk (pesticides, industry) and low soil erosion to avoid sedimentation – forest / vegetation in the flooded area decaying anaerobically releasing methane – access for workers and materials and distance to demand – value of the land lost (urban, conservation, agricultural) - loss-benefit analysis differs between countries • Alternatives for supply: rainwater collection, rivers, estuary barrages, desalination (energy-intensive so only where freshwater is inadequate), unexploited aquifers (N Africa, Kenya), inter-basin transfers (China, Australia, Wales-England), artificial aquifer recharge using surplus wet-season water, river-regulation reservoirs, afforestation to even out flow • Conservation strategies: low-water appliances, dual-flush toilets, xeriscaping, drip irrigation, grey-water re-use, leak repair (about 20% lost in the UK), metering • Treatment / pollution control allowing re-use of contaminated sources: sewage treatment, buffer strips, mine drainage control • Evaluation: reservoirs give large reliable supplies and flood control but flood land, cause habitat loss and methane – conservation is cheap and quick but limited by behaviour – transfers create conflicts between regions – desalination has high energy / carbon cost – combination needed as demand grows • Justified conclusion	9

Question	Marking guidance	Marks
	Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - Any accurate, relevant material that is not in the indicative content. sustainability → meeting present needs without stopping future generations meeting theirs impermeable → does not let water through aquifer → a permeable rock that stores groundwater / underground water store Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	
	Model answer - Level 3 (8 marks)	
	A reservoir site is judged first on topography: a narrow exit from a large, deep basin lets a small, cheap dam hold a large volume. The bedrock must be impermeable so water is not lost and strong enough, without faults or seismic activity, to carry the dam. The catchment should be large with regular, high rainfall and low evaporation, and its land uses should not pose a pollution risk from industry or pesticides or cause the soil erosion that would silt the reservoir. Flooding forest or vegetation causes anaerobic decay and methane. Access for workers and materials, distance to the area of demand, and the value of the land lost - urban areas and nature reserves protected, farmland less so - complete a loss-benefit analysis that different countries weigh differently.	
	Supply can also be increased without new reservoirs: rainwater collection in cities, estuary barrages, desalination where freshwater is genuinely inadequate, newly found aquifers in North Africa and Kenya, inter-basin transfers as in China and from Wales to England, artificial recharge of aquifers with wet-season surplus, river-regulation reservoirs and afforestation to even out flow. Demand can be cut by low-water appliances, xeriscaping, drip irrigation, grey-water re-use, metering and repairing the leaks that lose about a fifth of UK supply, and treatment lets contaminated sources be re-used.	
	Reservoirs give large, reliable supplies and flood control but flood land and habitats and release methane; conservation is cheap and quick but limited by behaviour; transfers create conflicts between regions; desalination carries a high energy and carbon cost. As demand grows, the sustainable answer is conservation first, then a combination of sources matched to each region.	
	Weaker answer - Level 2 (4 marks)	
	A reservoir needs a large catchment area with lots of rain, impermeable rock so the water does not drain away, and a narrow valley so the dam is small. It should be near the people who need the water and not flood important land. Other ways to get water include desalination, which is expensive, and collecting rainwater. Water can be conserved by fixing leaks, using water meters and having low-flush toilets. All of these help make water supplies more sustainable.	
	What makes the difference	

Question	Marking guidance	Marks
	• Level 2 lists correct site factors but without the reasons (why impermeable, why the valley shape matters, why land use in the catchment matters, methane from flooded vegetation).	
	• Level 3 covers far more alternatives (aquifer recharge, river regulation, transfers, afforestation) and evaluates each; Level 2 evaluates only desalination.	
	• Level 3 ends with a prioritised judgement; Level 2 ends with 'all of these help'.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 122-127; AQA spec 3.2.2.4-3.2.2.5.	

Question	Marking guidance	Marks
11.1	Discuss the strategies that can be used to provide sustainable supplies of water for a growing population. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Context: uneven distribution of water, growing population and per capita demand, unsustainable exploitation of rivers and aquifers, hydrological cycle links • New sources: rainwater collection, rivers (discharge, fluctuations, contaminants), reservoirs and site selection, estuary barrages, desalination, unexploited aquifers • Management: artificial aquifer recharge, river-regulation reservoirs, inter-basin transfers, afforestation • Conservation: low-water appliances, xeriscaping, drip irrigation, grey water, leak reduction, metering – pollution control to protect sources • Treatment: matching quality to use – screens, sedimentation, aeration, flocculation, filtration, sterilisation, pH adjustment, activated carbon, reverse osmosis • Evaluation of costs, energy, environmental impacts (habitat loss, methane, inter-tidal habitats, conflicts) and justified conclusion <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i>	25
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 114-127; AQA spec 3.2.2.4-3.2.2.5.	

Question	Marking guidance	Marks
11.2	Discuss how the properties of solar power and hydroelectric power affect their use, and evaluate how new technologies could increase their contribution to energy supplies. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Problematic properties of solar: intermittency, unreliability from cloud, low energy density, changing angle – locational constraints (deserts, latitude) • Harnessing solar: photothermal, thermal stores, passive architecture, heat pumps, PV principles and cell efficiencies, solar farms – environmental impacts of manufacture and land use • New solar technologies: multijunction, anti-reflective surfaces, CSP with molten salt, PV-thermal hybrids, transparent PV, heliostats, self-cleaning • HEP: gravitational potential energy, locational constraints (catchment, rainfall, turbidity, impermeable rock, seismic, topography, land use, distance), impacts on habitats, sediment, methane, communities • Energy storage and matching supply to demand: pumped storage, batteries, grid links – combining resources • Evaluation and justified conclusion on how far these resources can replace fossil fuels	25
	<i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 196-203, 217-224; AQA spec 3.3.4.1.	