

A-level

ENVIRONMENTAL SCIENCE

Paper 1 - Generated practice paper Set 26

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	1 mark each 1 mark for each of the 4 points below. 1 Spearman's rank correlation coefficient 1 Chi-squared test (frequencies / counts in categories) 1 t-test (two means of measured data) 1 Spearman's rank correlation coefficient Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Spearman → a test for correlation between two sets of ranked data • correlation → a relationship in which the two variables change together • Chi-squared → a test comparing observed frequencies with expected frequencies Do not credit • a correlation presented as proof of cause - say that it suggests a link that further work would have to test • 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	4

Question	Marking guidance	Marks
01.2	1 mark for the point below. 1 Chi-squared compares frequencies / counts in categories – it cannot be used for continuously variable measured data Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. chi-squared → a test comparing observed frequencies with expected frequencies Do not credit 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	1
01.3	1 mark each 1 mark for each of the 3 points below. 1 The value (ignoring sign) exceeds the critical value so the correlation is significant at the 5% level 1 The negative sign shows a negative correlation: one variable decreases as the other increases 1 There is less than a 5% probability the correlation arose by chance – reject the null hypothesis (but correlation is not proof of causation) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Spearman → a test for correlation between two sets of ranked data critical value → the table value the calculated statistic must reach to be significant $p = 0.05$ → a probability of 0.05, ie a 1 in 20 chance that the result happened by chance Do not credit - a correlation presented as proof of cause - say that it suggests a link that further work would have to test 'the hypothesis was proved' - a statistical test either rejects the null hypothesis or fails to reject it	3
01.4	1 mark each 1 mark for each of the 2 points below. 1 Show the standard deviation / range of the original values around each mean 1 If the bars of two means overlap greatly the difference is probably not significant – little overlap suggests a significant difference Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. standard deviation → a measure of the spread of the data about the mean	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 422-423; AQA spec 3.7.2.3.	

Question	Marking guidance	Marks
02.1	1 mark each 1 mark for each of the 3 points below. 1 Visible light passes through the atmosphere easily and is absorbed by the Earth's surface, which warms and emits infrared 1 Greenhouse gases (naturally water vapour and CO₂) absorb infrared better than the average for the atmosphere, converting it to heat and re-emitting some back to the surface 1 This keeps the surface about 33 °C warmer than it would otherwise be Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infrared → heat radiation / long-wave radiation re-emitted by the Earth Do not credit 'the greenhouse effect is bad for the planet' - the natural greenhouse effect keeps the Earth habitable; it is the enhanced effect that causes the problem	3
02.2	1 mark each 1 mark for each of the 3 points below. 1 CO₂ is emitted in far larger quantities (every combustion process, deforestation) so its total effect is greatest 1 CO₂ has a long residence time so it accumulates – methane has a short residence time (12 years) so it is removed faster 1 CFC emissions are now very small following the Montreal Protocol Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. anthropogenic → human-caused / caused by human activity CFCs → CFCs / halogenated organic compounds releasing chlorine infrared → heat radiation / long-wave radiation re-emitted by the Earth Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss	3
02.3	1 mark each 1 mark for each of the 2 points below. 1 Methane has a much higher global warming potential (28x) so each tonne removed has a bigger effect 1 Its short residence time (about 12 years) means atmospheric concentrations fall quickly once emissions are cut Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. global warming potential → warming effect compared with the same mass of carbon dioxide residence time → the time a molecule stays in the atmosphere / atmospheric lifetime Do not credit - Points after the first 2 - the question asks for 2, so a list of extras cannot pick up the marks.	2

Question	Marking guidance	Marks
02.4	Any 2 of 4 1 mark each for any 2 of the 4 points below, in any order, maximum 2. 1 Collect landfill / anaerobic digester gas and use as fuel 1 Changes in cattle diet / fewer cattle / less meat consumption 1 Draining rice paddies periodically 1 Anaerobic digestion of manure with gas capture Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 89-90; AQA spec 3.2.1.2.	
03.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $(120 + 95) - (2 + 45) = 168 \text{ t ha}^{-1}$ Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (t ha^{-1}) is already printed on the answer line. Do not credit - A bare wrong answer with no working.	1
03.2	1 mark each 1 mark for each of the 2 points below. 1 Annual ploughing aerates the soil so aerobic decomposers break down dead organic matter faster, releasing CO₂ 1 Harvest removes biomass so less dead organic matter is returned – pasture roots and litter constantly add organic matter Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
03.3	Any 2 of 4 1 mark each for any 2 of the 4 points below, in any order, maximum 2. 1 Low / zero tillage 1 Adding manure, compost or mulch 1 Growing cover crops / leaving crop residues 1 Converting to long-term grass or tree crops in rotation Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 148-151; AQA spec 3.2.4.2.	

Question	Marking guidance	Marks
04.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 A: A waste is assumed to cause pollution until research shows it is unlikely to do so Do not credit the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	1
04.2	1 mark each 1 mark for each of the 2 points below. 1 If the cost of preventing damage is less than the (penalty for) damage there is a financial incentive to prevent pollution 1 If polluters can escape their responsibilities / penalties are low, there is little incentive to comply Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. reliable → repeatable / gives consistent results when repeated Do not credit 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	2
04.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Marine discharges where currents dilute and disperse emissions 1 Emissions downwind of urban areas 1 Not discharging waste onto permeable rock above an aquifer Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. permeable → how easily water passes through / lets water through aquifer → a permeable rock that stores groundwater / underground water store Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 243-244; AQA spec 3.4.3.1.	
05.1	1 mark each 1 mark for each of the 3 points below. 1 Booms are floating tubes with a skirt that restrict the movement of floating oil, keeping it near the source / away from sensitive sites (mangroves, reef, marine park) 1 They work best in sheltered / calm water such as the lagoon 1 Limitation: they do not work in open water where currents or waves are strong – oil can flow under the skirt in a strong current Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
05.2	1 mark each 1 mark for each of the 3 points below. 1 Skimmers: rotating (metal) discs / belts pick up floating oil which is scraped off and stored 1 Absorbent materials (high surface area, eg textile mops, straw, human hair) soak up oil and are then removed 1 Collected oil / absorbents are incinerated or sent to landfill (or oil recycled) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	3
05.3	1 mark each 1 mark for each of the 2 points below. 1 Dispersants break the oil into an emulsion of droplets, making it more mobile so it spreads through the water column (to the reef / seabed organisms) rather than staying on the surface 1 They do not reduce the amount of oil – the dispersant / oil mixture may be toxic to corals and plankton in shallow, enclosed water Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
05.4	1 mark each 1 mark for each of the 2 points below. 1 Bacteria that break down hydrocarbons digest the residual oil (most rapid where temperature, oxygen and nutrients are high) 1 Accelerated by adding nutrients (nitrates / phosphates) and aerating (ploughing) / irrigating the sediment Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 261-262; AQA spec 3.4.3.2.7.	
06.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $15 - (-18) = 33\text{ }^{\circ}\text{C}$ Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit ($^{\circ}\text{C}$) is already printed on the answer line. Do not credit - A bare wrong answer with no working. 'the greenhouse effect is bad for the planet' - the natural greenhouse effect keeps the Earth habitable; it is the enhanced effect that causes the problem	1

Question	Marking guidance	Marks
06.2	1 mark each 1 mark for each of the 4 points below. 1 Visible light passes easily through the atmosphere and is absorbed by the surface, which warms 1 The warm surface emits (long-wave / far) infrared radiation 1 Greenhouse gases (water vapour, CO₂, methane) absorb infrared better than the average for the atmosphere and convert it to heat 1 The warm atmosphere emits infrared which is absorbed by the surface, and it reduces heat loss from land and oceans by conduction Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. long-wave → heat radiation / long-wave radiation re-emitted by the Earth Do not credit 'the greenhouse effect is bad for the planet' - the natural greenhouse effect keeps the Earth habitable; it is the enhanced effect that causes the problem	4
06.3	1 mark for the point below. 1 Any gas that is better at absorbing infrared radiation than the average for the atmosphere Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infrared → heat radiation / long-wave radiation re-emitted by the Earth	1
06.4	1 mark each 1 mark for each of the 2 points below. 1 Arriving: mainly ultraviolet, visible light and near infrared (short wavelength) – leaving: mainly long-wavelength (far) infrared 1 Gases that are transparent to the incoming short wavelengths can absorb the outgoing long wavelengths, so changing their concentration changes how much energy is retained Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. infrared → heat radiation / long-wave radiation re-emitted by the Earth	2
06.5	1 mark each 1 mark for each of the 2 points below. 1 The energy and the processes it drives control climate, ocean currents and the hydrological cycle 1 These determine the abiotic conditions (temperature, rainfall) that each species is adapted to, so a change alters where species can survive Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. abiotic → non-living / physical factors	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 87-89; AQA spec 3.2.1.1.	

Question	Marking guidance	Marks
07.1	Calculation A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. 1 $13 / 480 = 0.0271$ years 1 0.0271×365 1 = 10 days (accept 9.9-10) Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (days) is already printed on the answer line. • residence time → the time a molecule stays in the atmosphere / atmospheric lifetime Do not credit • A bare wrong answer with no working. • a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	3
07.2	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $1\,340\,000 / 425 = 3153$ years (accept 3100-3200) Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (years) is already printed on the answer line. • residence time → the time a molecule stays in the atmosphere / atmospheric lifetime Do not credit • A bare wrong answer with no working.	1
07.3	1 mark each 1 mark for each of the 2 points below. 1 It has a very short residence time / very rapid transfer rate (480×10^{15} dm³ per year) 1 So it moves large volumes of water each year, delivering precipitation to land – small reservoirs with fast transfers respond quickly to change Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • residence time → the time a molecule stays in the atmosphere / atmospheric lifetime Do not credit • a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	2

Question	Marking guidance	Marks
07.4	1 mark each 1 mark for each of the 2 points below. 1 The ocean is so large that an added or removed volume is a tiny proportion of the total 1 The same volume is a large proportion of a small reservoir so its level / residence time changes noticeably Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. residence time → the time a molecule stays in the atmosphere / atmospheric lifetime Do not credit - a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	2
07.5	1 mark each 1 mark for each of the 2 points below. 1 Water is constantly moving between reservoirs (evaporation, precipitation, runoff, infiltration, transpiration) 1 But inflows and outflows for each reservoir balance so the volume in each reservoir stays constant over long periods Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infiltration → water soaking into the soil surface transpiration → water lost as vapour from the leaves Do not credit - a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 115-116; AQA spec 3.2.2.1.	
08.1	2 marks per point 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. 2 Overgrazing: vegetation is eaten faster than it grows so soil is exposed – hooves disturb the soil, damage roots and compact it, reducing infiltration and increasing runoff 2 Reduced biota (ploughing, agrochemicals, less organic matter): less humus so less adhesion between particles – fewer worms so less aeration and lower infiltration capacity – fewer nutrients released so less vegetation cover Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. infiltration → water soaking into the soil surface humus → dark, decomposed organic matter in soil Do not credit 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	4

Question	Marking guidance	Marks
08.2	1 mark each 1 mark for each of the 2 points below. 1 Tree roots that held the soil together decompose so the soil is bound less strongly 1 Heavy rain adds mass and lubricates particles – without interception more water enters the soil, making slumping more likely Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss	2
08.3	Any 4 of 6 1 mark each for any 4 of the 6 points below, in any order, maximum 4. 1 Sedimentation in rivers reduces flow capacity so flooding downstream is more likely 1 Sedimentation in reservoirs reduces their storage volume 1 Coastal sedimentation covering reefs / seagrass – turbidity reducing light for aquatic plants 1 Increased atmospheric particulates from wind erosion worsening asthma – dust covering crops / urban areas 1 Desertification as vegetation cannot re-establish – reduced rainfall 1 Nutrients (phosphates) carried on soil particles causing eutrophication Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. particulates → fine solid particles / smoke and dust eutrophication → nutrient enrichment of water leading to algal growth Do not credit - Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 162-164; AQA spec 3.2.5.2.	

Question	Marking guidance	Marks
09.1	1 mark each 1 mark for each of the 3 points below. 1 Mutagen: an agent that changes the chemical structure / base sequence of DNA (causes mutations), eg ionising radiation, UV, PCBs, cadmium, asbestos 1 Carcinogen: a mutagen that causes cancer / uncontrolled cell division producing a tumour 1 Teratogen: an agent that causes birth abnormalities by preventing normal gene expression (inhibiting proteins / enzymes) without changing DNA structure, eg mercury, 2,4,5-T Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. ionising radiation → radiation with enough energy to remove electrons and form ions Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	3
09.2	1 mark each 1 mark for each of the 2 points below. 1 Teratogens do not change the DNA structure, so the abnormality is not in the genes and cannot be passed on 1 Mutagens change DNA – if the mutation is in a gamete / egg / sperm (gonadic effect) it can be inherited Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round.	2
09.3	1 mark each 1 mark for each of the 2 points below. 1 Somatic: mutation in a general body cell, affecting the individual only (eg cancer / tumour) 1 Gonadic: mutation in cells of the ovaries or testes / gametes / embryo, which may cause abnormalities in offspring Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
09.4	1 mark each 1 mark for each of the 3 points below. 1 Two or more pollutants whose effects interact to produce a different (usually more serious) effect 1 The pollutants themselves do not react to form a new pollutant (that would be a secondary pollutant) 1 Example: ozone damages leaf cuticles so sulfur dioxide can cause more damage to the exposed cells – smoke and sulfur dioxide in smogs – neonicotinoids with fungicides Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - Any appropriate named example, including ones that are not listed here. synergism → two pollutants together doing more damage than the sum of each alone	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 239-240; AQA spec 3.4.1.	
10.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $4.2 / 0.7 = 6$ Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (times) is already printed on the answer line. Do not credit - A bare wrong answer with no working.	1
10.2	1 mark each 1 mark for each of the 2 points below. 1 Long summer days (almost 24 hours of daylight) so the total energy received is high, even though the Sun is low 1 In winter days are very short / the Sun does not rise, so light levels are extremely low Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
10.3	1 mark each 1 mark for each of the 2 points below. 1 Reflectors can only focus parallel rays of direct sunlight onto the absorber 1 Clouds, smoke and dust scatter the light so it cannot be focused and intensified Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
10.4	1 mark for the point below. 1 Very large areas of collectors are needed to harness significant amounts of energy (and the changing angle of incidence reduces it further) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1
10.5	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist Problems: intermittency (daily and seasonal cycles), unpredictable cloud cover, low energy density, changing angle of incidence, land requirements, water for cleaning in deserts, toxic wastes in manufacture (silicon tetrachloride, cadmium), efficiency loss at high temperature Photothermal: evacuated tubes reduce conduction / convection losses - thermal stores (water, sand, concrete, molten salt) allow later use - passive solar architecture, brise soleil, light tubes - heat pumps deliver up to four times the energy used Photovoltaic developments: multijunction cells absorbing more wavelengths, anti-reflective / moth-eye textured surfaces (smooth cells reflect 30%), PV-thermal hybrids cooling the cell, transparent PV in windows, heliostats keeping the optimum angle, self-cleaning nanohydrophobic surfaces - Concentrating solar power with molten-salt storage to 550 °C so steam turbines run when needed - overcomes intermittency Integration: grid-connected solar farms, rooftop space avoiding land conflicts, batteries, pumped storage, links to energy storage and demand management Evaluation: strong in sunny deserts / low latitudes, weaker in high latitudes in winter - cost falling - manufacturing impacts - no single technology solves all problems - justified conclusion Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - Any accurate, relevant material that is not in the indicative content.	9

Question	Marking guidance	Marks
	• intermittency → only generates when the wind blows or the Sun shines / supply is not continuous • pumped storage → water pumped uphill when demand is low and released to generate at peak Do not credit • 'solar panels do not work in cold countries' - output depends on insolation, and cells are slightly more efficient when cool • 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	
	Model answer - Level 3 (9 marks)	
	Solar power's problems are intrinsic: it is intermittent with daily and seasonal cycles, cloud makes it unpredictable and scatters light so it cannot be focused, its low energy density demands large collector areas, the angle of incidence keeps changing, cleaning in deserts uses scarce water, manufacturing PV produces toxic wastes such as silicon tetrachloride and cadmium, and PV efficiency falls as cells heat up.	
	New technology addresses most of these. Evacuated-tube photothermal panels cut conduction and convection losses, and thermal stores of water, sand, concrete or molten salt hold heat for later; passive solar design, brise soleil and light tubes reduce demand; heat pumps deliver up to four times the energy used to run them. Multijunction PV cells absorb more wavelengths, moth-eye anti-reflective surfaces stop the 30% of light a smooth cell reflects, PV-thermal hybrids cool the cell and use the heat, transparent PV turns windows into generators, heliostats keep panels at the optimum angle and nanohydrophobic surfaces self-clean. Concentrating solar power with molten salt stored at 550 °C runs steam turbines when electricity is wanted, directly overcoming intermittency, and grid-connected farms, rooftops that avoid land conflicts, batteries and pumped storage integrate the output.	
	Even so, no technology changes the fact that winter insolation at high latitudes is tiny, that CSP needs cloudless skies, or that manufacturing has impacts. Solar can dominate supply in sunny, low-latitude regions and contribute strongly elsewhere in summer, but overcoming its problems fully depends on storage and a diverse energy mix rather than on solar technology alone.	
	Weaker answer - Level 1 (2 marks)	
	Solar power has problems because it does not work at night or when it is cloudy, and solar panels are not very efficient. New technologies can help. Better solar panels are more efficient. Solar power can be stored in batteries for use at night. Mirrors can concentrate the sunlight to make it hotter. So new technologies can overcome most of the problems with solar power.	
	What makes the difference	
	• Level 1 identifies two problems and three vague technologies; Level 3 names each technology and explains which problem it solves and how.	
	• Level 3 acknowledges what technology cannot fix (high-latitude winters, cloud for CSP, manufacturing impacts) - the 'extent' in the question.	
	• Numbers (30% reflection, 550 °C, four-fold heat-pump output) show detailed knowledge applied to the argument.	

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 199-203; AQA spec 3.3.4.1.	
11.1	Evaluate the contribution of new technologies to the monitoring and understanding of environmental change in the physical environment. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Historical data limitations – proxy data - ice cores, isotope ratios (O-18:O-16, C-14), Mg:Ca in calcite, tree rings, pollen, coral • Satellite sensors: visible light imagery, infrared for vegetation and temperature, radar microwaves for wind, wave height, sea level and oil, weather monitoring – passing through cloud • Sensor carriers: ROVs / drones, AUVs, balloons, aircraft, animals – data recorders for abiotic factors – GPS tracking of floats and sampling sites – Argo floats and ocean monitoring • Climate models and their assumptions – monitoring atmospheric composition (Mauna Loa), ozone (Dobson units), sea level and ice • Applications to hydrosphere, minerals (remote sensing surveys), soils, pollution monitoring • Evaluation: improved coverage and resolution vs cost, calibration, interpretation, remaining uncertainty – justified conclusion	25
	<i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 9, 89-107, 402-407; AQA spec 3.2, 3.7.	

Question	Marking guidance	Marks
11.2	Mineral resources are non-renewable. Discuss how an understanding of geological processes and the development of new technologies can extend the period for which society can rely on mineral resources. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Why non-renewable: formed too slowly – geological concentration processes - hydrothermal, metamorphic, Proterozoic sediments, alluvial, evaporites, secondary enrichment, biological sediments • Understanding processes guides exploration (batholith margins, river gravels, ancient seas) and remote sensing / geophysical techniques • Reserves, resource, stock – Lasky's principle – cut-off ore grade and its drivers • Extraction technologies: mechanisation, bioleaching, phytomining, polymer and bacterial adsorption, seabed nodules • Reducing demand: recycling and its difficulties, Cradle to Cradle, design for disassembly, linear vs circular material flows, dispersal of metals in use • Environmental limits: impacts of mining and their control – energy costs rising with lower grades – conflicts	25
	• Judgement: technology can extend supplies substantially but only within energy and environmental constraints – circular economy essential <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 130-147, 373-379; AQA spec 3.2.3, 3.6.3-3.6.4.	