

A-level

ENVIRONMENTAL SCIENCE

Paper 1 - Generated practice paper Set 29

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	1 mark each 1 mark for each of the 2 points below. 1 The void fills with water naturally – wetlands are uncommon / valuable habitats in most regions 1 The new habitat may have greater wildlife value than the farmland lost – low cost compared with filling and levelling Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
01.2	1 mark each 1 mark for each of the 2 points below. 1 Housing: ground must be stable (no subsidence), no toxic metal wastes (otherwise industrial use is safer) 1 Farmland: landscape not too steep or uneven, no toxic materials, sufficiently fertile soil (topsoil replaced) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
01.3	1 mark for the point below. 1 Species that cannot be caught / found, or whose habitat requirements are unknown or hard to recreate, are lost – transplanted plants often fail Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 140, 142; AQA spec 3.2.3.6.	
02.1	1 mark each 1 mark for each of the 2 points below. 1 Surplus energy drives a pump compressing air stored in underground caverns (salt mines) – releasing it drives machinery / turbines 1 Compression produces a lot of heat – storing this heat (hot oil / molten salt) and returning it when the air expands recovers energy that would otherwise be lost Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
02.2	1 mark each 1 mark for each of the 2 points below. 1 As volume increases the surface area : volume ratio decreases 1 Heat is lost through the surface so there is less surface per unit of stored heat – very large stores can carry summer solar heat into winter (inter-seasonal storage) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
02.3	1 mark each 1 mark for each of the 2 points below. 1 Potassium nitrate has a much higher boiling point so it stores heat at up to 550 °C without pressurisation 1 Water could only reach such temperatures under high pressure, increasing costs – high temperature needed to raise steam for turbines Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
02.4	1 mark each 1 mark for each of the 2 points below. 1 Materials with high specific heat capacity (concrete, water) warm and cool slowly 1 They absorb heat in hot weather reducing overheating / air conditioning, and release it as the weather cools, delaying the need for heating Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
02.5	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Flywheels: rotating mass stores kinetic energy for short-term smoothing / generation 1 Supercapacitors: electrochemical capacitors with 10-100 times the energy density of conventional capacitors – possible future large-scale electricity storage 1 Thermal storage in molten salt / high-volume tanks – hydrogen / P2G – batteries Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 222-224; AQA spec 3.3.4.1.	
03.1	1 mark each 1 mark for each of the 2 points below. 1 Fission: splitting the nuclei of large atoms (U-235, Pu-239) when hit by neutrons 1 Fusion: joining the nuclei of small atoms (deuterium and tritium - isotopes of hydrogen) to form helium, releasing a neutron and energy - the energy source of stars Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. Do not credit 'nuclear power releases no carbon dioxide' - mining, fuel processing, construction and decommissioning all do	2
03.2	1 mark each 1 mark for each of the 2 points below. 1 Deuterium (hydrogen-2) extracted from (sea)water 1 Tritium (hydrogen-3) produced by neutron bombardment of lithium (a lithium blanket around the reactor) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
03.3	1 mark each 1 mark for each of the 3 points below. 1 Very high temperature turns hydrogen into a plasma (electrons stripped away) and gives nuclei enough kinetic energy to overcome the repulsion between positive nuclei and collide 1 Vacuum so the plasma is not cooled by air 1 Magnetic field holds the plasma centrally so it does not touch the container walls and cool Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
03.4	1 mark each 1 mark for each of the 3 points below. 1 Fuel (deuterium / lithium) is abundant / effectively unlimited 1 Much less radioactive waste (no long-lived fission products) – no chain reaction / meltdown risk – no weapons material 1 Not yet achieved sustained net energy output: reactors (JET) use more energy than they release – ITER aims for 500 MW out from 50 MW in – laser fusion also experimental – commercial viability decades away Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 195-196; AQA spec 3.3.4.1.	
04.1	1 mark each 1 mark for each of the 4 points below. 1 Spearman's rank correlation coefficient 1 Mann-Whitney U test 1 Chi-squared test 1 t-test Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Spearman → a test for correlation between two sets of ranked data correlation → a relationship in which the two variables change together Mann-Whitney → a test for a difference between two sets of unpaired, non-normal data Do not credit - a correlation presented as proof of cause - say that it suggests a link that further work would have to test 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	4

Question	Marking guidance	Marks
04.2	1 mark each 1 mark for each of the 2 points below. 1 Chi-squared compares frequencies / counts in categories 1 Dissolved oxygen is continuously variable measured data, so a t-test or Mann-Whitney U test is needed Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. chi-squared → a test comparing observed frequencies with expected frequencies t-test → a test for a difference between the means of two normally distributed sets Mann-Whitney → a test for a difference between two sets of unpaired, non-normal data Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	2
04.3	1 mark each 1 mark for each of the 2 points below. 1 There is always some remaining uncertainty / a probability that the result was produced by chance 1 Statistics only give a level of confidence (eg 95%, 99%) that the result is significant Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
04.4	1 mark each 1 mark for each of the 2 points below. 1 Bars drawn above and below each mean showing plus and minus one standard deviation 1 If the bars of two means overlap a lot the difference is probably not significant – if they do not overlap it probably is Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. standard deviation → a measure of the spread of the data about the mean	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 422-423; AQA spec 3.7.2.3.	
05.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 A: Aerobic decomposition produces little methane and returns nutrients to the soil	1

Question	Marking guidance	Marks
05.2	1 mark each 1 mark for each of the 2 points below. 1 It may contain concentrated heavy metals / toxic residues 1 It is stored in solid form at high pH / in hazardous-waste landfill so the metals stay insoluble Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	2
05.3	Any 2 of 4 1 mark each for any 2 of the 4 points below, in any order, maximum 2. 1 Impermeable polymer / clay liner to stop leachate escaping 1 Collection and treatment of leachate 1 Collection of methane and use as fuel 1 Daily covering of waste / final capping and restoration Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Impermeable → does not let water through leachate → polluted liquid draining out of waste Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. 'landfill gas is just carbon dioxide' - it is roughly half methane, a far stronger greenhouse gas	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 279-285; AQA spec 3.4.3.2.12.	
06.1	Calculation A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. 1 Water = 65.0 - 55.0 = 10.0 g – fresh soil = 40.0 g 1 10.0 / 40.0 x 100 = 25.0% Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (%) is already printed on the answer line. Do not credit - A bare wrong answer with no working.	2

Question	Marking guidance	Marks
06.2	Calculation A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. 1 Organic matter = $55.0 - 52.6 = 2.4 \text{ g}$ – dry soil = 30.0 g 1 $2.4 / 30.0 \times 100 = 8.0\%$ Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (%) is already printed on the answer line. Do not credit • A bare wrong answer with no working.	2
06.3	1 mark each 1 mark for each of the 2 points below. 1 So all water is removed and the mass loss on burning is due to organic matter only 1 Heating until mass no longer changes shows all water has evaporated Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
06.4	1 mark each 1 mark for each of the 3 points below. 1 Organic matter releases nutrients as it decomposes and provides food for soil biota 1 Increases water retention and, as humus, binds particles into crumb peds improving structure / aeration 1 Surface organic matter / humus adhesion reduce rain splash and wind erosion Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • humus → dark, decomposed organic matter in soil • peds → soil crumbs / aggregates of soil particles	3
06.5	1 mark for the point below. 1 Samples taken from different depths / locations (organic matter is concentrated near the surface) – incomplete burning – different heating times Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 158-159, 412; AQA spec 3.2.5.1, 3.7.2.1.	

Question	Marking guidance	Marks
07.1	Any 4 of 5 1 mark each for any 4 of the 5 points below, in any order, maximum 4. 1 Sludge from primary sedimentation is digested by anaerobic microbes in a warm tank for about four weeks 1 Kills most pathogens 1 Reduces odour and volume of the sludge 1 Produces biogas (mainly methane with some CO₂) used as fuel to heat the digester / generate electricity 1 Digested sludge has a better C:N ratio and can be used as agricultural fertiliser Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	4
07.2	1 mark each 1 mark for each of the 4 points below. 1 Heavy metals from urban wastes / road runoff may be present and absorbed by crops - reduced by adding lime to lower metal solubility 1 Remaining pathogens - destroyed by heat treatment of the sludge before use 1 Timing: spreading in the growing season covers crops – in winter vehicles compact wet soils - apply at suitable times / when soils are dry 1 Odour / public objection - digestion reduces odour Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'the body breaks the metal down' - metals are elements, cannot be broken down, and are stored in tissue	4
07.3	1 mark each 1 mark for each of the 2 points below. 1 Foul waste is a small volume needing full treatment so smaller, cheaper treatment works can be built – surface water needs little treatment 1 The treatment works is not affected by weather-related fluctuations in flow (storms) so storm overflows of untreated sewage are avoided Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 270-273; AQA spec 3.4.3.2.9.	

Question	Marking guidance	Marks
08.1	1 mark each 1 mark for each of the 4 points below. 1 Most solar energy is absorbed at the surface in the tropics where insolation is most intense / the Sun is overhead 1 The warm surface heats the air above – warm winds (eg south-westerlies) carry heat energy to higher latitudes 1 Winds blowing over the oceans create currents (North Atlantic Conveyor / Gulf Stream) carrying warm water from the tropics to NW Europe 1 Evaporation in the tropics stores latent heat in water vapour which is released when it condenses at higher latitudes OR transports water to areas that would be dry Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • insolation → incoming solar radiation / energy arriving from the Sun • latent heat → the energy absorbed or released when water changes state	4
08.2	1 mark each 1 mark for each of the 2 points below. 1 The North Atlantic Conveyor brings warm water from the tropics to the coast of NW Europe 1 Prevailing south-westerly winds blowing over the warm sea carry the heat onto the land Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
08.3	1 mark each 1 mark for each of the 2 points below. 1 Atmospheric pressure controls how easily water molecules evaporate / escape from the surface 1 At low pressure water would boil / evaporate at low temperatures so all surface water would become vapour Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
08.4	Any 2 of 4 1 mark each for any 2 of the 4 points below, in any order, maximum 2. 1 Nitrogen 1 Oxygen 1 Carbon dioxide 1 Argon / neon / krypton / xenon Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 87, 96-97; AQA spec 3.2.1.1, 3.2.2.3.	

Question	Marking guidance	Marks
09.1	1 mark each 1 mark for each of the 3 points below. 1 Manufacture and use of CFCs and other ozone-depleting substances (ODSs) phased out then banned 1 HCFCs to be phased out (by 2030) – some essential uses (eg halon fire extinguishers in aircraft) still permitted 1 A fund to help (developing) countries implement the Protocol – legally binding targets (unlike the 1985 Vienna Convention) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. CFCs → CFCs / halogenated organic compounds releasing chlorine Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	3
09.2	2 marks per point 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. 2 Aerosols: pump-action sprays / roll-on deodorants (alternative process), or hydrocarbon propellants (propane, butane) - flammable / fire risk 2 Refrigerants: HCFCs (less stable so break down in the troposphere, but still some ozone depletion) then HFCs (no chlorine) - more expensive, less effective, powerful greenhouse gases Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	4
09.3	1 mark each 1 mark for each of the 2 points below. 1 CFCs are drained from the appliance and incinerated / broken down at high temperature 1 Products are CO₂ and acidic gases (HCl, HF) which are neutralised with crushed lime Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. CFCs → CFCs / halogenated organic compounds releasing chlorine Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	2

Question	Marking guidance	Marks
09.4	1 mark for the point below. 1 CFCs are persistent, so those already released continue to reach the stratosphere and destroy ozone for many years – some ODSs (eg dichloromethane) are not banned Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. ozone layer → the ozone in the stratosphere that absorbs UV CFCs → CFCs / halogenated organic compounds releasing chlorine persistent → does not break down / stays in the environment for a long time Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 112-113; AQA spec 3.2.1.3.	
10.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 16.0 - 5.0 = £11 million Also accept - The correct answer however it is set out, including a different but valid method. - An answer carried forward from an earlier incorrect step (error carried forward). - An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. - The value alone - the unit (£ million) is already printed on the answer line. Do not credit - A bare wrong answer with no working.	1
10.2	1 mark each 1 mark for each of the 3 points below. 1 It is rarely practical to reduce emissions to zero and the impact of low-level emissions may be acceptable, so an acceptable level must be decided 1 ALARA: emissions should be As Low As Reasonably Achievable 1 BATNEEC: the Best Available Technology Not Entailing Excessive Cost is chosen to achieve this Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
10.3	1 mark each 1 mark for each of the 2 points below. 1 As industries expand or cities grow the number of pollutant sources increases 1 So the total emissions / combined concentration rises even if each source is unchanged, and higher standards are needed Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
10.4	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Critical Pathway Analysis: predicting movement of mobile persistent pollutants (state of effluent, wind, currents, geology, pH / oxygen and solubility, bioaccumulation, food sources, half-lives) so monitoring focuses on sites at risk – mainly radioactive discharges – checked by sampling • Critical Group Monitoring: exposure of the most-exposed group monitored before health effects – if their risk is acceptable everyone else is safer – emissions reduced if not • Emission control strategies: location (marine discharges, downwind of cities, not over aquifers) and timing (avoiding temperature inversions, low river flow) • Principles: polluter pays (incentive depends on penalties and enforcement), precautionary principle (assume harm until shown otherwise; ignorance no excuse), ALARA / BATNEEC and the non-linear cost-efficiency relationship • Selection of methods: production prevention (desulfurisation), prevention of release (precipitators, catalytic converters), post-release remediation (oil spill clean-up, phytoremediation), alternative processes (electric vehicles, renewables, pyrethroids) • Evaluation: prevention usually cheaper and more effective than remediation – costs rise steeply near 100% – CPA relies on understanding of pathways – enforcement and international agreement needed for transboundary pollutants – judgement about acceptable risk is political as well as scientific • Justified conclusion	9

Question	Marking guidance	Marks
	Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - Any accurate, relevant material that is not in the indicative content. persistent → does not break down / stays in the environment for a long time bioaccumulation → a pollutant building up inside one organism over time Critical Group → the people most at risk / most heavily exposed Do not credit - answers that swap the two terms - bioaccumulation is the build-up inside one organism, biomagnification is the rise along a food chain 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts	
	Model answer - Level 3 (8 marks)	
	Deciding how much to control pollution starts with predicting where a pollutant will go. Critical Pathway Analysis uses the state of the effluent, wind and currents, geology, the effect of pH and oxygen on solubility, bioaccumulation and local food sources to predict whether a discharge will disperse harmlessly or concentrate somewhere sensitive; it is mainly used for radioactive discharges and means monitoring can focus on the sites at risk rather than sampling everywhere. Critical Group Monitoring then checks the exposure of the people most at risk from their lifestyle before any health effects occur: if their risk is acceptable everyone else's is lower, and if not, emissions are reduced.	
	The choice of control is guided by principles. The polluter pays principle gives a financial incentive to prevent damage, but only if penalties are high and polluters cannot escape responsibility. The precautionary principle assumes a waste is harmful until research shows otherwise, so ignorance is no defence. Because the cost of control rises steeply as emissions approach zero, emissions are set As Low As Reasonably Achievable using the Best Available Technology Not Entailing Excessive Cost. Where emission location and timing can be chosen (marine outfalls, downwind of towns, not over aquifers; avoiding temperature inversions) severity is reduced cheaply.	
	Overall, prevention of production (fuel desulfurisation) or of release (electrostatic precipitators, catalytic converters) is more effective than post-release remediation such as oil-spill clean-up, which never recovers all the pollutant. CPA depends on understanding pathways, and transboundary pollutants need international enforcement, but together these principles give a rational basis for deciding acceptable risk rather than aiming for an unaffordable zero.	
	Weaker answer - Level 1 (3 marks)	
	Pollution can be controlled in lots of ways. Critical Pathway Analysis looks at where pollution goes and Critical Group Monitoring looks at people. The polluter pays principle means the person who pollutes has to pay. The precautionary principle means being careful. Pollution can be prevented, or cleaned up afterwards with things like booms for oil spills. Electric cars are an alternative process. Pollution control can be expensive so ALARA is used. All of these are good ways of controlling pollution.	
	What makes the difference	

Question	Marking guidance	Marks
	The Level 3 answer explains <i>how</i> each principle works (why penalties matter, why costs rise near zero emissions); the weak answer only names them.	
	The Level 3 answer groups the material logically (predict, decide, select) rather than listing everything at the same weight.	
	'Evaluate' needs comparison and a judgement: prevention vs remediation, CPA's dependence on understanding pathways, and a conclusion about acceptable risk. The weak answer ends with 'all of these are good'.	
	Precise examples (desulfurisation, precipitators, catalytic converters, temperature inversions) show applied knowledge; 'things like booms' does not.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 243-245, 303-304; AQA spec 3.4.3.1, 3.4.3.3.	

Question	Marking guidance	Marks
11.1	Discuss how knowledge of the properties of pesticides can be used to reduce their environmental impacts while maintaining food production. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Properties: toxicity (LD50, MDAF, MDNF), specificity, persistence, liposolubility/water solubility, mobility, mode of action (contact/systemic), synergism • Bioaccumulation and biomagnification explained by persistence + liposolubility – DDT and birds of prey as a case study • Comparison of organochlorines, organophosphates, pyrethroids, neonicotinoids with their relative advantages and disadvantages • Reducing impact: restrictions/bans, choice of non-persistent and specific pesticides, systemic pesticides and seed coatings, application timing (night, still days, not in flower), droplet size • Alternatives: cultural control (rotation, barrier/companion crops), biological control, predator habitats, sterile males, pheromone traps, genetic resistance, GM crops, integrated pest management • Trade-offs: yield, cost, human health (organophosphates), resistance evolution, pollinator services – risk:benefit – sustainability and the circular economy	25
	• Judgement: no pesticide is perfectly specific – combination of property-based selection and integrated control is most sustainable <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 236-240, 262-266, 314-320; AQA spec 3.4.3.2.8, 3.5.1.1, 3.5.1.5.	

Question	Marking guidance	Marks
11.2	To what extent can renewable energy resources replace fossil fuels in meeting the energy needs of a modern society? Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Fossil fuel features that shaped society: energy density, storage, transport, high temperatures, liquid vehicle fuels, established infrastructure • Renewable features: intermittent / unpredictable (wind, solar) vs predictable (tidal) vs controllable (HEP, biofuel, geothermal) – low energy density – location – low pollution but manufacturing impacts • Technologies and developments for each resource with examples – new technologies improving usability • Storage and grid management: pumped storage, batteries, hydrogen economy, P2G, V2G, thermal storage, peak shaving – the role of electricity as a secondary fuel • Economics and politics: development costs, interest, subsidies, external costs of fossil fuels, falling renewable costs • Energy conservation as part of the solution – sustainability principles - natural systems run on low-density renewable energy • Judgement: electricity largely yes – heat, aviation, shipping and high-temperature industry harder – transition period with nuclear / CCS <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 175-235; AQA spec 3.3.2-3.3.4.	25