

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 01

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	Calculation A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. 1 $(15 - 6) / 6 \times 100$ 1 = 150% Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (%) is already printed on the answer line. Do not credit • A bare wrong answer with no working.	2
01.2	1 mark each 1 mark for each of the 2 points below. 1 Cells shed by the newts into the water contain their DNA 1 Water samples are analysed for DNA sequences unique to the species Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
01.3	1 mark each 1 mark for each of the 2 points below. 1 Catches depend on trapping effort, weather and newt activity on the night, so they vary from year to year 1 Trapping only samples one pond and one part of the population, whereas eDNA surveys all 20 ponds with a standard method Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • reliable → repeatable / gives consistent results when repeated Do not credit • 'repeat the readings to make them more accurate' - repeats improve reliability; accuracy depends on the method and the instrument	2

Question	Marking guidance	Marks
01.4	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Image databases of unique markings (tiger stripes, whale shark spots, dolphin fins) giving territory size, movements, lifespan and social groups – limited to species with unique features • Motion-sensitive and infrared cameras, CCTV of nests with less disturbance – marking (rings, wing tags) • DNA: eDNA to detect presence (great crested newts, invasive carp) – DNA databases to identify regional populations and trace timber, ivory and fish • Auditory monitoring: bat detectors and sonograms for presence, abundance and activity • Position monitoring: radio, GPS and acoustic transmitters – geolocator tags for small birds – data recorders – carrier systems - ROVs / drones, AUVs, balloons, aircraft, satellites, animals • Satellites: visible light for land use and deforestation, infrared for vegetation and temperature, radar for wind, waves, sea level and oil – GPS for tracking • Evaluation: greater coverage, less disturbance and continuous data vs cost, battery / weight limits, calibration, need for ground-truthing, ethical issues of tagging – indirect evidence and traditional methods still needed • Justified conclusion Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • infrared → heat radiation / long-wave radiation re-emitted by the Earth	9
	Do not credit • 'trees give us the oxygen we breathe' as the main impact - credit carbon storage, soil protection, the water cycle and habitat loss	
	Model answer - Level 3 (9 marks)	

Question	Marking guidance	Marks
	New technologies have transformed what can be monitored and how often. Image databases of unique markings - tiger stripes, whale-shark spots, dolphin fin scars - let individuals be recognised, giving territory size, movements, lifespan and social structure without repeated capture, though only for species with unique features. Motion-sensitive and infrared cameras and CCTV record activity day and night with far less disturbance than observers, especially at nests.	
	Genetics adds detection where nothing can be seen: eDNA in water reveals great crested newts or invasive carp from shed cells, and DNA databases identify which regional population timber, ivory or fish came from, supporting enforcement. Bat detectors and sonograms give presence, abundance and activity of species heard but not seen. Position monitoring uses radio, GPS and acoustic transmitters, or tiny geolocator tags for birds too small to carry a transmitter, while data recorders on drones, AUVs, balloons, aircraft, satellites or the animals themselves collect abiotic data. Satellites map land use and deforestation in visible light, vegetation density and temperature in infrared, and wind, waves, sea level and oil slicks with radar that works through cloud.	
	The gains are coverage, continuity and reduced disturbance. The limits are cost, battery life and weight, the need to calibrate sensors and ground-truth remote data, ethical questions about tagging, and the fact that many species still require traditional methods and indirect evidence. New technology therefore complements rather than replaces fieldwork, but for rare, remote or nocturnal species it has made effective conservation possible where it was not before.	
	Weaker answer - Level 1 (3 marks)	
	New technologies help monitor wildlife. Cameras can take pictures of animals at night. GPS collars can track where animals go. Satellites can see deforestation from space. DNA can tell which animals are present. Bat detectors can hear bats. These help conservation because we know where animals are and how many there are. They can be expensive though.	
	What makes the difference	
	• Level 1 lists technologies with no detail of how they work or what data they give; Level 3 links each to the information it provides (territory size, presence, activity).	
	• Level 3's evaluation considers several limitations (calibration, ground-truthing, ethics, species coverage) and reaches a balanced judgement; Level 1 has one word - 'expensive'.	
	• Structure: Level 3 groups by imagery, genetics, sound, position and remote sensing; the list in Level 1 has no organisation.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-407; AQA spec 3.1.2.3.5-3.1.2.3.6.	

Question	Marking guidance	Marks
02.1	1 mark each 1 mark for each of the 3 points below. 1 Surveys monitor photosynthesis rates, biomass, soil water content and the spread of pests / diseases so inputs are applied only where needed 1 Yield mapping of different parts of a field controls fertiliser application in each area for future crops 1 This maximises yield while avoiding wastage / reducing leaching and nutrient pollution Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. leaching → nutrients or ions washed down out of the soil / washed away by water	3
02.2	1 mark each 1 mark for each of the 2 points below. 1 Machinery, pesticides, fertilisers, improved breeds and infrastructure (transport, refrigeration) are expensive 1 They are mainly available in affluent societies – poorer farmers cannot afford the inputs Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	2
02.3	1 mark for the point below. 1 Provides an income that allows producers to afford basic rights such as water, education, health care and food Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1
02.4	1 mark each 1 mark for each of the 2 points below. 1 Nitrates are leached into water bodies used as sources of potable water 1 High nitrate levels cause blue baby syndrome (methaemoglobinaemia) and nitrates may be carcinogenic Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. leached → nutrients or ions washed down out of the soil / washed away by water	2
02.5	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Anaerobic digestion by microbes in rice padi fields 1 Livestock intestines (ruminant digestion) 1 Anaerobic decay of manure / slurry Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 329-332; AQA spec 3.5.1.3-3.5.1.4.	
03.1	1 mark each 1 mark for each of the 2 points below. 1 Plants produce chemicals (often alkaloids) that are toxic to the herbivores that would eat them 1 In carefully controlled amounts these chemicals have beneficial physiological effects in humans Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
03.2	1 mark each 1 mark for each of the 2 points below. 1 Only a very small proportion of species have been studied for medicinal substances, so it is not known which species will be useful 1 Conserving the habitat protects all the species in it, including those not yet studied and the species they depend on Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
03.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Marsupials (kangaroo / wallaby): young develop in the pouch so are easier to study than a human foetus - developmental problems 1 Hippopotamus: hipposudoric acid skin secretion (sunscreen / antimicrobial) - burns treatment 1 Marine sponges: proteins preventing graft rejection - organ transplants Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - Any appropriate named example, including ones that are not listed here.	2

Question	Marking guidance	Marks
03.4	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Resources: wood, fibres, oils, fuels, food – new food species adapted to local conditions (morama bean, yeheb, perennial maize, Kernza, bison, eland) • Biomimetics: whale flipper tubercles, shark skin, termite-mound ventilation, bird bones, gecko adhesion, burrs / Velcro, lotus self-cleaning, spider silk • Medicines and physiological research – genetic resources - crop wild relatives, Vavilov centres, gene pools, inbreeding • Ecosystem services: atmospheric composition, hydrological cycle, biogeochemical cycles, soil maintenance – interspecies relationships - food, pollination, seed dispersal, habitat provision • Evaluation: services go unnoticed because of dynamic equilibrium – unknown future value – economic vs moral / intrinsic arguments – conservation also needed for aesthetic and cultural reasons • Justified conclusion Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • biodiversity → the variety of life: habitat, species and genetic diversity	9
	Model answer - Level 3 (9 marks)	
	Other species supply resources we use directly: wood, fibres such as cotton and wool, oils, fuels and food. Because most farmed species were domesticated long ago and are often kept where they are poorly adapted, wild species such as the drought-resistant morama bean, the yeheb tree that grows on poor soils, perennial maize that needs no ploughing, and bison that graze grassland too poor for cattle offer new, better-adapted food sources. Wild species also carry genetic resources: crop wild relatives in Vavilov centres hold genes for disease resistance and salt tolerance that inbred commercial varieties lack.	

Question	Marking guidance	Marks
	Biomimetics copies adaptations into technology - humpback flipper tubercles in turbine blades, shark skin in friction-reducing coatings, termite-mound convection in naturally ventilated buildings, hollow bird bones in lightweight roofs. Medicines such as taxol, quinine, AZT and diosgenin came from wild species, and physiological research on marsupials, hippo skin and sponge proteins is helping with foetal development, burns and transplant rejection. Since only a tiny fraction of species has been studied, the unknown future value argues for conserving whole habitats.	
	Beyond resources, other species provide services we could not replace: regulation of atmospheric gases, evapotranspiration driving rainfall, the carbon, nitrogen and phosphorus cycles run by microbes, soil formation by decomposers, and pollination, seed dispersal and habitat provision. These are unnoticed precisely because they are in dynamic equilibrium, so their economic value is underestimated. On balance the resource and service arguments alone justify conservation, but they are strongest when combined with the intrinsic and aesthetic case, because many species with no known use still sustain the systems we depend on.	
	Weaker answer - Level 1 (3 marks)	
	Biodiversity is important because we get lots of things from other species. We get wood, cotton and food from plants and animals. Some medicines come from plants, like aspirin from willow trees. Animals can help design things, like Velcro was copied from seeds. Other species also do things for us like bees pollinating crops. If we lose species we might lose things that could be useful in the future. So we should conserve biodiversity.	
	What makes the difference	
	Both answers cover resources, medicines, biomimetics and services, but Level 3 develops each with specific, accurate detail (which species, what property, why it matters).	
	The question asks 'to what extent'. Level 3 weighs resource arguments against intrinsic value and reaches a reasoned conclusion; Level 1 asserts 'so we should conserve'.	
	Level 3 explains <i>why</i> services are undervalued (dynamic equilibrium) - an explanation, not just a list.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 10-19; AQA spec 3.1.2.1.	

Question	Marking guidance	Marks
04.1	2 marks per point 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. 2 EDGE: Evolutionarily Distinct and Globally Endangered - few close relatives, often the last species of their genus / family (Bactrian camel, pygmy hippo, northern bald ibis) – loss would remove a unique branch of evolution / genes 2 Endemic: found in only one area (often islands - Galapagos, Madagascar, Seychelles: Aldabra giant tortoise, red ruffed lemur) – if lost locally there is no population elsewhere to recolonise 2 Keystone: disproportionately important for the structure of the community relative to its abundance - predation of dominant species, seed dispersal, habitat creation (jaguar, forest elephants keeping paths and water holes open, wolves, beavers) – losing them causes loss of many other species 2 Flagship: high public profile (tiger, panda, elephant, orang-utan) raising funds and support that also protects the whole habitat and less charismatic species (fungi, bats, moths) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Endemic → found naturally only in that one place	8
04.2	1 mark each 1 mark for each of the 2 points below. 1 A fragmented population may consist of isolated groups each too small to be viable (resources, inbreeding) even if total numbers are large 1 A species confined to a single area (eg bonobos in one country) is vulnerable to any local change / conflict, unlike chimpanzees spread across many countries Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 28-29; AQA spec 3.1.2.3.1.	
05.1	Marks shared Up to 4 marks in total - share them between the 3 points below according to how completely each one is made. up to 2 Success: Cactoblastis moth introduced from South America controlled prickly pear cactus in Australia – Encarsia parasitic wasps control greenhouse whitefly up to 2 Problems: cane toads introduced to Australia to control sugar cane beetles did not control them but ate many other species and are toxic to predators – rosy wolfsnail introduced to Polynesia to control African land snails ate endemic Partulid snails (48 species extinct) – harlequin ladybirds introduced to Europe eat native ladybirds up to 2 Lesson: control agents should be specialist feeders on the pest Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biological control → using a natural predator, parasite or pathogen of the pest • endemic → found naturally only in that one place	4

Question	Marking guidance	Marks
05.2	1 mark each 1 mark for each of the 2 points below. 1 Release an artificial sex scent attracting males (or females) of the pest species 1 Used to monitor when the pest arrives so pesticide is timed correctly, or (in enclosed greenhouses) to trap enough of one sex to prevent breeding Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	2
05.3	1 mark each 1 mark for each of the 3 points below. 1 Regular low doses kill only the most sensitive bacteria so resistant strains survive and multiply 1 Agricultural use exceeds medical use, so resistance spreads 1 Resistant zoonotic bacteria (E. coli, Salmonella, Campylobacter) can transfer to humans and are harder to treat – hence reduced use of antibiotics is a sustainability goal Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. sustainability → meeting present needs without stopping future generations meeting theirs Do not credit 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	3
05.4	1 mark for the point below. 1 Grow nectar-rich flowering plants alongside crops – restrict pesticides harmful to bees / spray when not in flower – introduce bee hives Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 316-320; AQA spec 3.5.1.1.	
06.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B	1

Question	Marking guidance	Marks
06.2	Any 4 of 6 1 mark each for any 4 of the 6 points below, in any order, maximum 4. 1 Harvesting no faster than the MSY - resource never depleted 1 Mixed species plantations - more food choices, relationships and niches 1 Indigenous species - support indigenous insects, birds 1 Mixed age structure - varied light, temperature, wind so more species – continuous cover and yield 1 Selective logging - small clearings, less disturbance, long-term timber benefit 1 Retention of dead wood, buffer zones, corridors Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. biodiversity → the variety of life: habitat, species and genetic diversity MSY → the largest catch that can be taken without reducing the stock Do not credit - Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 360-369; AQA spec 3.5.3.	
07.1	Any 2 of 6 1 mark each for any 2 of the 6 points below, in any order, maximum 2. 1 Hydrological cycle 1 Carbon cycle 1 Nitrogen cycle 1 Atmospheric circulation 1 Thermohaline circulation 1 Photosynthesis Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Thermohaline → the ocean conveyor driven by temperature and salinity Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. 'plants breathe in carbon dioxide and breathe out oxygen' - name photosynthesis and respiration	2
07.2	1 mark each 1 mark for each of the 2 points below. 1 Enzymes reduce the activation energy of reactions 1 So reactions such as photosynthesis, decomposition and nitrogen fixation do not need high temperatures Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. nitrogen fixation → nitrogen gas converted into ammonium or other nitrogen compounds	2

Question	Marking guidance	Marks
07.3	Any 1 of 3 1 mark each for any 1 of the 3 points below, in any order, maximum 1. 1 Haber process (nitrogen fixation) 1 Incineration of wastes (decomposition) 1 Many manufacturing processes Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. nitrogen fixation → nitrogen gas converted into ammonium or other nitrogen compounds Incineration → burning waste, usually with energy recovery	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 373; AQA spec 3.6.2.	
08.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 A: Its mass	1
08.2	1 mark each 1 mark for each of the 2 points below. 1 The 24-hour rotation period means the surface is not exposed to sunlight for long, so temperature extremes / excessive heating and cooling are reduced 1 The axis is tilted relative to the orbit so the amount of insolation at each latitude changes through the year, producing seasonal variations in conditions Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. insolation → incoming solar radiation / energy arriving from the Sun	2
08.3	1 mark each 1 mark for each of the 2 points below. 1 The distance from the Sun gives surface temperatures between 0 and 35 °C in most areas: too close and water would boil / evaporate, too far and it would freeze 1 Atmospheric pressure (produced by the mass of gases held by gravity) is high enough to stop the water boiling / evaporating away – at much lower pressure there would be no liquid water Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-7; AQA spec 3.1.1.1.	
09.1	1 mark for the point below. 1 Cross-bred offspring are healthier / more productive because the problems caused by homozygous recessive genes in inbred varieties are reduced (heterosis) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1

Question	Marking guidance	Marks
09.2	1 mark each 1 mark for each of the 2 points below. 1 Zebu tolerate heat but have a low milk yield – Ayrshire have a high milk yield but are not heat tolerant 1 Cross-breeding combined the desirable characteristics: heat tolerance with a high milk yield Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. tolerance → the range of conditions in which a species can survive	2
09.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Replacement of valuable animals that die with genetically identical individuals 1 Replacement of herds culled during a disease outbreak 1 Production of large numbers of individuals with desirable characteristics Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-322; AQA spec 3.5.1.2.	
10.1	Any 4 of 5 1 mark each for any 4 of the 5 points below, in any order, maximum 4. 1 Zooxanthellae are photosynthetic algae living inside the polyp cells 1 The algae absorb CO₂ and excretory wastes from the polyp for photosynthesis and growth (efficient nutrient recycling) 1 They supply the polyp with oxygen and glucose - over 95% of its food energy 1 In return the algae gain a protected habitat and nutrients they could not absorb from the nutrient-deficient water 1 Polyps also feed on plankton captured by cilia and nematocysts Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. recycling → reprocessing a material to make something new Do not credit 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	4
10.2	1 mark each 1 mark for each of the 2 points below. 1 Corals deposit a skeleton of calcium carbonate (calcite) 1 Each carbonate molecule requires the absorption of a molecule of carbon dioxide, so reefs are a carbon sink Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
10.3	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Importance: cover 1% of ocean area but support over a quarter of marine species – fisheries (fish, lobsters, conch) – medicines (AZT, Ara-C, dolastatin, secosteroids, bryostatin, trabectedin, bone grafts) – climate control as carbon sink – erosion protection of low-lying islands – tourism income • Threats: physical damage (anchors, divers, litter, coral extraction), collection of ornaments (CITES Appendix II), sedimentation from rivers and coastal development, pollution (oil, nutrients causing algal shading, sewage, pesticides, sunscreen), ocean acidification, bleaching from warming, overfishing (giant triton / crown of thorns starfish), introduced species (red lionfish), loss of mangroves and seagrass nurseries • Conservation: marine protected areas / national parks (Great Barrier Reef, Belize, Chagos), mooring buoys, diver education, No Take Zones which can increase catches elsewhere, sustainable ecotourism and fishing, protection of mangroves and seagrass, erosion and pollution control, planning control of ports and resorts • Fishing controls: closed seasons, minimum and maximum catchable sizes, bans on dynamite, trawling and small-mesh nets • Evaluation: local measures cannot control global threats (warming, acidification) which need international action – enforcement in remote areas is difficult – conflicts with local livelihoods – large vs small NTZs • Justified conclusion Also accept	9

Question	Marking guidance	Marks
	- Any other correct, relevant point of the same kind - wording never has to match these notes. - Any accurate, relevant material that is not in the indicative content. CITES → the treaty that controls international trade in endangered species sustainable → meeting present needs without stopping future generations meeting theirs Do not credit - carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	
	Model answer - Level 3 (9 marks)	
	Tropical coral reefs cover about one per cent of the oceans yet support over a quarter of marine species, a diversity built on the symbiosis between polyps and zooxanthellae that recycles nutrients in nutrient-poor water. They matter to people for fisheries of fish, lobsters and conch; for medicines such as AZT, Ara-C, dolastatin, secosteroids, bryostatin and trabectedin discovered in reef organisms; as a carbon sink, since every carbonate unit in coral skeleton absorbs a molecule of carbon dioxide; for dissipating wave energy that would erode low-lying islands; and for tourism income.	
	They are also unusually vulnerable because they need narrow abiotic conditions. Anchors, divers, litter and coral extraction kill polyps; ornaments are collected; sediment from rivers and coastal development smothers them; oil, sewage and nutrients cause algal shading; ocean acidification hinders skeleton formation; warming causes bleaching; overfishing of giant tritons lets crown-of-thorns starfish destroy reefs; introduced lionfish eat native fish; and loss of mangroves and seagrass removes the nurseries and sediment traps reefs depend on.	
	Marine protected areas such as the Great Barrier Reef, Belize and Chagos combine mooring buoys, diver education, no-take zones that raise catches outside them, sustainable tourism and protection of linked habitats, while fishing controls set closed seasons, minimum and maximum sizes and ban dynamite, trawling and small mesh. These work well against local threats where they are enforced, and no-take zones have measurable benefits, but they cannot touch warming and acidification, which need international action, enforcement in remote areas is weak, and restrictions conflict with local livelihoods. Local conservation buys time; only global climate action can secure the reefs.	
	Weaker answer - Level 1 (3 marks)	
	Coral reefs are important because lots of fish live there and people catch them for food. Tourists visit reefs to dive and this brings money. Reefs also protect the coast from waves. Reefs are threatened by climate change which causes bleaching, and by pollution and damage from boats. They are conserved by making marine protected areas where fishing is banned. This helps but climate change is still a problem.	
	What makes the difference	
	• Level 1 has the right headings but Level 3 explains each (why reefs are diverse, why they are a carbon sink, how each threat acts).	
	• Level 3 uses named reserves and specific management measures; Level 1 gives one generic measure.	

Question	Marking guidance	Marks
	Level 3's evaluation separates local from global threats and reaches a nuanced judgement; Level 1 states that climate change is 'still a problem'.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	
11.1	Agriculture involves the control of abiotic and biotic factors to maximise food production. Discuss how this control can be achieved and evaluate its environmental impacts. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these Species selection: market, range of tolerance, controllability Abiotic control: temperature, light, water, soil fertility / nutrients, aeration, salinity, pH, CO₂, topography, relief, wind - methods and examples Biotic control: pest groups, cultural control, biological control (successes and failures), sterile males, pheromones, genetic resistance, pesticides (properties), antibiotics, pollinators, soil biota Manipulation of food species: population density, monocultures, selective breeding, asexual reproduction, cross-breeding, AI / embryo transfer, GM - energetics - intensive vs extensive, energy subsidies, ratios, FCR, food chain losses Impacts: habitat loss / change, reduced biodiversity, introduced species, pesticide and nutrient pollution, GHGs, hydrological changes, soil erosion - positive: plagioclimax habitats - Social, economic and political influences shaping methods - Sustainable strategies and evaluation	25

Question	Marking guidance	Marks
	– conclusion <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 306-337; AQA spec 3.5.1.	
11.2	Fishing is the last large-scale human hunting activity. Discuss the environmental impacts of fishing and evaluate the methods used to make the exploitation of fish populations sustainable. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Marine productivity: light, nutrients, upwelling – where fisheries occur • Methods: demersal / pelagic trawling, purse seining, drift nets, long lines, shellfish traps - effectiveness, selectivity, energy, impacts • Impacts: overfishing (r vs k selection, catchable vs breeding size), changed age structure, by-catch (albatross, porpoise, turtles, shrimp), ghost fishing, seabed / reef / seagrass damage, dynamite, food web effects (sandeels, tritons) • Population dynamics and MSY: Russell formula, difficulties of data, indicators from catches (CPUE, mean size, age), research on eggs and larvae • Management: quotas, mesh design, escape panels, TEDs, pingers, hook design, effort limits, method bans, NTZs, closed seasons, size limits, protected individuals, population seeding, biodegradable gear – EU CFP, IWC, CCAMLR • Evaluation with examples (cod, orange roughy, herring recovery, NTZ spillover) – role of aquaculture	25

Question	Marking guidance	Marks
	– judgement <i>Credit any relevant, accurate material, including points that are not listed here.</i> <i>Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 338-351; AQA spec 3.5.2.	