

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 08

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	2 marks per point 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. 2 Normal diagonal mesh closes as the net fills / stretches so small fish cannot escape – square-mesh panels do not close so juveniles escape to grow and breed – TEDs let turtles out – larger mesh sizes generally 2 Minimum size lets fish reach breeding age before capture (eg UK lobster minimum carapace above breeding size, cod 35 cm) – maximum size / V-notching egg-carrying females protects large, highly fecund breeding adults (Hebridean lobsters over 145 mm, Nassau grouper) 2 NTZs (Lundy, Lamlash Bay, Chagos, Great Barrier Reef) protect breeding populations and habitats – surplus young spill over and increase surrounding catches – damaged communities recover 2 Closed seasons, ideally in the breeding season, let fish grow and breed – fishermen may oppose because shoaling breeders are easy to catch Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • quotas described as solving overfishing on their own - undersized fish are still caught and discarded	8

Question	Marking guidance	Marks
01.2	1 mark each 1 mark for each of the 2 points below. 1 Pelagic species form single-species shoals so fishing stops when the quota is reached 1 In mixed fisheries many species are caught together – once one species' quota is reached it must be discarded (dead) while fishing for others continues Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. quota → a legal limit on the mass or number that may be caught Do not credit - quotas described as solving overfishing on their own - undersized fish are still caught and discarded	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 344-348; AQA spec 3.5.2.2.	
02.1	1 mark each 1 mark for each of the 3 points below. 1 Coordinating global data on biodiversity conservation (Red List) 1 Increasing understanding of the importance of biodiversity 1 Deploying nature-based solutions to global challenges in climate, food and sustainable development Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. biodiversity → the variety of life: habitat, species and genetic diversity sustainable → meeting present needs without stopping future generations meeting theirs Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	3
02.2	1 mark each 1 mark for each of the 3 points below. 1 Decline = $(12\,000 - 2100) / 12\,000 \times 100 = 82.5\%$ 1 Decline over 80% meets the Critically Endangered criterion even though habitat area (400 km²) and adults (2100) only meet Endangered 1 A species is placed in the highest category for which it meets any one criterion, so Critically Endangered Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
02.3	1 mark each 1 mark for each of the 3 points below. 1 Categorising a species requires a great deal of research (population, range, trends) and resources – about 85 000 of millions of species assessed 1 Key species in habitats under particular threat (eg lemurs indicating the state of Madagascar's forests) 1 Evolutionarily unique species / EDGE species – endemic species – keystone species – flagship species – species with fragmented populations Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • endemic → found naturally only in that one place • keystone species → a species whose loss changes the whole community	3
02.4	1 mark for the point below. 1 Iberian lynx: Critically Endangered to Endangered after captive breeding and protection of two habitat areas (population trebled in 15 years) – Fregate Island beetle after rat eradication Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • captive breeding → breeding in captivity to increase numbers for release Do not credit • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 26-27; AQA spec 3.1.2.3.1.	
03.1	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $2.7 - 2.45 = 0.25$ billion = 250 million years Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (million years) is already printed on the answer line. Do not credit • A bare wrong answer with no working.	1
03.2	1 mark each 1 mark for each of the 2 points below. 1 For millions of years all the oxygen produced reacted with (dissolved) iron in the oceans 1 Only when all the iron had reacted did surplus dissolved oxygen build up in the oceans and then escape into the atmosphere Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
03.3	Any 3 of 4 1 mark each for any 3 of the 4 points below, in any order, maximum 3. 1 Oxygen in the atmosphere absorbed ultraviolet light 1 A dynamic equilibrium of reactions between O, O₂ and O₃ (the ozone layer) developed 1 Less UV reached the surface so organisms were no longer restricted to water (which had absorbed the UV) 1 Aerobic respiration became possible so more complex / larger organisms (plants and animals) evolved – many anaerobic Archaea and bacteria died out Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. ozone layer → the ozone in the stratosphere that absorbs UV Do not credit - answers that make ozone depletion a cause of global warming, or that describe CFCs as physically blowing a hole - chlorine atoms catalyse the breakdown of ozone and are regenerated	3
03.4	1 mark each 1 mark for each of the 2 points below. 1 Photoautotrophs absorbed carbon dioxide, a greenhouse gas, and some of the carbon was stored in geological sediments such as carbonate rocks and fossil fuels (carbon sequestration) 1 The lower CO₂ concentration reduced the retention of heat, offsetting the increase in the brightness of the Sun (about 10% per billion years) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2
03.5	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Biogeochemical cycles developed so small amounts of nutrient elements could support life for long periods without depletion 1 Transpiration by land plants returned water vapour to the atmosphere and increased rainfall in other areas 1 Regulation of atmospheric composition (eg oxygen / CO₂ by photosynthesis and respiration) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Transpiration → water lost as vapour from the leaves Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 6-8; AQA spec 3.1.1.2.	

Question	Marking guidance	Marks
04.1	1 mark each 1 mark for each of the 4 points below. 1 No major temperature extremes – regular water supply with no pronounced dry season – deep fertile soils built by leaf litter and root binding – strong seasonality 1 Deciduous canopy present spring to autumn shades the floor during the best growing temperatures 1 Bluebells, snowdrops, lesser celandine grow and flower early in spring before the trees leaf 1 Winter food shortage causes animals to hibernate (dormice), store food or migrate Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
04.2	1 mark each 1 mark for each of the 3 points below. 1 Long time for species to colonise – some woodland plants colonise very slowly so their presence (ancient woodland indicators) shows the wood is old 1 Natural woodland has trees of all ages with clearings where old trees died, giving varied light and dead wood habitats 1 A new plantation has a single-age dense canopy with low light and few niches until trees start to die (over 200 years) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biodiversity → the variety of life: habitat, species and genetic diversity	3
04.3	Any 3 of 4 1 mark each for any 3 of the 4 points below, in any order, maximum 3. 1 Clearance for farmland, plantations, urban development, roads, mineral extraction 1 Fragmentation isolating remaining woods so populations cannot move between them and are vulnerable 1 Management change: end of coppicing so woods become uniform and dark – replacement by conifer monocultures 1 Overgrazing by deer preventing regeneration – introduced pathogens (ash dieback) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 50-52; AQA spec 3.1.2.3.4.	

Question	Marking guidance	Marks
05.1	1 mark each 1 mark for each of the 3 points below. 1 Irrigation depletes rivers and aquifers (eg Aral Sea, Ogallala) – increases evaporation 1 Soil erosion and compaction reduce water retention and infiltration so runoff and river flow fluctuations increase 1 Evapotranspiration changes: increased in irrigated arid areas, decreased where forests were cleared Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • infiltration → water soaking into the soil surface • Evapotranspiration → evaporation plus transpiration Do not credit • 'the soil loses its nutrients' as a description of erosion - erosion is the physical loss of the soil itself	3
05.2	2 marks per point 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. 2 Seasonal / local: avoids energy for heating, lighting greenhouses out of season and long-distance transport (food miles) and the pollution this causes 2 Organic: uses natural processes (rotation, legumes, manure, biological control, predator habitats) instead of artificial fertilisers and pesticides, so less pollution, energy use and harm to non-target species – free-range and Fairtrade also accepted for welfare / social reasons Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biological control → using a natural predator, parasite or pathogen of the pest Do not credit • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	4
05.3	1 mark each 1 mark for each of the 3 points below. 1 Food shortages after 1945 (dependence on US food aid) – farmers could not afford loans to invest so grants funded machinery, drainage, hedgerow removal, liming, improved livestock 1 Guaranteed market / price support: government bought surpluses to hold prices up (and sold stores in poor years) giving farmers security to increase output 1 Consequences: loss of hedgerows and wetlands, intensification, pesticide and fertiliser pollution – later food surpluses (butter mountains) that could not be sold without harming LEDC producers Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 329-333; AQA spec 3.5.1.3-3.5.1.4.	

Question	Marking guidance	Marks
06.1	1 mark each 1 mark for each of the 3 points below. 1 As sea otters declined (1960-1980) sea urchins increased (to 350) and kelp area fell (to 25) 1 As otters recovered after 1990 urchins declined and kelp recovered 1 Otter and kelp trends are positively correlated – urchins negatively correlated with both Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
06.2	1 mark each 1 mark for each of the 3 points below. 1 Sea otters are predators of sea urchins so fewer otters allowed the urchin population to rise 1 Sea urchins graze kelp so the kelp forest was over-grazed and destroyed 1 Kelp forests are habitat / food for many species including otters (keystone species / trophic cascade) – otter recovery restored the balance Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. keystone species → a species whose loss changes the whole community Do not credit 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3
06.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Over-fishing of sandeels reduced puffins 1 Over-collection of turtle eggs reduced turtles so jellyfish (their food) increased – over-fishing of sardines / herring (competitors) also increased jellyfish 1 Loss of pollinating bees (pesticides, wild flower loss) reduces plant reproduction – loss of elephants / large herbivores reduces seed dispersal of trees Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on - quotas described as solving overfishing on their own - undersized fish are still caught and discarded	2

Question	Marking guidance	Marks
06.4	1 mark each 1 mark for each of the 2 points below. 1 They control abiotic features: beaver dams create ponds colonised by aquatic species – elephants create clearings and keep water holes open 1 Species that depend on these features (light, water, minerals) cannot survive in their absence Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • abiotic → non-living / physical factors	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 23-25; AQA spec 3.1.2.2.	
07.1	1 mark each 1 mark for each of the 4 points below. 1 Energy: low energy-density renewable (solar) / non-renewable fossil fuels 1 Materials: cyclic - wastes of one process are raw materials of the next / linear - used once then discarded, depletion 1 Wastes: biodegradable, non-toxic or do not build up / toxic, persistent (eg PCBs, organochlorines, toxic metals) that bioaccumulate 1 Temperature: low / high (Haber process, incineration) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • biodegradable → broken down by decomposers • persistent → does not break down / stays in the environment for a long time • incineration → burning waste, usually with energy recovery Do not credit • 'renewables cause no pollution at all' - manufacture, construction and the land they occupy all have impacts	4
07.2	1 mark each 1 mark for each of the 2 points below. 1 Abundant simple raw materials build into monomers and then a wide range of polymers (carbohydrates, proteins) 1 They are re-used in cycles so there is no depletion of raw materials or build-up of wastes Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
07.3	2 marks 2 marks for the point below; award fewer where it is only partly made. 2 Use often disperses the minerals (eg in products spread over the world / corrosion) OR produces mixtures of materials that are difficult to separate, so sustainable exploitation is reduced Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. sustainable → meeting present needs without stopping future generations meeting theirs Do not credit 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	2
07.4	1 mark each 1 mark for each of the 2 points below. 1 They cannot easily be removed from end-of-life appliances and are not biodegradable 1 Natural wastes are non-toxic / broken down to raw materials for other processes, whereas persistent toxins may bioaccumulate and biomagnify Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. biodegradable → broken down by decomposers persistent → does not break down / stays in the environment for a long time	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 373-374; AQA spec 3.6.2-3.6.3.	
08.1	1 mark each 1 mark for each of the 2 points below. 1 Moral belief: protecting the environment is the 'right' thing to do regardless of benefit to people 1 Enlightened self-interest: protecting the environment is done because it causes fewer difficulties (for people) than not doing so Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. - The converse of any point, ie the same comparison written the other way round. sustainable → meeting present needs without stopping future generations meeting theirs Do not credit 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	2

Question	Marking guidance	Marks
08.2	1 mark each 1 mark for each of the 2 points below. 1 Total impact = population size x the individual (per capita) impact of each person 1 Per capita impact rises with affluence / access to energy, so both a larger population and a more affluent population increase the total impact Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
08.3	Any 1 of 3 1 mark each for any 1 of the 3 points below, in any order, maximum 1. 1 Slash and burn agriculture 1 Fishing 1 Discharge of sewage / biodegradable pollutants Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. sustainable → meeting present needs without stopping future generations meeting theirs biodegradable → broken down by decomposers Do not credit 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future - quotas described as solving overfishing on their own - undersized fish are still caught and discarded	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370; AQA spec 3.6.1.	
09.1	1 mark each 1 mark for each of the 2 points below. 1 Single genes can be transferred from any species, not just closely related ones that produce fertile hybrids 1 Desired characteristics introduced without linked unwanted ones – faster Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	2

Question	Marking guidance	Marks
09.2	1 mark each 1 mark for each of the 3 points below. 1 Bt: reduces insecticide spraying so fewer non-target deaths, lower cost / energy 1 Roundup Ready: weeds controlled by spraying glyphosate without harming the crop, so higher yields with less cultivation / tillage 1 Golden rice: provides vitamin A in the staple diet, reducing about 500 000 cases of blindness a year in India / sub-Saharan Africa Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
09.3	1 mark each 1 mark for each of the 4 points below. 1 Gene transfer by pollen to conventional / organic crops or wild relatives (eg Bt gene killing insects feeding on wild plants) 1 Antibiotic-resistance marker genes could transfer to pathogenic bacteria - possible allergies - gene transfer to gut bacteria 1 Detection in the human food chain from crops approved only for animal feed 1 Economic: seeds must be bought each year from patent-holding companies, raising costs and reducing local crop diversity and seed saving in LEDCs - herbicide-resistant crops may increase herbicide use Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first four - the question asks for four, so a list of extras cannot pick up the marks. 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use	4
09.4	1 mark for the point below. 1 Public / political concern that risks are not fully assessed - more evidence needed (precautionary principle) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'GM crops are unnatural' as an environmental impact - credit gene flow, resistance, effects on non-target species or reduced pesticide use - the precautionary principle described as banning anything new - it shifts the burden of proof onto showing that harm is unlikely	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 323-324; AQA spec 3.5.1.2.	

Question	Marking guidance	Marks
10.1	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • In-situ: species remain in natural conditions with the whole community and inter-species relationships – protected areas (SSSI, NNR, SAC, SPA, Ramsar, MCZ), land ownership, agri-environment schemes, habitat creation and design (area, shape, corridors, diversity), management of abiotic and biotic factors, plagioclimax maintenance, population control, reintroductions and rewilding (Yellowstone wolves, Scottish beavers) • Limits of in-situ: external threats (pollution, climate change), enforcement, cost, conflicts with land use, small fragmented populations • Ex-situ: captive breeding when in-situ is impossible or insufficient – selection criteria – difficulties keeping and breeding (habitat size, food, relationships, breeding triggers, group dynamics, gene pool / inbreeding, hybridisation) – techniques (stud books, cryopreservation, AI, embryo transfer, micropropagation, cloning) – seed banks – successes (Hawaiian goose, Iberian lynx, red kite, large blue) • Limits of ex-situ: expensive, few species, loss of wild behaviour, small gene pools, release requires suitable habitat and post-release support (hard vs soft release, monitoring) • Judgement: ex-situ is a temporary safeguard / support that only succeeds if in-situ habitat exists to return to – both needed, in-situ fundamental Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • abiotic → non-living / physical factors • biotic → living factors / effects of other organisms	9
	• plagioclimax → a community held back from its climax by human activity Do not credit • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	
	Model answer - Level 3 (8 marks)	

Question	Marking guidance	Marks
	In-situ conservation keeps a species in its natural habitat with the whole community it depends on - food species, pollinators, predators and the abiotic conditions it is adapted to. It is delivered through protected areas such as SSSIs, NNRs, SACs, SPAs, Ramsar sites and Marine Conservation Zones, land ownership by conservation bodies, agri-environment schemes and habitat creation and management. Its weaknesses are that external threats such as pollution and climate change cross reserve boundaries, enforcement and cost, conflicts with other land uses, and the fact that many populations are already small and fragmented.	
	Ex-situ captive breeding is used when in-situ protection is impossible or insufficient. It is hard: animals need enough space, the right food, social groupings and breeding triggers, and small founder populations risk inbreeding and hybridisation, which studbooks, artificial insemination and embryo transfer help to manage. It is expensive, works for few species, and captive animals may lose wild behaviour; release succeeds only where suitable habitat exists and with soft release and post-release monitoring.	
	The two are not alternatives. Ex-situ methods are a temporary safeguard that can rescue a species from extinction, as with the Arabian oryx, but they only succeed if there is protected habitat to return to. In-situ conservation is therefore fundamental and ex-situ a support for it; the relative importance depends on how close to extinction the species is.	
	Weaker answer - Level 2 (5 marks)	
	In-situ conservation means protecting species in their natural habitat, for example in nature reserves and national parks. This is good because the species stays in the wild with the other species it needs. Ex-situ conservation means captive breeding in zoos and then releasing the animals back into the wild. This can save species that are nearly extinct but it is expensive and animals may not survive when released. Both methods are important and are often used together.	
	What makes the difference	
	• Level 2 defines both approaches correctly but Level 3 gives specific mechanisms (types of protected area, breeding difficulties, release methods) and named examples.	
	• Level 3 weighs the limitations of each approach explicitly; Level 2 gives one limitation for ex-situ only.	
	• 'Both are important' is not a judgement about <i>relative</i> importance; Level 3 explains why in-situ is fundamental and when ex-situ matters most.	
10.2	1 mark for the point below. 1 Restoring natural processes / communities to a habitat changed by humans, often by reintroducing missing (keystone) species and removing human management such as grazing Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 32-49; AQA spec 3.1.2.3.3-3.1.2.3.4.	

Question	Marking guidance	Marks
11.1	Discuss how feedback mechanisms, tipping points and diversity influence the stability of natural systems, and how human activities affect them. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Sustainability definitions – population and per capita impact – attitudes of rural and urban societies • Negative feedback: cloud cover and albedo, CO₂ and photosynthesis, evaporation and precipitation, density-dependent population regulation • Positive feedback driven by human activities: permafrost, acidification, albedo decline, methane hydrates, fires, cirrus clouds, decomposition • Tipping points: rare under negative feedback – large events (Permian methane hydrate) – self-sustaining change from human activities • Diversity and resistance: reefs and rainforests vs low-diversity agroecosystems lacking detritivores, pollinators and predators • Human responses that override feedback (fertilisers, irrigation, pesticides) – links to climate change chapter – justified conclusion <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i>	25
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-372; AQA spec 3.6.1.	

Question	Marking guidance	Marks
11.2	Discuss the extent to which agriculture can be made sustainable while feeding a growing human population. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Need: population possibly 12 billion – humans raise carrying capacity – trophic level of diet • Impacts to be reduced: habitat loss, drainage, nutrient enrichment, introduced species, pesticide and nutrient pollution, nitrate toxicity, greenhouse gases, hydrological changes, soil erosion • Social, economic and political influences: consumer choices, technology availability, grants, guaranteed markets, surpluses, quotas, set-aside, agri-environment schemes • Strategies: cultural and biological pest control, integrated control, organic nutrient supply, legumes, low tillage, water conservation, CWR conservation, renewable energy, methane reduction, habitat retention • Limits: little new land, imports reducing local availability, cost and acceptance of new techniques, past land degradation • Justified conclusion <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 328-337; AQA spec 3.5.1.3-3.5.1.5.	25