

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 20

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	Any 4 of 5 1 mark each for any 4 of the 5 points below, in any order, maximum 4. 1 Copying the structural / functional adaptations of living organisms in the design of manufactured items 1 Aircraft wingtip fins copied from splayed wingtip feathers of soaring birds, reducing turbulence and fuel use 1 Humpback whale flipper tubercles copied on ship rudders and wind turbine blades (tighter turns, rotation at lower wind speeds) 1 Shark skin ridges reducing friction / bacterial adhesion (surface coatings, hospital surfaces) 1 Termite mound convection copied for natural ventilation of buildings – hollow strutted bird bones in lightweight roofs – gecko toe adhesion – burr hooks - Velcro – lotus leaf self-cleaning glass – spider silk for airbags / body armour – bat / dolphin echolocation - ultrasound scanners Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • 'wind turbines can generate all the time' - output depends on wind speed, and they shut down in very high winds	4

Question	Marking guidance	Marks
01.2	1 mark each 1 mark for each of the 3 points below. 1 Plants produce toxic chemicals (eg alkaloids) to defend themselves against herbivores – in controlled doses these affect human physiology 1 Examples: morphine / codeine from poppies – quinine from cinchona bark (malaria) – aspirin from willow bark – taxol from yew (cancers) – diosgenin from Mexican yam (contraceptives, cortisone) 1 Animal examples accepted: AZT from a marine sponge (HIV), shark liver lipids (tumours) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
01.3	1 mark each 1 mark for each of the 2 points below. 1 Only a very small proportion of species have been studied for medicinal substances so unknown species may contain valuable chemicals 1 Conserving the habitat protects all its species, including those not yet investigated (and their interdependent relationships) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
01.4	1 mark for the point below. 1 Squid giant nerve cells - nerve function / heart disease, stroke – marsupials (kangaroo, wallaby pouch) - embryo development – hippo skin secretion - sunscreen / burns – sea urchin embryos - teratogen testing – armadillo - leprosy – marine sponge proteins - transplant rejection Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 10-15; AQA spec 3.1.2.1.1-3.1.2.1.2.	

Question	Marking guidance	Marks
02.1	Marks shared Up to 6 marks in total - share them between the 5 points below according to how completely each one is made. up to 2 Non-indigenous species (Sitka spruce from North America) chosen for fast growth and pest resistance – indigenous wildlife's needs for food, pollination, seed dispersal and habitat are not met up to 2 Single species: easy planting, thinning and felling over large areas – but each tree species supports its own community so few species overall up to 2 Close planting makes trees compete for light so they grow tall and straight (good timber) but shades out ground flora and the species that depend on them up to 2 Simple age structure: uniform size makes management easy but gives little variety of light, temperature, wind – no old trees or dead wood for invertebrates and woodpeckers up to 2 Mixed woodland: varied niches, stratification, dead wood, indigenous trees each with their own dependent species Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biodiversity → the variety of life: habitat, species and genetic diversity	6
02.2	1 mark each 1 mark for each of the 2 points below. 1 Trees are felled when income will be greatest - approaching full size when the growth rate starts to decline 1 Continuing to grow them ties up land and capital for little extra timber – natural forests keep old and dead trees Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
02.3	1 mark each 1 mark for each of the 2 points below. 1 Industrial society replaced species-specific uses (baskets, fencing, charcoal, tool handles) with large-scale uses: chipboard, plywood, pulp 1 Wood fuel replaced by fossil fuels / electricity – so traditional management declined and woods became uniform Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 365-367; AQA spec 3.5.3.2.	

Question	Marking guidance	Marks
03.1	1 mark each 1 mark for each of the 4 points below. 1 No major temperature extremes – regular water supply with no pronounced dry season – deep fertile soils built by leaf litter and root binding – strong seasonality 1 Deciduous canopy present spring to autumn shades the floor during the best growing temperatures 1 Bluebells, snowdrops, lesser celandine grow and flower early in spring before the trees leaf 1 Winter food shortage causes animals to hibernate (dormice), store food or migrate Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	4
03.2	1 mark each 1 mark for each of the 3 points below. 1 Long time for species to colonise – some woodland plants colonise very slowly so their presence (ancient woodland indicators) shows the wood is old 1 Natural woodland has trees of all ages with clearings where old trees died, giving varied light and dead wood habitats 1 A new plantation has a single-age dense canopy with low light and few niches until trees start to die (over 200 years) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biodiversity → the variety of life: habitat, species and genetic diversity	3
03.3	Any 3 of 4 1 mark each for any 3 of the 4 points below, in any order, maximum 3. 1 Clearance for farmland, plantations, urban development, roads, mineral extraction 1 Fragmentation isolating remaining woods so populations cannot move between them and are vulnerable 1 Management change: end of coppicing so woods become uniform and dark – replacement by conifer monocultures 1 Overgrazing by deer preventing regeneration – introduced pathogens (ash dieback) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks.	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 50-52; AQA spec 3.1.2.3.4.	

Question	Marking guidance	Marks
04.1	2 marks per point 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. 2 EDGE: Evolutionarily Distinct and Globally Endangered - few close relatives, often the last species of their genus / family (Bactrian camel, pygmy hippo, northern bald ibis) – loss would remove a unique branch of evolution / genes 2 Endemic: found in only one area (often islands - Galapagos, Madagascar, Seychelles: Aldabra giant tortoise, red ruffed lemur) – if lost locally there is no population elsewhere to recolonise 2 Keystone: disproportionately important for the structure of the community relative to its abundance - predation of dominant species, seed dispersal, habitat creation (jaguar, forest elephants keeping paths and water holes open, wolves, beavers) – losing them causes loss of many other species 2 Flagship: high public profile (tiger, panda, elephant, orang-utan) raising funds and support that also protects the whole habitat and less charismatic species (fungi, bats, moths) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Endemic → found naturally only in that one place	8
04.2	1 mark each 1 mark for each of the 2 points below. 1 A fragmented population may consist of isolated groups each too small to be viable (resources, inbreeding) even if total numbers are large 1 A species confined to a single area (eg bonobos in one country) is vulnerable to any local change / conflict, unlike chimpanzees spread across many countries Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 28-29; AQA spec 3.1.2.3.1.	
05.1	Marks shared Up to 4 marks in total - share them between the 3 points below according to how completely each one is made. up to 2 Success: Cactoblastis moth introduced from South America controlled prickly pear cactus in Australia – Encarsia parasitic wasps control greenhouse whitefly up to 2 Problems: cane toads introduced to Australia to control sugar cane beetles did not control them but ate many other species and are toxic to predators – rosy wolfsnail introduced to Polynesia to control African land snails ate endemic Partulid snails (48 species extinct) – harlequin ladybirds introduced to Europe eat native ladybirds up to 2 Lesson: control agents should be specialist feeders on the pest Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biological control → using a natural predator, parasite or pathogen of the pest • endemic → found naturally only in that one place	4

Question	Marking guidance	Marks
05.2	1 mark each 1 mark for each of the 2 points below. 1 Release an artificial sex scent attracting males (or females) of the pest species 1 Used to monitor when the pest arrives so pesticide is timed correctly, or (in enclosed greenhouses) to trap enough of one sex to prevent breeding Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	2
05.3	1 mark each 1 mark for each of the 3 points below. 1 Regular low doses kill only the most sensitive bacteria so resistant strains survive and multiply 1 Agricultural use exceeds medical use, so resistance spreads 1 Resistant zoonotic bacteria (E. coli, Salmonella, Campylobacter) can transfer to humans and are harder to treat – hence reduced use of antibiotics is a sustainability goal Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. sustainability → meeting present needs without stopping future generations meeting theirs Do not credit 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	3
05.4	1 mark for the point below. 1 Grow nectar-rich flowering plants alongside crops – restrict pesticides harmful to bees / spray when not in flower – introduce bee hives Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 316-320; AQA spec 3.5.1.1.	

Question	Marking guidance	Marks
06.1	2 marks per point 2 marks for each of the 4 points below; award 1 mark where a point is only partly made. 2 Carnivores fed pellets of sandeels, herring, anchovy – overfishing sandeels reduces puffins and terns – reduced by more plant protein / vegetable oil in pellets or farming herbivores (tilapia) 2 High density spreads lice (which spread to wild fish) and infections – pesticides (organophosphates, pyrethroids, hydrogen peroxide) kill wildlife – antibiotics breed resistant bacteria – reduced by lower densities, single-age tanks with flow from young to old, wrasse as biological control, warm-water washes, circulating flow 2 Escaped farmed fish breed with wild fish introducing disadvantageous genes (bright colour), or non-indigenous escapees colonise as predators / competitors – reduced by better cage design, sterile triploid fish (pressure-treated eggs), species that cannot breed locally (Japanese oysters in UK) 2 Faeces and uneaten food decompose causing deoxygenation under cages – reduced by monitored feeding, siting cages in strong currents, effluent treatment / reed beds for freshwater farms, IMTA with seaweed and shellfish absorbing wastes Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biological control → using a natural predator, parasite or pathogen of the pest • deoxygenation → loss of dissolved oxygen from the water Do not credit • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	8
06.2	1 mark each 1 mark for each of the 2 points below. 1 Predators are killed under licence to protect stock, reducing wild populations of protected / valued species 1 Better cage designs, netting, fencing, bird scarers exclude predators without killing Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 356-359; AQA spec 3.5.2.3.	

Question	Marking guidance	Marks
07.1	Calculation A correct final answer scores full marks on its own. If the answer is wrong, each correct step of working below earns its mark. 1 $600 + (90 + 150) - (220 + 80) = 540$ 1 Stock fell by 60 so the catch exceeds the MSY / unsustainable Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (thousand tonnes) is already printed on the answer line. • MSY → the largest catch that can be taken without reducing the stock Do not credit • Points after the first 2 - the question asks for 2, so a list of extras cannot pick up the marks. • A bare wrong answer with no working.	2
07.2	Calculation 1 mark for the correct answer; working does not have to be shown. 1 $A + G - M = 90 + 150 - 80 = 160$ Also accept • The correct answer however it is set out, including a different but valid method. • An answer carried forward from an earlier incorrect step (error carried forward). • An answer rounded to 2 or more significant figures, and the answer written as a fraction, decimal or percentage where the question does not specify. • The value alone - the unit (thousand tonnes) is already printed on the answer line. Do not credit • A bare wrong answer with no working.	1
07.3	1 mark each 1 mark for each of the 3 points below. 1 Catch is landed and weighed at ports so it is recorded 1 Other terms need data on fish in the sea: populations are mobile (crossing national boundaries), very unevenly distributed 1 Representative sampling of a large enough proportion of the area is impractical / expensive – survival of eggs and larvae varies greatly between years Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
07.4	2 marks per point 2 marks for each of the 2 points below; award 1 mark where a point is only partly made. 2 CPUE: if more effort (boat-days, engine power, net size) is needed to land the same catch, the population is declining even though total catch is maintained – a better measure than catch size which technology can prop up 2 Falling mean size / age (from scale or otolith growth rings) shows older adults are being removed faster than replaced and the catch depends on small young fish Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 349-351; AQA spec 3.5.2.2.	
08.1	1 mark each 1 mark for each of the 2 points below. 1 Hydrosere 1 Single-celled algae (and floating plants) - arrive on birds / insects / from soil Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. pioneer species → the first species to colonise bare ground	2
08.2	1 mark each 1 mark for each of the 5 points below. 1 Pioneers and later plants grow and die – dead organic matter plus sediment washed in fill the pond so water becomes shallower 1 As depth falls rooted plants (pondweeds then emergent reeds with leaves above water) can anchor and colonise – emergents shade submerged plants which die out 1 Sediment / soil accumulates and becomes able to support larger plants – water-tolerant trees (willow, alder) colonise the waterlogged soil 1 Transpiration by trees and further sediment dry the soil and make it aerobic so oak can colonise – the denser canopy shades out smaller plants 1 Each community changes abiotic conditions (depth, light, nutrients, oxygen), making it suitable for the next colonisers which out-compete them – conditions become less extreme and biotic factors increasingly important Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. waterlogged → soil pores filled with water so there is no air Transpiration → water lost as vapour from the leaves abiotic → non-living / physical factors	5

Question	Marking guidance	Marks
08.3	1 mark each 1 mark for each of the 2 points below. 1 Starting conditions (bare rock vs open water) differ but each stage makes conditions less extreme and builds soil / organic matter 1 The final community is controlled by the regional climate (temperature, water availability), which is the same for both - climatic climax (eg oak woodland in the UK) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. climax community → the stable final community Do not credit 'the climax community never changes' - it is stable only while the conditions stay the same	2
08.4	1 mark for the point below. 1 Lichens and algae colonise bare rock (extreme temperatures, no soil, little water) - rock fragments and dead organic matter accumulate - mosses, then grasses and ferns as thin soil forms - wind-dispersed trees (birch) then animal-dispersed (oak, beech) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 73-76; AQA spec 3.1.3.3.	
09.1	Any 2 of 6 1 mark each for any 2 of the 6 points below, in any order, maximum 2. 1 Hydrological cycle 1 Carbon cycle 1 Nitrogen cycle 1 Atmospheric circulation 1 Thermohaline circulation 1 Photosynthesis Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Thermohaline → the ocean conveyor driven by temperature and salinity Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks. 'plants breathe in carbon dioxide and breathe out oxygen' - name photosynthesis and respiration	2
09.2	1 mark each 1 mark for each of the 2 points below. 1 Enzymes reduce the activation energy of reactions 1 So reactions such as photosynthesis, decomposition and nitrogen fixation do not need high temperatures Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. nitrogen fixation → nitrogen gas converted into ammonium or other nitrogen compounds	2

Question	Marking guidance	Marks
09.3	Any 1 of 3 1 mark each for any 1 of the 3 points below, in any order, maximum 1. 1 Haber process (nitrogen fixation) 1 Incineration of wastes (decomposition) 1 Many manufacturing processes Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • nitrogen fixation → nitrogen gas converted into ammonium or other nitrogen compounds • Incineration → burning waste, usually with energy recovery	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 373; AQA spec 3.6.2.	

Question	Marking guidance	Marks
10.1	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • In-situ: species remain in natural conditions with the whole community and inter-species relationships – protected areas (SSSI, NNR, SAC, SPA, Ramsar, MCZ), land ownership, agri-environment schemes, habitat creation and design (area, shape, corridors, diversity), management of abiotic and biotic factors, plagioclimax maintenance, population control, reintroductions and rewilding (Yellowstone wolves, Scottish beavers) • Limits of in-situ: external threats (pollution, climate change), enforcement, cost, conflicts with land use, small fragmented populations • Ex-situ: captive breeding when in-situ is impossible or insufficient – selection criteria – difficulties keeping and breeding (habitat size, food, relationships, breeding triggers, group dynamics, gene pool / inbreeding, hybridisation) – techniques (stud books, cryopreservation, AI, embryo transfer, micropropagation, cloning) – seed banks – successes (Hawaiian goose, Iberian lynx, red kite, large blue) • Limits of ex-situ: expensive, few species, loss of wild behaviour, small gene pools, release requires suitable habitat and post-release support (hard vs soft release, monitoring) • Judgement: ex-situ is a temporary safeguard / support that only succeeds if in-situ habitat exists to return to – both needed, in-situ fundamental Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content. • abiotic → non-living / physical factors • biotic → living factors / effects of other organisms	9
	• plagioclimax → a community held back from its climax by human activity Do not credit • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	
	Model answer - Level 3 (8 marks)	

Question	Marking guidance	Marks
	In-situ conservation keeps a species in its natural habitat with the whole community it depends on - food species, pollinators, predators and the abiotic conditions it is adapted to. It is delivered through protected areas such as SSSIs, NNRs, SACs, SPAs, Ramsar sites and Marine Conservation Zones, land ownership by conservation bodies, agri-environment schemes and habitat creation and management. Its weaknesses are that external threats such as pollution and climate change cross reserve boundaries, enforcement and cost, conflicts with other land uses, and the fact that many populations are already small and fragmented.	
	Ex-situ captive breeding is used when in-situ protection is impossible or insufficient. It is hard: animals need enough space, the right food, social groupings and breeding triggers, and small founder populations risk inbreeding and hybridisation, which studbooks, artificial insemination and embryo transfer help to manage. It is expensive, works for few species, and captive animals may lose wild behaviour; release succeeds only where suitable habitat exists and with soft release and post-release monitoring.	
	The two are not alternatives. Ex-situ methods are a temporary safeguard that can rescue a species from extinction, as with the Arabian oryx, but they only succeed if there is protected habitat to return to. In-situ conservation is therefore fundamental and ex-situ a support for it; the relative importance depends on how close to extinction the species is.	
	Weaker answer - Level 2 (5 marks)	
	In-situ conservation means protecting species in their natural habitat, for example in nature reserves and national parks. This is good because the species stays in the wild with the other species it needs. Ex-situ conservation means captive breeding in zoos and then releasing the animals back into the wild. This can save species that are nearly extinct but it is expensive and animals may not survive when released. Both methods are important and are often used together.	
	What makes the difference	
	• Level 2 defines both approaches correctly but Level 3 gives specific mechanisms (types of protected area, breeding difficulties, release methods) and named examples.	
	• Level 3 weighs the limitations of each approach explicitly; Level 2 gives one limitation for ex-situ only.	
	• 'Both are important' is not a judgement about <i>relative</i> importance; Level 3 explains why in-situ is fundamental and when ex-situ matters most.	
10.2	1 mark for the point below. 1 Restoring natural processes / communities to a habitat changed by humans, often by reintroducing missing (keystone) species and removing human management such as grazing Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 32-49; AQA spec 3.1.2.3.3-3.1.2.3.4.	

Question	Marking guidance	Marks
11.1	Discuss the extent to which the resources and services provided by other species justify the conservation of biodiversity. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Resources: wood, fibres, oils, fuels, food – new food species (morama bean, yeheb, perennial maize, Kernza, bison, eland) and their adaptations • Biomimetics: wing-tip feathers, whale tubercles, shark skin, termite mounds, bird bones, gecko adhesion, burrs, lotus, spider silk • Medicines: poppies, cinchona, willow, yew (taxol), Mexican yam, sponges (AZT), sharks – few species yet studied – physiological research (marsupials, hippo, sponges) • Genetic resources: crop wild relatives, Vavilov centres, gene pools and inbreeding • Ecosystem services: atmospheric regulation, hydrological cycle, biogeochemical cycles, soil maintenance – interspecies relationships - food, pollination (Darwin's orchid), seed dispersal, habitat provision • Evaluation: economic vs intrinsic / moral arguments – services unnoticed because of dynamic equilibrium – unknown future value – justified conclusion	25
	<i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 10-19; AQA spec 3.1.2.1.	

Question	Marking guidance	Marks
11.2	Using tropical coral reefs as an example, discuss how the ecological features of a habitat determine both its importance and its vulnerability to human activities. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Ecological features: cnidarian polyps, cilia, nematocysts, zooxanthellae symbiosis, limestone skeletons building reefs, complex structure and food web – specific abiotic requirements (temperature, light, salinity, low turbidity) • Importance: quarter of marine species, fisheries, medicines, carbon sink, erosion protection, tourism • Vulnerability: narrow abiotic tolerance means sensitivity to warming, acidification, sedimentation, nutrient pollution, oil, bleaching – slow growth so slow recovery – physical damage – overfishing and food-web effects (crown of thorns) – introduced species – dependence on mangroves and seagrass • Conservation: MPAs, No Take Zones, fishing controls, tourism management, protection of linked habitats, CITES • Comparison with other habitats (rainforests, mangroves, Antarctica) where relevant • Evaluation of local vs global threats and justified conclusion	25
	<i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	