

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 38

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	1 mark each 1 mark for each of the 4 points below. 1 Spearman's rank correlation coefficient 1 Chi-squared test (frequencies / counts in categories) 1 t-test (two means of measured data) 1 Spearman's rank correlation coefficient Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Spearman → a test for correlation between two sets of ranked data • correlation → a relationship in which the two variables change together • Chi-squared → a test comparing observed frequencies with expected frequencies Do not credit • a correlation presented as proof of cause - say that it suggests a link that further work would have to test • 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	4

Question	Marking guidance	Marks
01.2	1 mark for the point below. 1 Chi-squared compares frequencies / counts in categories – it cannot be used for continuously variable measured data Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. chi-squared → a test comparing observed frequencies with expected frequencies Do not credit 'the result was significant' without comparing the calculated value with the critical value at $p = 0.05$	1
01.3	1 mark each 1 mark for each of the 3 points below. 1 The value (ignoring sign) exceeds the critical value so the correlation is significant at the 5% level 1 The negative sign shows a negative correlation: one variable decreases as the other increases 1 There is less than a 5% probability the correlation arose by chance – reject the null hypothesis (but correlation is not proof of causation) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Spearman → a test for correlation between two sets of ranked data critical value → the table value the calculated statistic must reach to be significant $p = 0.05$ → a probability of 0.05, ie a 1 in 20 chance that the result happened by chance Do not credit - a correlation presented as proof of cause - say that it suggests a link that further work would have to test 'the hypothesis was proved' - a statistical test either rejects the null hypothesis or fails to reject it	3
01.4	1 mark each 1 mark for each of the 2 points below. 1 Show the standard deviation / range of the original values around each mean 1 If the bars of two means overlap greatly the difference is probably not significant – little overlap suggests a significant difference Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. standard deviation → a measure of the spread of the data about the mean	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 422-423; AQA spec 3.7.2.3.	

Question	Marking guidance	Marks
02.1	1 mark each 1 mark for each of the 3 points below. 1 MEDCs: market demand and higher prices for the flavour of carnivorous fish (salmon, trout) justify high inputs (fishmeal, cooler climates suit them) 1 LEDCs: herbivores / omnivores feed on natural vegetation, phytoplankton and wastes so need low inputs – warm climates suit tilapia 1 Herbivores are more energy-efficient (lower trophic level) so more food per unit area Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • aquaculture → fish or shellfish farming • trophic level → the feeding level in a food chain Do not credit • 'energy is lost between trophic levels' on its own - say how it is lost: respiration, excretion, egestion and uneaten parts	3
02.2	1 mark each 1 mark for each of the 3 points below. 1 Some genetically female (XX) fish are treated with testosterone so they become functional males producing only X-carrying sperm 1 Crossed with normal females (XX) all offspring are XX females 1 Female trout meat has a better flavour – in tilapia the reverse (all males) because males grow larger / more efficiently Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
02.3	1 mark each 1 mark for each of the 4 points below. 1 Salmon need high oxygen: water sprays / weirs aerate – wastes removed to prevent deoxygenation 1 Constant circular flow keeps fish swimming the same way - fewer collisions / injuries, more muscular fish, higher stocking density 1 Artificial lighting delays maturation (salmon stop growing at maturity) so larger fish – controls smoltification 1 Cool sites (Scotland, Norway) because warm water holds less oxygen although warmth increases growth Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • abiotic → non-living / physical factors • deoxygenation → loss of dissolved oxygen from the water	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 352-355; AQA spec 3.5.2.3.	

Question	Marking guidance	Marks
03.1	1 mark each 1 mark for each of the 3 points below. 1 Other MEDCs (USA, Canada, Australia) also had surpluses – Japan already had suppliers 1 Eastern Europe / USSR needed food but could not pay 1 Selling cheaply in LEDCs would undercut local farmers, put them out of business and reduce their long-term food production Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
03.2	1 mark each 1 mark for each of the 4 points below. 1 Quotas limiting production (eg milk) 1 Set-aside payments for taking land out of production 1 Farm diversification (recreation, farm shops, specialised products) and alternative crops / livestock (biofuels, pharmaceutical poppies, llamas, deer, bees) 1 Agri-environmental schemes (ESA, CSS, ESS, CS) paying for environmentally beneficial farming Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
03.3	Any 3 of 5 1 mark each for any 3 of the 5 points below, in any order, maximum 3. 1 Hedgerows at least 1.5 m tall cut at 2-year intervals outside the breeding season - bird / insect habitat and landscape 1 Buffer strips / field margins (no cultivation, fertiliser or pesticide within 2 m) - protect ditches and rivers, habitat 1 Beetle banks of tussocky grass - natural pest predators 1 Skylark nesting plots – wild bird seed / nectar plants - winter food and pollinators 1 In-field tree protection – controlled stocking density to reduce compaction – ditch management – dry-stone walls – woodland management Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • Points after the first three - the question asks for three, so a list of extras cannot pick up the marks. • pests 'getting used to' a pesticide - the few naturally resistant individuals survive and pass the trait on	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 332-334; AQA spec 3.5.1.4.	

Question	Marking guidance	Marks
04.1	1 mark each 1 mark for each of the 2 points below. 1 A community maintained at a stage before the climax by regular human activity (grazing, mowing, burning, coppicing) that deflects succession 1 Chalk grassland was produced by centuries of sheep grazing – without it succession to scrub and woodland resumes Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. plagioclimax → a community held back from its climax by human activity succession → the gradual change in the community over time Do not credit 'the climax community never changes' - it is stable only while the conditions stay the same	2
04.2	1 mark each 1 mark for each of the 4 points below. 1 Grazing removes taller / dominant grasses and prevents scrub establishing (5% cover) so small plants are not shaded out 1 Trampling creates bare ground for wildflower seed germination and warm patches for invertebrates / reptiles 1 Dung creates small nutrient-rich patches supporting different plants and invertebrates – sheep eat short grasses and some bushes 1 Mowing removes everything at once including plants grazers avoid, and removes flowers / seeds before setting – burning removes vegetation but also kills invertebrates and allows scrub regrowth – abandoned plot dominated by scrub (55%) so few species Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	4
04.3	1 mark each 1 mark for each of the 2 points below. 1 Sheep eat short grass (some breeds eat scrub) – ponies avoid flowers but eat bracken – cattle remove long rough grass 1 Choice depends on the vegetation to be controlled and the plants to be protected Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. plagioclimax → a community held back from its climax by human activity	2
04.4	1 mark each 1 mark for each of the 2 points below. 1 Removes mature heather bushes and young trees that grazers will not eat, creating open unshaded ground 1 Heat stimulates dormant heather seeds to germinate so young heather re-establishes Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 47-49; AQA spec 3.1.3.3.	
05.1	1 mark each 1 mark for each of the 5 points below. 1 Harvest rate below the maximum sustainable yield – only economically valuable species (mahogany) selectively logged, not clear-felled 1 Trees felled only where other mahoganies stand upwind so seeds recolonise the clearing – large seed trees and small trees left to grow 1 Buffer zones with no harvesting or machinery near rivers / wetlands 1 Restricted machinery and planned track routes re-used to avoid damaging roots of retained / rare / fruit trees 1 Each felled tree tagged and tracked to the retailer for FSC accreditation – rangers control illegal logging – tree nurseries replant over-exploited and ecologically important species Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • sustainable → meeting present needs without stopping future generations meeting theirs • maximum sustainable yield → the largest catch that can be taken without reducing the stock Do not credit • Points after the first five - the question asks for five, so a list of extras cannot pick up the marks. • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future	5
05.2	1 mark each 1 mark for each of the 3 points below. 1 The reserve removed traditional uses (fuelwood, timber, farming clearings, hunting, medicines) so people would otherwise resent / ignore it 1 Employment as rangers, forestry and tourism workers – ecotourists use local restaurants, produce and souvenirs – offcuts given to local carvers 1 Benefits give the community an incentive to protect the forest – carbon sequestration payments from companies fund management Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3
05.3	1 mark each 1 mark for each of the 2 points below. 1 Removing individual trees leaves small clearings so remaining populations survive nearby and the forest structure / microclimate is kept – timber resource used over a longer period 1 Disadvantage: more labour-intensive and expensive – more tracks needed per tree Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 369, 386-387; AQA spec 3.5.3.3.	
06.1	1 mark each 1 mark for each of the 4 points below. 1 Warming melts ice shelves that hold back glaciers and lubricates ice flow so land ice reaches the sea faster (Antarctic Peninsula most affected) – sea ice loss removes krill habitat and lowers albedo 1 Raised UV harms planktonic algae, krill and fish / sea urchin larvae in surface waters (land animals protected by fur / feathers) 1 Disturbance of wildlife, introduction of non-indigenous species and pathogens, fuel and sewage pollution – visitor numbers rising rapidly at a few landing sites 1 Reserves of coal, oil, gold, uranium, platinum etc – pressure to exploit will rise as reserves elsewhere deplete though currently banned and operations extremely difficult Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • albedo → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back Do not credit • 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	4
06.2	1 mark each 1 mark for each of the 6 points below. 1 Treaty signed by 52 countries including all active there – no military activity (except supporting research), no nuclear explosions or radioactive waste dumping 1 No commercial mineral exploitation 1 Fisheries regulated by CCAMLR: krill and some fish exploited, fisheries closed if over-exploited – no commercial exploitation of mammals 1 Tourism control: no accommodation on land (wastes stay on ships), one ship per site with maximum 100 ashore, trained guides, keep 5 m from wildlife, no litter, cleaned protective clothing to prevent introductions 1 Waste management: all wastes removed (fuel containers, batteries, plastics, oil) – sewage only discharged where sea currents disperse it – old waste removed unless removal causes more damage 1 Only long-term residents are research scientists and support staff – strict regulation of research impacts Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit • 'nuclear power releases no carbon dioxide' - mining, fuel processing, construction and decommissioning all do	6
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 69-71; AQA spec 3.1.2.3.4.	

Question	Marking guidance	Marks
07.1	1 mark each 1 mark for each of the 4 points below. 1 Ship rudders that turn in tighter circles / aerogenerator blades that start turning at lower wind speeds 1 Water-repelling surface of lotus flowers 1 Coatings for aircraft and ships that reduce fuel consumption / hospital coatings that bacteria cannot stick to 1 Hooked burrs on seeds that stick to animal fur Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	4
07.2	1 mark each 1 mark for each of the 3 points below. 1 The mound absorbs sunlight and warms – hot air inside rises, creating a convection current that draws stale air out of the lower parts (solar-driven ventilation) 1 Air blowing over the mound has a lower pressure which also draws air out 1 Copied in shopping complexes / office blocks to give natural ventilation and cooling without air conditioning, so less energy / electricity is used Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	3
07.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Marsupials: young develop in the pouch so are easier to study than a human foetus, helping understanding of developmental problems 1 Hippopotamus skin secretes hipposudoric acid (natural sunscreen and antimicrobial) which may improve treatment of burns 1 Marine sponges produce proteins that prevent rejection of grafts, being developed to prevent rejection of transplanted organs Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
07.4	1 mark for the point below. 1 They are light but strong: hollow with internal struts that prevent bending / breaking, copied in lightweight bridges and roofs Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 11-14; AQA spec 3.1.2.1.1.	

Question	Marking guidance	Marks
08.1	1 mark for the point below. 1 Cross-bred offspring are healthier / more productive because the problems caused by homozygous recessive genes in inbred varieties are reduced (heterosis) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1
08.2	1 mark each 1 mark for each of the 2 points below. 1 Zebu tolerate heat but have a low milk yield – Ayrshire have a high milk yield but are not heat tolerant 1 Cross-breeding combined the desirable characteristics: heat tolerance with a high milk yield Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. tolerance → the range of conditions in which a species can survive	2
08.3	Any 2 of 3 1 mark each for any 2 of the 3 points below, in any order, maximum 2. 1 Replacement of valuable animals that die with genetically identical individuals 1 Replacement of herds culled during a disease outbreak 1 Production of large numbers of individuals with desirable characteristics Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - Points after the first two - the question asks for two, so a list of extras cannot pick up the marks.	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-322; AQA spec 3.5.1.2.	

Question	Marking guidance	Marks
09.1	2 marks per point 2 marks for each of the 3 points below; award 1 mark where a point is only partly made. 2 Drainage of wetlands / lowering water tables by groundwater abstraction dries out wetlands – HEP schemes alter river levels flooding sandbank nests of turtles / birds – species with narrow tolerance (specialists) affected first – sundews lost when drained soil becomes aerobic / nitrogen-rich and taller competitors invade 2 Hot water discharges and organic wastes (sewage) reduce dissolved oxygen, killing aerobic organisms such as fish and insect larvae 2 Acid mine drainage and acid rain gases lower pH, denaturing proteins of exposed tissues (fish eggs, gills) and dissolving calcium exoskeletons (crayfish) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • abiotic → non-living / physical factors • abstraction → water taken out of a river, lake or aquifer • HEP → electricity generated from falling water Do not credit • carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen • a dam described as having no environmental impacts - flooded land, blocked fish migration, trapped sediment and methane from drowned vegetation	6
09.2	1 mark each 1 mark for each of the 2 points below. 1 Reduces light penetration so submerged plants cannot photosynthesise 1 Blocks the gills of filter feeders such as bivalve molluscs – sediment smothers the bed Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2
09.3	1 mark each 1 mark for each of the 2 points below. 1 Rare species often have very specialised habitat requirements / narrow ranges of tolerance 1 A small change moves conditions outside their range while generalists survive – small populations cannot recover Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • abiotic → non-living / physical factors • tolerance → the range of conditions in which a species can survive	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 22-23; AQA spec 3.1.2.2.	

Question	Marking guidance	Marks
10.1	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Succession: pioneers, seres (hydrosere, lithosere, psammosere), modification of abiotic conditions, climax communities controlled by climate – deflected succession and plagioclimaxes • Application: deciding whether to manage (plagioclimax habitats need grazing, mowing, burning, coppicing, pollarding continued) or leave alone (climax habitats) – habitat creation planning the stages – controlling scrub / secondary succession – understanding that new habitats change over time • Population dynamics: birth and death rates, density-dependent and independent factors, carrying capacity, sigmoid growth, predator-prey cycles, r- and k-selection, MSY • Application: setting sustainable harvest levels (fisheries, whaling, forestry) – recognising k-selected species need strict protection and recover slowly – deciding when culling is needed (deer without wolves, introduced species) or when releases / captive breeding are needed (low breeding rate) – predicting effects of reintroducing predators • Monitoring population size, distribution, survival rate and age structure to assess success – adaptation and range of tolerance guiding abiotic management • Evaluation: uncertainties (natural fluctuations, unknown carrying capacity) – examples (Yellowstone wolves, Scottish deer, chalk grassland) – judgement Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • Any accurate, relevant material that is not in the indicative content.	9
	• succession → the gradual change in the community over time • abiotic → non-living / physical factors • deflected succession → a community held back from its climax by human activity Do not credit • 'sustainable means it lasts a long time' - it means use that can continue without reducing what is available in future • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	

Question	Marking guidance	Marks
	Model answer - Level 3 (8 marks)	
	Succession is the sequence by which pioneers colonise bare ground, modify the abiotic conditions and are replaced by later seres until a climax community controlled by climate is reached; where grazing, mowing, burning or coppicing halts it, a plagioclimax forms. This tells a conservation manager whether to intervene: chalk grassland, heathland and coppiced woodland are plagioclimaxes that disappear without continued management, whereas a climax habitat is best left alone, and habitat creation must plan the stages, control scrub and manage secondary succession.	
	Population dynamics - birth and death rates, density-dependent and independent factors, carrying capacity, sigmoid growth, predator-prey cycles and r- and k-selection - inform decisions of a different kind. Maximum sustainable yield sets harvest levels in fisheries, whaling and forestry; k-selected species that breed late and slowly need strict protection and recover slowly; culling may be justified where predators are absent, as with Scottish red deer without wolves, or where introduced species threaten natives, while the reintroduction of wolves to Yellowstone shows how restoring a predator changes vegetation through the food web. Monitoring population size, distribution, survival and age structure measures success, and knowledge of adaptation and ranges of tolerance guides how abiotic conditions are managed.	
	The limits are uncertainty: natural fluctuations, unknown carrying capacities and the difficulty of predicting how communities respond. Ecological understanding cannot remove that uncertainty, but without it conservation decisions - to manage or not, to cull or protect, how much to harvest - are guesses.	
	Weaker answer - Level 2 (5 marks)	
	Succession is when a habitat changes over time from pioneer species to a climax community. Conservationists need to understand this because some habitats like heathland will turn into woodland if they are not managed by grazing or burning. Population dynamics is about how populations grow and are limited by factors like food and predators. This helps conservation because you can work out how many animals can be taken without the population declining, and when a population needs protecting. Monitoring populations shows if conservation is working.	
	What makes the difference	
	• Level 2 explains both concepts correctly and links them to decisions, but generally; Level 3 uses the technical vocabulary (seres, plagioclimax, k-selection, MSY) with named cases (Yellowstone wolves, Scottish deer, chalk grassland).	
	• Level 3 covers more applications (habitat creation, culling introduced species, adaptation and tolerance) and evaluates the uncertainties.	
	• Structure: Level 3 gives each concept its own paragraph with the decisions it informs, then a conclusion.	

Question	Marking guidance	Marks
10.2	1 mark for the point below. 1 Any taxonomic group of organisms classified together by similarity (eg species, genus, family) Also accept Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 72-85; AQA spec 3.1.3.	
11.1	Discuss how feedback mechanisms, tipping points and diversity influence the stability of natural systems, and how human activities affect them. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these - Sustainability definitions - population and per capita impact - attitudes of rural and urban societies Negative feedback: cloud cover and albedo, CO₂ and photosynthesis, evaporation and precipitation, density-dependent population regulation - Positive feedback driven by human activities: permafrost, acidification, albedo decline, methane hydrates, fires, cirrus clouds, decomposition Tipping points: rare under negative feedback - large events (Permian methane hydrate) - self-sustaining change from human activities Diversity and resistance: reefs and rainforests vs low-diversity agroecosystems lacking detritivores, pollinators and predators - Human responses that override feedback (fertilisers, irrigation, pesticides) - links to climate change chapter - justified conclusion <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i>	25

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-372; AQA spec 3.6.1.	
11.2	Using named examples, discuss how the ecological features of a habitat determine its importance, the threats it faces and the conservation strategies that are appropriate. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content - students are not expected to cover all of these • Temperate broadleaf woodland: seasonality, deep soils, high biodiversity, resources, climate and soil regulation – deforestation, fragmentation, management change – SSSIs, ancient woodland protection, coppicing, mixed planting • Tropical rainforest: stable warm wet climate, stratification, very high biodiversity, carbon and hydrological roles, thin soils – fuelwood, timber, agriculture, mining, reservoirs, climate change – protected areas, debt-for-nature swaps, sustainable exploitation • Tropical coral reefs: cnidarian-zooxanthellae symbiosis, light, temperature, turbidity, salinity – fisheries, erosion protection, medicines, tourism – damage, souvenirs, sedimentation, pollution, bleaching, fishing, introduced species – MPAs, no-take zones, control of activities • Deep-water reefs: cold, dark, slow growth – research, fisheries – trawling, oil / gas, acidification – SACs • Oceanic islands: isolation, endemism, no mammal predators	25

Question	Marking guidance	Marks
	– exploitation, introduced species, habitat change, sea level – eradication, control of development and visitors • Mangroves: halophytes, anaerobic mud – erosion protection, fisheries nurseries, sediment trapping – clearance for aquaculture / urban / ports, pollution, climate change – protection, replanting • Antarctica: extreme cold, seasonality, marine nutrients, ice – water store, albedo, carbon, research – climate change, ozone, tourism, fishing, minerals – Antarctic Treaty, CCAMLR, tourism and waste rules • Synthesis: features -> importance -> threats -> strategy – evaluation of success – conclusion <i>Credit any relevant, accurate material, including points that are not listed here. Reward a clear line of argument and a supported conclusion.</i> Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 50-71; AQA spec 3.1.2.3.4.	