

A-level

ENVIRONMENTAL SCIENCE

Questions by topic: Habitat case studies: woodland, rainforest, reefs, islands, mangroves, Antarctica - Set 2

Mark scheme

AQA spec 3.1.2.3.4; The living environment; textbook pp. 50-71

Marking guidance

- Each part opens with a line in bold saying how its marks are shared out, followed by one sentence on how to mark it.
- The figure in bold at the start of a marking point is the mark that point earns. Lines indented beneath it, starting with a dash, are the detail that belongs to the same mark; a line starting **OR** is another route to it.
- **Also accept** lists other wordings and answers that earn the mark - wording never has to match these notes, only the science. **Do not credit** lists the answers that look right and earn nothing.
- Where a question asks for a fixed number of points (eg *two* reasons), credit only the first points given.
- For levels-of-response questions, determine the level from the descriptors first, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	1 mark each 1 mark for each of the 4 points below. 1 Isolation makes colonisation difficult: only marine species, seabirds, plants with floating seeds or chance arrivals (tortoises on logs, wind-blown birds) reach them 1 Whole taxa (terrestrial mammals, amphibians) may be absent so few original colonists 1 Colonists evolve in isolation under different selection pressures to fill the empty niches, producing unique species (Galapagos, Madagascar lemurs, Hawaii) 1 Endemics have small ranges and populations so are vulnerable to extinction Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • endemic → found naturally only in that one place • biodiversity → the variety of life: habitat, species and genetic diversity	4

Question	Marking guidance	Marks
01.2	1 mark each 1 mark for each of the 3 points below. 1 The birds evolved without mammal predators so nest on the ground / in burrows with no defence 1 Rats eat eggs and chicks – numbers fell to very low levels (45 and 12 pairs) 1 After eradication breeding success rose about 7-12 fold, confirming predation was the main limiting factor Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • limiting factor → the factor in shortest supply that holds the rate or population back	3
01.3	1 mark each 1 mark for each of the 2 points below. 1 Introduced mosquitoes carry avian malaria to which endemic birds have no resistance – birds survive only above about 1500 m where it is too cold for malaria 1 Warming allows mosquitoes / malaria to spread to higher altitudes, shrinking the safe range Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • endemic → found naturally only in that one place	2
01.4	1 mark for the point below. 1 Control of developments and visitor numbers (biosecurity, quarantine of imports) – protected areas – captive breeding of endemics Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • captive breeding → breeding in captivity to increase numbers for release Do not credit • captive breeding alone as conservation - credit needs reintroduction, habitat protection or genetic management as well	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 64-65; AQA spec 3.1.2.3.4.	
02.1	1 mark each 1 mark for each of the 3 points below. 1 Tropical intertidal coastal forests of halophytic (salt-tolerant) trees in saline, oxygen-deficient (anaerobic) mud 1 Prop / aerial roots for support in soft sediment and for gas exchange (pneumatophores) – salt excretion 1 Seeds germinate on the parent tree and float, rooting where they touch sand - rapid natural regeneration Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
02.2	1 mark each 1 mark for each of the 4 points below. 1 Coastal erosion / storm protection: roots and vegetation absorb wave energy (least tsunami damage in 2004 where mangroves were intact) 1 Fisheries: nursery grounds where dense roots protect young fish that later live on reefs / open sea 1 Protection of coral reefs: slow river water so suspended solids settle and nutrients are absorbed before reaching reefs 1 Resources: timber, fuel – medicines (antimicrobials against MRSA, cyanobacterium for lung cancer) – high biodiversity (crabs, shrimps, sponges, birds) Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • biodiversity → the variety of life: habitat, species and genetic diversity Do not credit • Points after the first four - the question asks for four, so a list of extras cannot pick up the marks.	4
02.3	1 mark each 1 mark for each of the 3 points below. 1 Clearance for aquaculture (shrimp ponds), urban development, ports, tourism – pollution – sea level rise / climate change – destruction of coral reefs that shelter the coast 1 Legal protection / designated areas (eg Sri Lanka protected all remaining mangroves in 2015) 1 Replanting and natural regeneration – control of damaging activities – Ramsar sites Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • aquaculture → fish or shellfish farming	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 66-67; AQA spec 3.1.2.3.4.	
03.1	1 mark each 1 mark for each of the 3 points below. 1 Upwelling currents bring nutrients from the seabed to surface waters 1 24-hour daylight in summer allows a huge phytoplankton bloom 1 Algae also grow under sea ice where krill shelter and feed – krill support most of the food web Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	3

Question	Marking guidance	Marks
03.2	1 mark each 1 mark for each of the 3 points below. 1 Krill is the main food of baleen whales, penguins, seals and fish so over-harvesting removes food from most of the web 1 Toothfish overfishing removes the food of sperm whales and elephant seals 1 Long-lining for toothfish catches and drowns albatrosses on the hooks (by-catch) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit - quotas described as solving overfishing on their own - undersized fish are still caught and discarded	3
03.3	1 mark each 1 mark for each of the 3 points below. 1 Ice on land stores 70% of the Earth's fresh water, keeping sea levels low 1 High albedo of ice reflects sunlight, limiting warming (reduction in ice area causes further warming) 1 Carbon sequestration: carbon in algae eaten by krill sinks to the seabed in krill faeces Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. albedo → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back Do not credit 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	3
03.4	1 mark for the point below. 1 Stronger winds spreading ice - more snowfall from warmer, moister air freezing onto slush - fresh meltwater from land forming a surface layer that freezes more easily (long-term trend still expected to be a decline) Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes.	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 67-71; AQA spec 3.1.2.3.4.	

Question	Marking guidance	Marks
04.1	1 mark each 1 mark for each of the 4 points below. 1 Warming melts ice shelves that hold back glaciers and lubricates ice flow so land ice reaches the sea faster (Antarctic Peninsula most affected) – sea ice loss removes krill habitat and lowers albedo 1 Raised UV harms planktonic algae, krill and fish / sea urchin larvae in surface waters (land animals protected by fur / feathers) 1 Disturbance of wildlife, introduction of non-indigenous species and pathogens, fuel and sewage pollution – visitor numbers rising rapidly at a few landing sites 1 Reserves of coal, oil, gold, uranium, platinum etc – pressure to exploit will rise as reserves elsewhere deplete though currently banned and operations extremely difficult Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. albedo → reflectivity / the proportion of solar radiation reflected / how much sunlight is bounced back Do not credit 'ice reflects the heat back' - albedo is the reflection of incoming short-wave solar radiation, before it is absorbed	4
04.2	1 mark each 1 mark for each of the 6 points below. 1 Treaty signed by 52 countries including all active there – no military activity (except supporting research), no nuclear explosions or radioactive waste dumping 1 No commercial mineral exploitation 1 Fisheries regulated by CCAMLR: krill and some fish exploited, fisheries closed if over-exploited – no commercial exploitation of mammals 1 Tourism control: no accommodation on land (wastes stay on ships), one ship per site with maximum 100 ashore, trained guides, keep 5 m from wildlife, no litter, cleaned protective clothing to prevent introductions 1 Waste management: all wastes removed (fuel containers, batteries, plastics, oil) – sewage only discharged where sea currents disperse it – old waste removed unless removal causes more damage 1 Only long-term residents are research scientists and support staff – strict regulation of research impacts Also accept - Any other correct, relevant point of the same kind - wording never has to match these notes. Do not credit 'nuclear power releases no carbon dioxide' - mining, fuel processing, construction and decommissioning all do	6
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 69-71; AQA spec 3.1.2.3.4.	

Question	Marking guidance	Marks
05.1	Correct answer only 1 mark for the correct option. No mark if more than one box is ticked. 1 B Also accept • biodiversity → the variety of life: habitat, species and genetic diversity • endemic → found naturally only in that one place	1
05.2	1 mark each 1 mark for each of the 4 points below. 1 Rainforest: high light, warm, wet all year, stable conditions for long periods, continuous productivity, many niches (stratification) 1 Antarctica: very low temperatures, low precipitation, extreme seasonal light, 98% ice cover so almost no terrestrial life 1 Antarctic biodiversity is marine, supported by upwelling nutrients and the summer bloom – rainforest supports over half of terrestrial species on 10% of land 1 Both are important carbon stores / climate regulators but rainforest species are specialists vulnerable to small changes – Antarctic species adapted to extreme fluctuation Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • The converse of any point, ie the same comparison written the other way round. • biodiversity → the variety of life: habitat, species and genetic diversity	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 50-71; AQA spec 3.1.2.3.4.	
06.1	Any 4 of 5 1 mark each for any 4 of the 5 points below, in any order, maximum 4. 1 Zooxanthellae are photosynthetic algae living inside the polyp cells 1 The algae absorb CO₂ and excretory wastes from the polyp for photosynthesis and growth (efficient nutrient recycling) 1 They supply the polyp with oxygen and glucose - over 95% of its food energy 1 In return the algae gain a protected habitat and nutrients they could not absorb from the nutrient-deficient water 1 Polyps also feed on plankton captured by cilia and nematocysts Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes. • recycling → reprocessing a material to make something new Do not credit • 'recycling uses no energy' - collection, sorting and reprocessing all use energy, usually less than making the material from new	4
06.2	1 mark each 1 mark for each of the 2 points below. 1 Corals deposit a skeleton of calcium carbonate (calcite) 1 Each carbonate molecule requires the absorption of a molecule of carbon dioxide, so reefs are a carbon sink Also accept • Any other correct, relevant point of the same kind - wording never has to match these notes.	2

Question	Marking guidance	Marks
06.3	Levels of response Decide the level from the descriptors first, then use the indicative content to place the mark within that level. The points below are not a checklist. Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content - a guide to placing the mark, not a checklist • Importance: cover 1% of ocean area but support over a quarter of marine species – fisheries (fish, lobsters, conch) – medicines (AZT, Ara-C, dolastatin, secosteroids, bryostatin, trabectedin, bone grafts) – climate control as carbon sink – erosion protection of low-lying islands – tourism income • Threats: physical damage (anchors, divers, litter, coral extraction), collection of ornaments (CITES Appendix II), sedimentation from rivers and coastal development, pollution (oil, nutrients causing algal shading, sewage, pesticides, sunscreen), ocean acidification, bleaching from warming, overfishing (giant triton / crown of thorns starfish), introduced species (red lionfish), loss of mangroves and seagrass nurseries • Conservation: marine protected areas / national parks (Great Barrier Reef, Belize, Chagos), mooring buoys, diver education, No Take Zones which can increase catches elsewhere, sustainable ecotourism and fishing, protection of mangroves and seagrass, erosion and pollution control, planning control of ports and resorts • Fishing controls: closed seasons, minimum and maximum catchable sizes, bans on dynamite, trawling and small-mesh nets • Evaluation: local measures cannot control global threats (warming, acidification) which need international action – enforcement in remote areas is difficult – conflicts with local livelihoods – large vs small NTZs • Justified conclusion Also accept	9

Question	Marking guidance	Marks
	- Any other correct, relevant point of the same kind - wording never has to match these notes. - Any accurate, relevant material that is not in the indicative content. CITES → the treaty that controls international trade in endangered species sustainable → meeting present needs without stopping future generations meeting theirs Do not credit - carbon dioxide as the main cause of acid rain - the gases responsible are sulfur dioxide and oxides of nitrogen 'the algae use up all the oxygen' on its own - the oxygen is used by aerobic decomposers breaking down the dead algae	
	Model answer - Level 3 (9 marks)	
	Tropical coral reefs cover about one per cent of the oceans yet support over a quarter of marine species, a diversity built on the symbiosis between polyps and zooxanthellae that recycles nutrients in nutrient-poor water. They matter to people for fisheries of fish, lobsters and conch; for medicines such as AZT, Ara-C, dolastatin, secosteroids, bryostatin and trabectedin discovered in reef organisms; as a carbon sink, since every carbonate unit in coral skeleton absorbs a molecule of carbon dioxide; for dissipating wave energy that would erode low-lying islands; and for tourism income.	
	They are also unusually vulnerable because they need narrow abiotic conditions. Anchors, divers, litter and coral extraction kill polyps; ornaments are collected; sediment from rivers and coastal development smothers them; oil, sewage and nutrients cause algal shading; ocean acidification hinders skeleton formation; warming causes bleaching; overfishing of giant tritons lets crown-of-thorns starfish destroy reefs; introduced lionfish eat native fish; and loss of mangroves and seagrass removes the nurseries and sediment traps reefs depend on.	
	Marine protected areas such as the Great Barrier Reef, Belize and Chagos combine mooring buoys, diver education, no-take zones that raise catches outside them, sustainable tourism and protection of linked habitats, while fishing controls set closed seasons, minimum and maximum sizes and ban dynamite, trawling and small mesh. These work well against local threats where they are enforced, and no-take zones have measurable benefits, but they cannot touch warming and acidification, which need international action, enforcement in remote areas is weak, and restrictions conflict with local livelihoods. Local conservation buys time; only global climate action can secure the reefs.	
	Weaker answer - Level 1 (3 marks)	
	Coral reefs are important because lots of fish live there and people catch them for food. Tourists visit reefs to dive and this brings money. Reefs also protect the coast from waves. Reefs are threatened by climate change which causes bleaching, and by pollution and damage from boats. They are conserved by making marine protected areas where fishing is banned. This helps but climate change is still a problem.	
	What makes the difference	
	Level 1 has the right headings but Level 3 explains each (why reefs are diverse, why they are a carbon sink, how each threat acts).	
	Level 3 uses named reserves and specific management measures; Level 1 gives one generic measure.	

Question	Marking guidance	Marks
	• Level 3's evaluation separates local from global threats and reaches a nuanced judgement; Level 1 states that climate change is 'still a problem'.	
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	