

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 03

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- The number in brackets after each marking point is the mark it earns; the note above the points says how many are needed.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- Alternative correct wording and other relevant, accurate points are credited.
- For levels-of-response questions, first determine the level using the descriptors, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	<i>Correct answer only.</i> • The readings are precise but may not be accurate (1)	1
01.2	<i>1 mark for each point.</i> • A result that differs from other results with which it was expected to be similar (1) • Repeat the study / measurement: if it recurs it is a 'real' result caused by another variable; if not it was an error and can be excluded (1)	2
01.3	<i>1 mark for each point.</i> • To test the reliability of the method / equipment (1) • To decide the sample size, number of samples, spacing or timing needed to detect the variation without collecting unnecessary data (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 390-391; AQA spec 3.7.1.	
02.1	<i>1 mark.</i> • Development that meets the needs of the present generation without compromising the ability of future generations to meet their own needs (1)	1
02.2	<i>1 mark for each point.</i> • Negative feedback resists change / returns the system towards its previous state (1) • eg increased temperature increases cloud cover and albedo, or higher CO ₂ increases photosynthesis (1) • Positive feedback increases the change / makes it self-sustaining (1) • eg melting permafrost releasing methane, declining albedo as ice melts, forest and peat fires (1)	4

Question	Marking guidance	Marks
02.3	1 mark. Many species with a complex food web so the loss of one has a small effect; agroecosystems have few species and lack detritivores, pollinators and pest predators that maintain stability (1)	1
02.4	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) - Principles of natural systems: dynamic equilibria and negative feedback; diverse systems resistant to change; low energy-density renewable energy (solar-driven hydrological, carbon and nitrogen cycles); low-temperature processes using enzymes; material cycles with wastes as raw materials; small number of abundant elements; biodegradable non-toxic wastes - Human systems: non-renewable energy, high temperatures (Haber process, incineration, manufacturing), linear resource use, dispersal of minerals and mixtures that are hard to separate, persistent toxins (PCBs, organochlorines, toxic metals in electronics) - Applications: renewable energy and heat pumps, bioleaching, recycling and design for re-use, industrial symbiosis, organic and integrated agriculture, retaining hedgerows and pollinators, circular economy - Human responses that override feedback (fertilisers, irrigation, pesticides) and positive feedback triggered by human activity (permafrost, methane hydrates, fires); tipping points - Barriers: population size and affluence, attitudes of urban populations to distant resources, economics, need for international cooperation, existing infrastructure - Justified conclusion on how far natural principles can be applied	9
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-374; AQA spec 3.6.1-3.6.3.	
03.1	Correct answer only. B (1)	1
03.2	Any 4 from the points below - 1 mark each, maximum 4. - Deforestation (1) - Ploughing of grassland / expansion of farmland (1) - Reservoir creation / flooding (1) - Mineral extraction, especially open-cast mining (1) - Urban expansion (1)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 20-26; AQA spec 3.1.2.2.	

Question	Marking guidance	Marks
04.1	<i>Any 4 from the points below - 1 mark each, maximum 4.</i> • Zooxanthellae are photosynthetic algae living inside the polyp cells (1) • The algae absorb CO₂ and excretory wastes from the polyp for photosynthesis and growth (efficient nutrient recycling) (1) • They supply the polyp with oxygen and glucose - over 95% of its food energy (1) • In return the algae gain a protected habitat and nutrients they could not absorb from the nutrient-deficient water (1) • Polyps also feed on plankton captured by cilia and nematocysts (1)	4
04.2	<i>1 mark for each point.</i> • Corals deposit a skeleton of calcium carbonate (calcite) (1) • Each carbonate molecule requires the absorption of a molecule of carbon dioxide, so reefs are a carbon sink (1)	2
04.3	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) • Importance: cover 1% of ocean area but support over a quarter of marine species; fisheries (fish, lobsters, conch); medicines (AZT, Ara-C, dolastatin, secosteroids, bryostatin, trabectedin, bone grafts); climate control as carbon sink; erosion protection of low-lying islands; tourism income • Threats: physical damage (anchors, divers, litter, coral extraction), collection of ornaments (CITES Appendix II), sedimentation from rivers and coastal development, pollution (oil, nutrients causing algal shading, sewage, pesticides, sunscreen), ocean acidification, bleaching from warming, overfishing (giant triton / crown of thorns starfish), introduced species (red lionfish), loss of mangroves and seagrass nurseries • Conservation: marine protected areas / national parks (Great Barrier Reef, Belize, Chagos), mooring buoys, diver education, No Take Zones which can increase catches elsewhere, sustainable ecotourism and fishing, protection of mangroves and seagrass, erosion and pollution control, planning control of ports and resorts • Fishing controls: closed seasons, minimum and maximum catchable sizes, bans on dynamite, trawling and small-mesh nets • Evaluation: local measures cannot control global threats (warming, acidification) which need international action; enforcement in remote areas is difficult; conflicts with local livelihoods; large vs small NTZs • Justified conclusion	9
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	

Question	Marking guidance	Marks
05.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Demersal trawl: seabed species - cod, haddock, plaice, shrimps, scampi; chains / weights damage the seabed (mix aerobic and anaerobic layers, destroy sea fans, corals, seagrass); high by-catch in mixed fisheries; high fuel use (2) • Purse seine: shoaling pelagic species - tuna, sardines, herring, anchovy; can remove whole shoals; dolphins associated with tuna shoals may be caught (2) • Pelagic long-line: tuna, squid; albatrosses (long-lived, low breeding rate) drown on baited hooks; sharks and turtles caught (2)	6
05.2	<i>1 mark for each point.</i> • Shrimp trawls use very small mesh so crabs, molluscs, sea urchins, starfish, juvenile fish cannot escape - by-catch can be 99% of the catch (1) • Drift nets are non-selective curtains near the surface catching whales, dolphins, turtles, sharks (1)	2
05.3	<i>1 mark for each point.</i> • Lost or discarded nets and traps continue to catch and kill organisms; dead animals act as bait attracting more (1) • Biodegradable ropes / panels so lost traps fall apart; radio transmitters on traps so they can be recovered; net recovery schemes (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 340-343; AQA spec 3.5.2.2.	
06.1	<i>Any 2 from the points below - 1 mark each, maximum 2.</i> • Hydrological cycle (1) • Carbon cycle (1) • Nitrogen cycle (1) • Atmospheric circulation (1) • Thermohaline circulation (1) • Photosynthesis (1)	2
06.2	<i>1 mark for each point.</i> • Enzymes reduce the activation energy of reactions (1) • So reactions such as photosynthesis, decomposition and nitrogen fixation do not need high temperatures (1)	2
06.3	<i>Any 1 from the points below - 1 mark each, maximum 1.</i> • Haber process (nitrogen fixation) (1) • Incineration of wastes (decomposition) (1) • Many manufacturing processes (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 373; AQA spec 3.6.2.	
07.1	<i>Any 2 from the points below - 1 mark each, maximum 2.</i> • Hedgerows (1) • Hay meadows (1) • Grazed moorland / heathland (1) • Chalk grassland (1)	2
07.2	<i>1 mark for each point.</i> • Drainage produces more aerobic soils so wetland plants and the animals they support cannot survive (1) • Fertilisers increase growth of tall species such as grasses which out-compete smaller plants such as wildflowers (1)	2

Question	Marking guidance	Marks
07.3	<i>1 mark.</i> The introduced (non-indigenous) predator may eat other species as well as the pest (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 328-329; AQA spec 3.5.1.3.	
08.1	<i>1 mark for each point.</i> - Hydrosere (1) - Single-celled algae (and floating plants) - arrive on birds / insects / from soil (1)	2
08.2	<i>1 mark for each point.</i> - Pioneers and later plants grow and die; dead organic matter plus sediment washed in fill the pond so water becomes shallower (1) - As depth falls rooted plants (pondweeds then emergent reeds with leaves above water) can anchor and colonise; emergents shade submerged plants which die out (1) - Sediment / soil accumulates and becomes able to support larger plants; water-tolerant trees (willow, alder) colonise the waterlogged soil (1) - Transpiration by trees and further sediment dry the soil and make it aerobic so oak can colonise; the denser canopy shades out smaller plants (1) - Each community changes abiotic conditions (depth, light, nutrients, oxygen), making it suitable for the next colonisers which out-compete them; conditions become less extreme and biotic factors increasingly important (1)	5
08.3	<i>1 mark for each point.</i> - Starting conditions (bare rock vs open water) differ but each stage makes conditions less extreme and builds soil / organic matter (1) - The final community is controlled by the regional climate (temperature, water availability), which is the same for both - climatic climax (eg oak woodland in the UK) (1)	2
08.4	<i>1 mark.</i> Lichens and algae colonise bare rock (extreme temperatures, no soil, little water); rock fragments and dead organic matter accumulate; mosses, then grasses and ferns as thin soil forms; wind-dispersed trees (birch) then animal-dispersed (oak, beech) (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 73-76; AQA spec 3.1.3.3.	

Question	Marking guidance	Marks
09.1	<i>1 mark for each point.</i> • SSSI: UK legislation (Wildlife and Countryside Act); best examples of UK flora, fauna, geological features; management plan agreed with owner who must notify Operations Likely to Damage (ploughing, drainage, pesticides, tree planting / removal) (1) • SPA: EU Birds Directive; places of international importance for birds (with SACs under the Habitats Directive form the Natura 2000 network; may restrict activities in surrounding areas) (1) • Ramsar: Ramsar Convention (intergovernmental agreement); internationally important wetlands, originally for waterfowl, now wetland conservation and wise use generally (1) • MCZ: UK marine legislation (Marine and Coastal Access Act) under the W&CA framework; protects marine habitats / species by restricting activities such as fishing and dredging; NNR: best SSSIs with complete communities (1)	4
09.2	<i>1 mark for each point.</i> • Legal status: restrictions on damaging activities within the area (and sometimes in surrounding areas, eg drainage) (1) • Management agreements between owners and statutory bodies to maintain suitable conditions (1) • But it does not protect against external influences such as air pollution or climate change; very few sites are state-owned so protection depends on owner cooperation (1)	3
09.3	<i>1 mark for each point.</i> • Much of the UK's wildlife lives in habitats created by farming (hay meadows, hedgerows) which only survive if the farming continues (1) • Managing land for wildlife costs money / reduces income so farmers need payments (points for beetle banks, hedgerows, buffer strips, wild bird seed, low-input grassland) (1) • Benefits everyone so society pays through central funding; legislation cannot compel positive management (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 30, 38-39; AQA spec 3.1.2.3.2.	
10.1	<i>A correct final answer (with unit where asked) scores full marks. If the answer is wrong, award 1 mark for each correct step of working shown.</i> • $(15 - 6) / 6 \times 100$ (1) • = 150% (1)	2
10.2	<i>1 mark for each point.</i> • Cells shed by the newts into the water contain their DNA (1) • Water samples are analysed for DNA sequences unique to the species (1)	2
10.3	<i>1 mark for each point.</i> • Catches depend on trapping effort, weather and newt activity on the night, so they vary from year to year (1) • Trapping only samples one pond and one part of the population, whereas eDNA surveys all 20 ponds with a standard method (1)	2

Question	Marking guidance	Marks
10.4	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) • Image databases of unique markings (tiger stripes, whale shark spots, dolphin fins) giving territory size, movements, lifespan and social groups; limited to species with unique features • Motion-sensitive and infrared cameras, CCTV of nests with less disturbance; marking (rings, wing tags) • DNA: eDNA to detect presence (great crested newts, invasive carp); DNA databases to identify regional populations and trace timber, ivory and fish • Auditory monitoring: bat detectors and sonograms for presence, abundance and activity • Position monitoring: radio, GPS and acoustic transmitters; geolocator tags for small birds; data recorders; carrier systems - ROVs / drones, AUVs, balloons, aircraft, satellites, animals • Satellites: visible light for land use and deforestation, infrared for vegetation and temperature, radar for wind, waves, sea level and oil; GPS for tracking • Evaluation: greater coverage, less disturbance and continuous data vs cost, battery / weight limits, calibration, need for ground-truthing, ethical issues of tagging; indirect evidence and traditional methods still needed • Justified conclusion	9
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-407; AQA spec 3.1.2.3.5-3.1.2.3.6.	

Question	Marking guidance	Marks
11.1	Discuss the methods that can be used to conserve biodiversity and evaluate their effectiveness. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Setting priorities: IUCN Red List criteria, EDGE, endemic, keystone, flagship species, population dispersal • Legislation and protocols: Wildlife and Countryside Act, designated areas (SSSI to MCZ), CITES Appendices, IWC, EU CFP, ITTO - successes and limits of enforcement • Captive breeding and release: selection, difficulties, techniques, release site criteria, hard / soft release, monitoring; seed banks • Habitat conservation: creation, design (area, shape, corridors, age structure, colonisation), abiotic and biotic management, plagioclimax maintenance, population control, reintroductions • Habitat case studies (woodland, rainforest, coral reefs, islands, mangroves, Antarctica) illustrating threats and conservation efforts • Monitoring and new technologies informing decisions • Evaluation: examples of success (Iberian lynx, Hawaiian goose, Scilly rats, Yellowstone) and failure (ITTO, tigers); cost, politics, climate change; judgement on the most effective combination Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 26-71; AQA spec 3.1.2.3.	25

Question	Marking guidance	Marks
11.2	Explain how the physical features of the Earth and the activities of living organisms have combined to create and maintain conditions suitable for life. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Physical features: mass / gravity retaining an atmosphere and giving pressure for liquid water; distance from the Sun and the Goldilocks zone; speed of rotation reducing temperature extremes; tilt producing seasons; magnetic field deflecting the solar wind; the Moon stabilising the orbit and producing tides • Importance of liquid water: solvent, transport, temperature control, anomalous expansion, high specific heat capacity, habitats, absorption of UV before the ozone layer • Development of life: Archaea at vents; photosynthesis; oxygen reacting with iron then accumulating; ozone layer allowing colonisation of land; aerobic organisms • Life changing conditions: carbon sequestration offsetting solar brightening, biogeochemical cycles, transpiration and rainfall, regulation of atmospheric gases • Methods of studying past conditions: proxy data, isotope ratios, ice cores, Mg:Ca ratios; understanding of continental drift and ocean currents • Links to current threats (climate change, ozone depletion) and a justified conclusion about the interdependence of physical and biological factors Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-9; AQA spec 3.1.1.	25