

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 07

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- The number in brackets after each marking point is the mark it earns; the note above the points says how many are needed.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- Alternative correct wording and other relevant, accurate points are credited.
- For levels-of-response questions, first determine the level using the descriptors, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	<i>1 mark for each point.</i> • Primary: succession on a newly created habitat with no life / no soil (bare rock, new pond, sand) (1) • Secondary: succession restarting after an existing community is disturbed (tree felling, ploughing, fire, end of grazing) (1) • Faster because soil already exists and many seeds / roots / organisms are still present so there are fewer delays for colonisation (1)	3
01.2	<i>1 mark for each point.</i> • Human activity (grazing, mowing, burning, coppicing) regularly removes the later successional species so the climatic climax cannot form (1) • The stable community that develops under this repeated disturbance is a plagioclimax (1) • Examples: chalk grassland / hay meadows maintained by grazing or mowing; lowland heath by burning; coppiced woodland; Machair grassland; Broads grazing marshes (1)	3
01.3	<i>1 mark for each point.</i> • If the traditional activity stops, secondary succession returns the habitat to scrub / woodland and the plagioclimax species are lost (1) • Rainforest and coral reefs are climax communities so conservation aims to minimise human impact (1)	2
01.4	<i>1 mark for each point.</i> • Extreme environments (deserts, polar) are dominated by abiotic factors; few species tolerate them; populations fluctuate and food webs are simple so changes in one food species have large effects (1) • Stable environments allow many species to evolve inter-species relationships; populations are regulated by biotic factors; complex food webs give stability (rainforests, reefs) (1)	2

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 76-77; AQA spec 3.1.3.3.	
02.1	<i>Any 2 from the points below - 1 mark each, maximum 2.</i> • Hedgerows (1) • Hay meadows (1) • Grazed moorland / heathland (1) • Chalk grassland (1)	2
02.2	<i>1 mark for each point.</i> • Drainage produces more aerobic soils so wetland plants and the animals they support cannot survive (1) • Fertilisers increase growth of tall species such as grasses which out-compete smaller plants such as wildflowers (1)	2
02.3	<i>1 mark.</i> • The introduced (non-indigenous) predator may eat other species as well as the pest (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 328-329; AQA spec 3.5.1.3.	
03.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Tracking: continuous data on movements, territory size, migration routes and habitat use without disturbance, over large areas and long periods; acoustic tags in seawater; geolocators for small birds; more representative than occasional sightings (2) • DNA: identifies individuals, gene pool size / inbreeding and regional populations (tracing ivory, timber, fish); eDNA detects rare or hidden aquatic species (great crested newt, invasive carp) from shed cells without capture (2) • Image recognition: software identifies individuals from unique markings (tiger stripes, whale shark spots, fin damage) in camera-trap / drone / satellite images, giving population size, lifespan, social structure from large image sets quickly and objectively (2) • Acoustic: bat detectors, hydrophones and sonograms record species that are hard to see (bats, cetaceans, insects), giving presence, abundance and activity continuously, day and night (2)	8
03.2	<i>1 mark for each point.</i> • Data collected continuously / over large areas / at night rather than at a few times and places a researcher can visit (1) • Less disturbance so animals behave naturally; larger sample sizes; objective rather than subjective identification (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 402-406; AQA spec 3.1.2.3.6.	
04.1	<i>1 mark for each point.</i> • Diversity: HEP (wet winters), solar (summer) and wind peak at different times so supply is more reliable - diverse systems resist change (1) • No single source could meet demand all year; battery storage on the island grid smooths fluctuations (1) • Calm, dry, dull periods still leave gaps so diesel generators provide security (fossil fuel use minimised, not yet eliminated) (1)	3

Question	Marking guidance	Marks
04.2	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Community ownership (Isle of Eigg Trust with Scottish Wildlife Trust) managing the island for people and wildlife (1) • Wood biomass heating; insulation such as straw-bale housing; some electric vehicles (1) • Habitat protection and creation: fencing rare plants from grazing, planting indigenous woodland (rowan, birch, willow); eagles and hen harriers nesting (1) • Recyclables shipped off; garden / food waste composted; low-impact food production; beach litter collection (1)	3
04.3	<i>1 mark for each point.</i> • Small groups can organise, agree and act quickly; decisions benefit people who see the results directly (1) • Resources and wastes are local and visible so feedback is immediate, unlike cities supplied from far away (1)	2
04.4	<i>1 mark for each point.</i> • Renewable energy is abundant but geographically and temporally variable; a continental grid moves electricity from areas of surplus (desert solar, offshore wind) to areas of demand (1) • DC grids do not need every generator synchronised in phase as AC grids do, so coordination across many countries is easier (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 384-389; AQA spec 3.6.4.	
05.1	<i>1 mark.</i> • Direct measurements of past conditions cannot be taken, so indirect evidence that is related to the condition must be used (1)	1
05.2	<i>1 mark for each point.</i> • Age / date of the sample (radioisotope dating) (1) • Past temperatures (1) • Composition of the past atmosphere (eg CO₂ / methane concentrations) (1) • Temperature: more magnesium is incorporated into calcite at higher temperatures (1)	4
05.3	<i>1 mark for each point.</i> • Movement of continents changed the position of land masses / latitude and therefore the climate and habitats present (1) • Ocean currents redistribute heat and nutrients; changes in currents (eg as continents moved) altered climates, so past conditions cannot be explained without knowing how the systems worked (1)	2
05.4	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • There was no oxygen / ozone layer so high levels of UV radiation reached the land surface; water absorbed the UV and protected organisms in the oceans (1) • Warm temperatures around the vents and a rich mix of chemicals / increasingly complex organic molecules in the sea made biological reactions more likely (1) • The atmosphere contained toxic gases such as ammonia; the early Archaea were anaerobic so did not need oxygen (1) • Water acted as the solvent for reactions / transport (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 6-9; AQA spec 3.1.1.1-3.1.1.3.	

Question	Marking guidance	Marks
06.1	<i>A correct final answer (with unit where asked) scores full marks. If the answer is wrong, award 1 mark for each correct step of working shown.</i> • $600 + (90 + 150) - (220 + 80) = 540$ (1) • Stock fell by 60 so the catch exceeds the MSY / unsustainable (1)	2
06.2	<i>1 mark for the correct answer.</i> • $A + G - M = 90 + 150 - 80 = 160$ (1)	1
06.3	<i>1 mark for each point.</i> • Catch is landed and weighed at ports so it is recorded (1) • Other terms need data on fish in the sea: populations are mobile (crossing national boundaries), very unevenly distributed (1) • Representative sampling of a large enough proportion of the area is impractical / expensive; survival of eggs and larvae varies greatly between years (1)	3
06.4	<i>2 marks for each point (partial credit for a partly correct point).</i> • CPUE: if more effort (boat-days, engine power, net size) is needed to land the same catch, the population is declining even though total catch is maintained; a better measure than catch size which technology can prop up (2) • Falling mean size / age (from scale or otolith growth rings) shows older adults are being removed faster than replaced and the catch depends on small young fish (2)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 349-351; AQA spec 3.5.2.2.	
07.1	<i>1 mark for each point.</i> • The processes (eg regulation of atmospheric gases by photosynthesis and respiration) act in a dynamic equilibrium and cancel each other out (1) • Because there is no overall change their actions go unnoticed / their importance is not appreciated until they are lost (1)	2
07.2	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Invertebrates, fungi and bacteria break down / decompose dead organic matter, releasing nutrients for plant growth (1) • The organic matter and humus produced hold the soil together (reducing erosion) and regulate the water cycle, giving more even river flow and less flooding (1) • Organic acids from decomposition aid the weathering of rock, producing more soil and releasing more nutrients (1) • Microbes carry out the processes of the carbon, nitrogen and phosphorus cycles so wastes do not build up and nutrients are not depleted (1)	3
07.3	<i>1 mark for each point.</i> • Trees reduce wind velocity so wind pollination would be ineffective / unreliable over long distances (1) • Insects search over long distances for flowers so dispersed populations can be pollinated, and less pollen needs to be produced (energy saving); specialised flowers reduce pollen being wasted on other species (1)	2

Question	Marking guidance	Marks
07.4	<i>1 mark for each point.</i> • Dispersal is not haphazard: animals live in the same habitat as the plant so are likely to carry seeds to locations where they can survive (1) • Seeds can be carried longer distances than by wind and can be larger, containing more nutrients for the seedling (1) • Seeds passing through the gut are deposited in faecal material which acts as a fertiliser, and passage through the intestine may stimulate germination (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 18-19; AQA spec 3.1.2.1.3.	
08.1	<i>1 mark for each point.</i> • B: frost-free period (150 days) exceeds the 120 needed whereas A (110) is too short - late frosts would kill seedlings (1) • B is warmer / longer thermal growing season because south-facing slopes receive more insolation; valley floors are frost pockets where cold dense air collects (1) • But B has lower rainfall and a steeper slope (erosion / machinery difficulties) so irrigation / contour cultivation may be needed (1)	3
08.2	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Greenhouses / polytunnels heated by solar gain or burning gas / paraffin (ventilated to prevent overheating) (1) • Woven plastic cloches / fleece over rows to retain warm air near the ground (1) • Burning oil / gas or using large fans in orchards to prevent frost damage to blossom (1) • Site selection (aspect, avoiding frost pockets); heated buildings and shelter for livestock (1)	3
08.3	<i>1 mark for each point.</i> • Mammals and birds use food energy to maintain a constant body temperature (thermoregulation) (1) • Reducing heat loss (shelter, heated buildings) means less food energy is used for heat and more is available for growth (1)	2
08.4	<i>1 mark for each point.</i> • Long days increase milk production and egg laying; poultry grow best with short days; sheep mate as days shorten in autumn (1) • Artificial lighting extends the growing season for greenhouse crops or simulates autumn in spring to give sheep a second mating / lambing season (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 306-309; AQA spec 3.5.1.1.	
09.1	<i>1 mark for the correct answer.</i> • $1000 / 100\,000 \times 100 = 1\%$ (1)	1
09.2	<i>1 mark for each point.</i> • Some light is reflected by the leaves (1) • Some light is transmitted (passes through the leaves without being absorbed) or is of wavelengths not absorbed (1) • Much of the energy captured is used in the plant's metabolic processes and released as low energy-density heat (respiration) (1)	3

Question	Marking guidance	Marks
09.3	1 mark for each point. - Less energy is passed to each trophic level than was received from the previous one (heat losses in respiration) (1) - After four levels too little energy remains to support a further population (1)	2
09.4	1 mark for each point. - Permanent grassland is a more sustainable land use than arable crops in these areas (soil / rainfall unsuitable for crops) (1) - Grazing animals can digest grass cellulose using symbiotic bacteria in their stomachs, producing food that humans can eat (1)	2
09.5	1 mark for each point. - Pigs are omnivores that can eat food wastes not wanted by people (eg cheese-making wastes, catering leftovers) (1) - So edible meat is produced from material that would otherwise be wasted, without using land / crops that could feed people (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 326-328; AQA spec 3.5.1.2.	
10.1	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) - Protected areas: Korup NP Cameroon (1260 km², 600 tree species, endemic <i>Ancistrocladus korupensis</i> with anti-HIV / antimalarial alkaloids); Tumucumaque NP Brazil (39 000 km², adjoining French Guiana reserve); Alto Maues; Rio Bravo Belize funded by charities, companies and ecotourism - Debt for nature swaps; sustainable exploitation: selective logging of high-value timber (mahogany) funding conservation; ITTO aims (largely unmet); CITES listing of timber species (Honduras mahogany Appendix II) - Ecotourism income (but visitor damage in Costa Rica, Malaysia); community projects and employment; carbon sequestration payments - Effectiveness: protected areas work where enforced but face illegal logging, mining, poaching, roads, conflict; drivers (population growth, demand for beef, soya, palm oil, timber, minerals) originate outside the forest; climate change cannot be controlled locally - Judgement: combination of large protected areas, economic alternatives for local people and reduced international demand needed; overall loss continues	9
10.2	1 mark. Carbon sequestration reducing climate change; genetic resources / medicines; rainfall regulation; global biodiversity (1)	1

Question	Marking guidance	Marks
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 56-57; AQA spec 3.1.2.3.4.	
11.1	Using tropical coral reefs as an example, discuss how the ecological features of a habitat determine both its importance and its vulnerability to human activities. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Ecological features: cnidarian polyps, cilia, nematocysts, zooxanthellae symbiosis, limestone skeletons building reefs, complex structure and food web; specific abiotic requirements (temperature, light, salinity, low turbidity) • Importance: quarter of marine species, fisheries, medicines, carbon sink, erosion protection, tourism • Vulnerability: narrow abiotic tolerance means sensitivity to warming, acidification, sedimentation, nutrient pollution, oil, bleaching; slow growth so slow recovery; physical damage; overfishing and food-web effects (crown of thorns); introduced species; dependence on mangroves and seagrass • Conservation: MPAs, No Take Zones, fishing controls, tourism management, protection of linked habitats, CITES • Comparison with other habitats (rainforests, mangroves, Antarctica) where relevant • Evaluation of local vs global threats and justified conclusion Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 57-62; AQA spec 3.1.2.3.4.	25

Question	Marking guidance	Marks
11.2	Discuss how feedback mechanisms, tipping points and diversity influence the stability of natural systems, and how human activities affect them. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Sustainability definitions; population and per capita impact; attitudes of rural and urban societies • Negative feedback: cloud cover and albedo, CO₂ and photosynthesis, evaporation and precipitation, density-dependent population regulation • Positive feedback driven by human activities: permafrost, acidification, albedo decline, methane hydrates, fires, cirrus clouds, decomposition • Tipping points: rare under negative feedback; large events (Permian methane hydrate); self-sustaining change from human activities • Diversity and resistance: reefs and rainforests vs low-diversity agroecosystems lacking detritivores, pollinators and predators • Human responses that override feedback (fertilisers, irrigation, pesticides); links to climate change chapter; justified conclusion Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-372; AQA spec 3.6.1.	25