

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 27

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- The number in brackets after each marking point is the mark it earns; the note above the points says how many are needed.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- Alternative correct wording and other relevant, accurate points are credited.
- For levels-of-response questions, first determine the level using the descriptors, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	<i>1 mark for each point.</i> • Energy: low energy-density renewable (solar) / non-renewable fossil fuels (1) • Materials: cyclic - wastes of one process are raw materials of the next / linear - used once then discarded, depletion (1) • Wastes: biodegradable, non-toxic or do not build up / toxic, persistent (eg PCBs, organochlorines, toxic metals) that bioaccumulate (1) • Temperature: low / high (Haber process, incineration) (1)	4
01.2	<i>1 mark for each point.</i> • Abundant simple raw materials build into monomers and then a wide range of polymers (carbohydrates, proteins) (1) • They are re-used in cycles so there is no depletion of raw materials or build-up of wastes (1)	2
01.3	<i>1 mark for each point.</i> • Use often disperses the minerals (eg in products spread over the world / corrosion) (1) • Or produces mixtures of materials that are difficult to separate, so sustainable exploitation is reduced (1)	2
01.4	<i>1 mark for each point.</i> • They cannot easily be removed from end-of-life appliances and are not biodegradable (1) • Natural wastes are non-toxic / broken down to raw materials for other processes, whereas persistent toxins may bioaccumulate and biomagnify (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 373-374; AQA spec 3.6.2-3.6.3.	

Question	Marking guidance	Marks
02.1	<i>1 mark.</i> • Cross-bred offspring are healthier / more productive because the problems caused by homozygous recessive genes in inbred varieties are reduced (heterosis) (1)	1
02.2	<i>1 mark for each point.</i> • Zebu tolerate heat but have a low milk yield; Ayrshire have a high milk yield but are not heat tolerant (1) • Cross-breeding combined the desirable characteristics: heat tolerance with a high milk yield (1)	2
02.3	<i>Any 2 from the points below - 1 mark each, maximum 2.</i> • Replacement of valuable animals that die with genetically identical individuals (1) • Replacement of herds culled during a disease outbreak (1) • Production of large numbers of individuals with desirable characteristics (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 321-322; AQA spec 3.5.1.2.	
03.1	<i>1 mark for each point.</i> • Very small gene pool so individuals are closely related and inbreeding is likely (1) • Harmful recessive genes are expressed when both parents carry them: some goslings had thin hair-like feathers with poor insulation so survival in cold weather was low (1) • A stud book records family trees so breeding is arranged between the least related individuals (often coordinated by a specialist zoo) (1) • Exchange of individuals / semen between zoos; avoid hybridisation with related species / subspecies (1)	4
03.2	<i>Any 3 from the points below - 1 mark each, maximum 3.</i> • Breeding is triggered by stimuli (day length, light, temperature, food, body fat) which may be unknown / not provided (1) • Population interactions: mixing breeding and non-breeding individuals causes conflict; some need a choice of partners, others pair for life (1) • Breeding habitat needed: courtship display sites, nest sites, social groups (flamingos only breed in large groups - mirrors used) (1) • Stress / disturbance (1)	3
03.3	<i>1 mark for each point.</i> • AI: semen collected (and can be stored / cryopreserved for years) and inserted into the female, so animals need not be transported or meet; avoids dangerous mating (elephants, rhinos) and partner rejection (1) • Embryo transfer: a female of the endangered species (eg bongo) is treated with hormones to release many eggs, which are fertilised and implanted into surrogate females of a common related species (eland) (1) • So many offspring are produced per cycle instead of one calf per year, overcoming the shortage of breeding females (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 33-35; AQA spec 3.1.2.3.3.	

Question	Marking guidance	Marks
04.1	<i>1 mark for each point.</i> • All greenhouse gases expressed as CO₂ equivalent (allowing for different warming strengths) (1) • Direct emissions from fuel combustion plus indirect: manufacture of components, maintenance items, final disposal (life-cycle analysis) (1) • A fair share of the infrastructure: roads, car parks, signals, street lighting (1)	3
04.2	<i>1 mark for each point.</i> • Compares the populations of over 18 000 populations of 3700 vertebrate species (terrestrial, freshwater, marine) with 1970 levels (1) • Published in the Living Planet Report as a measure of the state of the planet's ecosystems / biodiversity loss over time (1)	2
04.3	<i>1 mark for each point.</i> • Hardy, disease-resistant Boran cattle; regular tick dipping reduces ticks for wild herbivores too (1) • Mobile bomas (night enclosures) protect cattle from lions and leave dung that enriches soil and plant growth (1) • Electric fences keep game in and poachers out; biological corridors let animals (except rhinos) move to other reserves; problem elephants relocated (1) • Monitoring: radio-collared lions, drones, camera traps, track surveys; endangered species (Grevy's zebra, northern white rhino) protected (1) • Community links: ecotourism income funds health, education and water projects; local employment; cattle breeding help for local farmers (1)	5
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 380-383; AQA spec 3.6.4.2.	
05.1	<i>1 mark for each point.</i> • Warming melts ice shelves that hold back glaciers and lubricates ice flow so land ice reaches the sea faster (Antarctic Peninsula most affected); sea ice loss removes krill habitat and lowers albedo (1) • Raised UV harms planktonic algae, krill and fish / sea urchin larvae in surface waters (land animals protected by fur / feathers) (1) • Disturbance of wildlife, introduction of non-indigenous species and pathogens, fuel and sewage pollution; visitor numbers rising rapidly at a few landing sites (1) • Reserves of coal, oil, gold, uranium, platinum etc; pressure to exploit will rise as reserves elsewhere deplete though currently banned and operations extremely difficult (1)	4

Question	Marking guidance	Marks
05.2	<i>1 mark for each point.</i> • Treaty signed by 52 countries including all active there; no military activity (except supporting research), no nuclear explosions or radioactive waste dumping (1) • No commercial mineral exploitation (1) • Fisheries regulated by CCAMLR: krill and some fish exploited, fisheries closed if over-exploited; no commercial exploitation of mammals (1) • Tourism control: no accommodation on land (wastes stay on ships), one ship per site with maximum 100 ashore, trained guides, keep 5 m from wildlife, no litter, cleaned protective clothing to prevent introductions (1) • Waste management: all wastes removed (fuel containers, batteries, plastics, oil); sewage only discharged where sea currents disperse it; old waste removed unless removal causes more damage (1) • Only long-term residents are research scientists and support staff; strict regulation of research impacts (1)	6
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 69-71; AQA spec 3.1.2.3.4.	
06.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Species: a group of closely related organisms that naturally interbreed to produce fertile offspring and are reproductively isolated from other groups (<i>Passer domesticus</i>, house sparrow); the only 'real' taxon (2) • Niche: the role a species plays in its habitat - how it uses resources and relates to other species (tawny owl: nocturnal carnivore nesting in tree holes eating small mammals); two species cannot share exactly the same niche in one habitat (2) • Community: all the populations of all species (plants, animals, fungi, bacteria, protists, archaea) living in an area (2) • Biome: a large geographical region with a specific climate and characteristic community, including all areas where it occurs (all tropical rainforests, tundra, savannah) (2)	8
06.2	<i>1 mark for each point.</i> • An ecosystem is the biotic community plus abiotic factors of one area, relatively self-contained (a particular coral reef) (1) • A biome includes all separate ecosystems with the same climate and community type (all coral reefs); each reef is a different ecosystem within the same biome (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 82-85; AQA spec 3.1.3.2.	
07.1	<i>Correct answer only.</i> • B (1)	1
07.2	<i>1 mark for each point.</i> • Number all possible sampling sites (eg on a grid map) (1) • Select the sites using a random number generator / table; (regular shape: grid coordinates from random numbers) (1)	2
07.3	<i>1 mark for each point.</i> • Sites may be chosen for convenience or because they appear to support (or dismiss) the hypothesis (1) • So the sample does not represent the whole area and conclusions are invalid (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 391-393; AQA spec 3.7.1.	

Question	Marking guidance	Marks
08.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • EDGE: Evolutionarily Distinct and Globally Endangered - few close relatives, often the last species of their genus / family (Bactrian camel, pygmy hippo, northern bald ibis); loss would remove a unique branch of evolution / genes (2) • Endemic: found in only one area (often islands - Galapagos, Madagascar, Seychelles: Aldabra giant tortoise, red ruffed lemur); if lost locally there is no population elsewhere to recolonise (2) • Keystone: disproportionately important for the structure of the community relative to its abundance - predation of dominant species, seed dispersal, habitat creation (jaguar, forest elephants keeping paths and water holes open, wolves, beavers); losing them causes loss of many other species (2) • Flagship: high public profile (tiger, panda, elephant, orang-utan) raising funds and support that also protects the whole habitat and less charismatic species (fungi, bats, moths) (2)	8
08.2	<i>1 mark for each point.</i> • A fragmented population may consist of isolated groups each too small to be viable (resources, inbreeding) even if total numbers are large (1) • A species confined to a single area (eg bonobos in one country) is vulnerable to any local change / conflict, unlike chimpanzees spread across many countries (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 28-29; AQA spec 3.1.2.3.1.	
09.1	<i>1 mark for each point.</i> • Domesticated crops were bred from a small number of original plants so they have a small gene pool / low genetic diversity (1) • Selective breeding for yield, appearance or shelf life may have lost other useful genes (eg taste, disease resistance) (1) • Genetically similar plants share the same susceptibilities so a new disease or environmental change can affect the whole crop (1)	3
09.2	<i>1 mark for each point.</i> • A region with a high concentration of the wild relatives of important crops - usually where the crop was first domesticated (eg wheat / barley in the Middle East; potato, tomato in South America; rice in India; maize in Central America) (1) • They hold the largest gene pools / most genetic variety for future crop breeding (disease resistance, drought and salt tolerance, yield) (1) • Many are in regions where environmental degradation / habitat loss threatens the wild plants (1)	3
09.3	<i>1 mark for each point.</i> • A large population may all descend from a few closely related individuals so they are genetically similar (1) • Similar adaptations mean all are susceptible to the same change (disease, climate) (1) • Greater risk of inbreeding so disadvantageous recessive genes are expressed (eg amelanism, poor muscle development in lion cubs); so species should be protected across their whole range to retain regional genes (1)	3

Question	Marking guidance	Marks
09.4	1 mark. • Morama bean (drought resistant, soya-like protein); yeheb tree (drought resistant nuts, poor soils); potato bean (high protein); perennial maize / Kernza (no annual replanting, less ploughing / erosion); salt-tolerant spinach relatives (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 15-17; AQA spec 3.1.2.1.2.	
10.1	<i>A correct final answer (with unit where asked) scores full marks. If the answer is wrong, award 1 mark for each correct step of working shown.</i> • By-catch = $5.9 + 1.9 = 7.8$ t; total = 8.4 t (1) • $7.8 / 8.4 \times 100 = 92.9\%$ (accept 93%) (1)	2
10.2	1 mark. • The nets have a very small mesh size so few non-target animals can escape (1)	1
10.3	1 mark for each point. • They breed at an old age (skate about 11 years; Greenland shark 100-150 years) and produce few young (1) • They may reach a catchable size before they are sexually mature, so fishing can remove the whole breeding population before it has bred (1) • Populations recover slowly, unlike r-selected species (herring, mackerel) which breed young and produce many young; they are caught as by-catch in demersal trawls so fishing continues even though they have no commercial value (1)	3

Question	Marking guidance	Marks
10.4	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) • Impacts: population decline of k-selected species, by-catch (immature target fish, over-quota fish, non-commercial species; drift nets - whales, dolphins, turtles; longlines - albatrosses; pair trawls - porpoises), ghost fishing, seabed damage by demersal trawls, coral and seagrass damage, dynamite fishing, food-web effects • Catch quotas: limit weight landed; work well for single-species pelagic shoals but in mixed fisheries over-quota fish are discarded dead so the quota fails to protect them • Gear design: mesh size and square-mesh escape panels let small fish escape (diagonal mesh closes under drag); turtle exclusion devices; acoustic pingers for dolphins; curved hooks, decoys, sinkers and night setting to protect albatrosses; biodegradable / radio-tracked traps to reduce ghost fishing • Restricted effort: limits on boat size, engine power and days at sea; decommissioning; restricted methods - drift-net bans, demersal trawling bans on sensitive seabeds (Rockall Bank, Hatton Bank) • Evaluation: enforcement at sea is difficult; some methods reduce catch or raise costs; quotas need reliable stock data; effectiveness depends on species (single vs mixed shoals) and on international cooperation as fish migrate; as local stocks decline fishing moves to more distant waters • Justified conclusion weighing effectiveness of different methods	9
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 341-345; AQA spec 3.5.2.2.	

Question	Marking guidance	Marks
11.1	Discuss how human activities influence biodiversity, using examples from a range of different contexts. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Direct exploitation: food (fisheries, bushmeat), fashion, entertainment / pets, furniture and ornaments, traditional medicines, other products (whale oil); deliberate eradication of predators, competitors, vectors, pests • Changes in abiotic factors: water availability (drainage, abstraction, HEP), light (forest clearance), oxygen (organic pollution, thermal), nutrients (eutrophication), pH (acid mine drainage, acid rain), temperature (thermal pollution, climate change), turbidity, physical damage; inactivity (stopping plagioclimax management) • Changes in biotic factors: introduced competitors, predators, pathogens, hybridisation; loss of pollinators, seed dispersers, keystone species; food chain impacts (sea otters, puffins, jellyfish) • Habitat destruction: deforestation, farmland expansion, urbanisation, mining, reservoirs; fragmentation and edge effects • Contexts: temperate woodland, rainforest, coral reefs, oceanic islands, mangroves, Antarctica; agriculture, fishing, forestry • Positive influences: habitat creation, conservation management, reintroductions, legislation • Evaluation of which influences are most damaging and hardest to reverse; conclusion Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 20-26, 328-330, 341-344, 367-369; AQA spec 3.1.2.2, 3.5.1.3, 3.5.2.2, 3.5.3.3.	25

Question	Marking guidance	Marks
11.2	Discuss the extent to which the principles of the circular economy could be used to develop sustainable lifestyles. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Definition of sustainability (Brundtland); population x per capita impact; dynamic equilibria, feedback, tipping points, diversity • Principles of natural systems: renewable low-density energy, low temperatures, material cycles, non-toxic wastes; contrast with linear human systems • Circular economy principles: cycling materials, renewable energy, supporting ecosystems, separation of technical and biological materials, diversity, connected systems, design for extended use and re-use, optimum production, new technologies • Application to land use, water, minerals, waste, pollution, energy, food with examples (Kalundborg, Eigg, Ol Pejeta, Rio Bravo, EU initiatives, DC grids) • Measuring progress: ecological footprint, biocapacity, global hectares, Earth Overshoot Day, carbon footprint, Living Planet Index • Barriers: economics, competition, consumer behaviour, need for international agreement, existing infrastructure • Judgement on the extent achievable Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 370-389; AQA spec 3.6.	25