

A-level

ENVIRONMENTAL SCIENCE

Paper 2 - Generated practice paper Set 31

Mark scheme

120 marks: Questions 1-10 (95 marks) plus one essay from Question 11 (25 marks).

Marking guidance

- The number in brackets after each marking point is the mark it earns; the note above the points says how many are needed.
- Where a question asks for a fixed number of points (eg *two reasons*), credit only the first points given.
- Alternative correct wording and other relevant, accurate points are credited.
- For levels-of-response questions, first determine the level using the descriptors, then position the mark within the level using the indicative content.
- Calculations: credit correct working (method marks) even if the final answer is wrong; incorrect answers with no working score 0.

Textbook references: every question below cites the printed page numbers in R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018) from which the content is drawn, together with the AQA 7447 specification reference.

Question	Marking guidance	Marks
01.1	<i>1 mark for each point.</i> • Negative (1) • Positive (1) • Negative (1) • Positive (1)	4
01.2	<i>1 mark for each point.</i> • The response to a change acts to re-establish / return the system to the previous equilibrium (1) • So the change does not become self-sustaining unless a large unusual event overwhelms the negative feedback (1)	2
01.3	<i>1 mark for each point.</i> • eg the possible release of methane hydrate at the end of the Permian era (1) • Overwhelmed the negative feedback mechanisms, causing climate change and a mass extinction / a new equilibrium (1)	2
01.4	<i>1 mark for each point.</i> • Soil degradation, reduced water availability and loss of natural pest predators would reduce yields (negative feedback curtailing the activity) (1) • Instead of reducing the activity, farmers use fertilisers, irrigation and pesticides, which further damage the natural systems that support food production (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 371-372; AQA spec 3.6.1.	
02.1	<i>1 mark for each point.</i> • About 8 nights (1) • The running mean fluctuates widely with few samples but stabilises at 21-22 from 8 nights onwards; extra samples do not change it significantly (1)	2

Question	Marking guidance	Marks
02.2	<i>1 mark for each point.</i> • Moth activity varies with temperature, wind, rain and season (adults only fly for part of the year) so catches vary independently of population size (1) • Sampling at different conditions / times would make results not comparable (1) • Timing between samples should be chosen to detect the temporal variation of interest (eg weekly through the season) (1)	3
02.3	<i>1 mark for each point.</i> • Accuracy: how close a recorded result is to the real value (1) • Precision: the smallest interval between possible recorded values (eg a ruler marked in mm is more precise than one in cm) (1)	2
02.4	<i>1 mark for each point.</i> • A null hypothesis (eg no difference / no correlation) can be tested statistically and accepted or rejected at a stated confidence level (1) • Standardised techniques ensure results collected at different times, places or by different people are comparable (1) • Other variables are controlled or monitored so their effect can be assessed; allows the study to be repeated / checked (reliability) (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 390-393; AQA spec 3.7.1.	
03.1	<i>1 mark for each point.</i> • Timber: building construction, furniture, tools, telegraph poles, concrete shuttering (oak, beech, mahogany, teak, conifer softwood) (1) • Fuel: fuelwood and charcoal - still the main energy source for most people in LEDCs (1) • Food: fruit, nuts, bushmeat, livestock fodder; crops of forest origin (coffee, cacao, bananas, Brazil nuts); pigs and chickens were forest animals (1) • Fibres: paper (wood pulp cellulose), cotton, viscose / rayon (1) • Medicines: quinine (cinchona), taxol (yew), aspirin (willow); most species not yet researched (1)	5
03.2	<i>1 mark for each point.</i> • Wood is mainly cellulose which is hard to digest, so carbon stored in wood has a long residence time; total forest carbon (vegetation plus soil) is about double that in the atmosphere (1) • Growing trees sequester CO₂ by photosynthesis and release oxygen; forest soils hold more carbon than the trees (especially boreal) (1) • Planting / protecting forests removes CO₂ and reduces the enhanced greenhouse effect (1)	3
03.3	<i>1 mark for each point.</i> • Highest transpiration of any ecosystem increases downwind rainfall; interception increases evaporation; deep organic soils retain water and delay runoff so river flow is more even and flooding reduced (1) • Low albedo absorbs sunlight; heat stored and released at night reduces day-night temperature extremes; canopy microclimate: lower light, wind, higher humidity (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 360-364; AQA spec 3.5.3.1.	

Question	Marking guidance	Marks
04.1	<i>1 mark for each point.</i> • Irrigation depletes rivers and aquifers (eg Aral Sea, Ogallala); increases evaporation (1) • Soil erosion and compaction reduce water retention and infiltration so runoff and river flow fluctuations increase (1) • Evapotranspiration changes: increased in irrigated arid areas, decreased where forests were cleared (1)	3
04.2	<i>2 marks for each point (partial credit for a partly correct point).</i> • Seasonal / local: avoids energy for heating, lighting greenhouses out of season and long-distance transport (food miles) and the pollution this causes (2) • Organic: uses natural processes (rotation, legumes, manure, biological control, predator habitats) instead of artificial fertilisers and pesticides, so less pollution, energy use and harm to non-target species; free-range and Fairtrade also accepted for welfare / social reasons (2)	4
04.3	<i>1 mark for each point.</i> • Food shortages after 1945 (dependence on US food aid); farmers could not afford loans to invest so grants funded machinery, drainage, hedgerow removal, liming, improved livestock (1) • Guaranteed market / price support: government bought surpluses to hold prices up (and sold stores in poor years) giving farmers security to increase output (1) • Consequences: loss of hedgerows and wetlands, intensification, pesticide and fertiliser pollution; later food surpluses (butter mountains) that could not be sold without harming LEDC producers (1)	3
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 329-333; AQA spec 3.5.1.3-3.5.1.4.	
05.1	<i>Correct answer only.</i> • B - radio waves do not travel through seawater; acoustic or satellite tags transmit position (1)	1
05.2	<i>2 marks for each point (partial credit for a partly correct point).</i> • Shows survival, dispersal and breeding of released individuals so success can be assessed and future releases improved (2) • Radio / GPS tags or collars; leg rings / wing tags on birds; camera traps; DNA from droppings to confirm identity and diet (2)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 393-394, 402-407; AQA spec 3.1.2.3.5-3.1.2.3.6.	
06.1	<i>A correct final answer (with unit where asked) scores full marks. If the answer is wrong, award 1 mark for each correct step of working shown.</i> • $600 + (90 + 150) - (220 + 80) = 540$ (1) • Stock fell by 60 so the catch exceeds the MSY / unsustainable (1)	2
06.2	<i>1 mark for the correct answer.</i> • $A + G - M = 90 + 150 - 80 = 160$ (1)	1
06.3	<i>1 mark for each point.</i> • Catch is landed and weighed at ports so it is recorded (1) • Other terms need data on fish in the sea: populations are mobile (crossing national boundaries), very unevenly distributed (1) • Representative sampling of a large enough proportion of the area is impractical / expensive; survival of eggs and larvae varies greatly between years (1)	3

Question	Marking guidance	Marks
06.4	<i>2 marks for each point (partial credit for a partly correct point).</i> • CPUE: if more effort (boat-days, engine power, net size) is needed to land the same catch, the population is declining even though total catch is maintained; a better measure than catch size which technology can prop up (2) • Falling mean size / age (from scale or otolith growth rings) shows older adults are being removed faster than replaced and the catch depends on small young fish (2)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 349-351; AQA spec 3.5.2.2.	
07.1	<i>2 marks for each point (partial credit for a partly correct point).</i> • Species: a group of closely related organisms that naturally interbreed to produce fertile offspring and are reproductively isolated from other groups (<i>Passer domesticus</i>, house sparrow); the only 'real' taxon (2) • Niche: the role a species plays in its habitat - how it uses resources and relates to other species (tawny owl: nocturnal carnivore nesting in tree holes eating small mammals); two species cannot share exactly the same niche in one habitat (2) • Community: all the populations of all species (plants, animals, fungi, bacteria, protists, archaea) living in an area (2) • Biome: a large geographical region with a specific climate and characteristic community, including all areas where it occurs (all tropical rainforests, tundra, savannah) (2)	8
07.2	<i>1 mark for each point.</i> • An ecosystem is the biotic community plus abiotic factors of one area, relatively self-contained (a particular coral reef) (1) • A biome includes all separate ecosystems with the same climate and community type (all coral reefs); each reef is a different ecosystem within the same biome (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 82-85; AQA spec 3.1.3.2.	
08.1	<i>1 mark for each point.</i> • Mars has low mass so weak gravity and could not retain a dense atmosphere (1) • Very low atmospheric pressure means water would boil / evaporate away even at low temperatures (1) • Greater distance from the Sun gives low insolation and a mean temperature of -60 °C so water is frozen (1)	3
08.2	<i>1 mark for each point.</i> • Mass great enough for gravity to retain an atmosphere containing the elements needed (C, H, O, N as CO₂, methane, ammonia, water vapour) and to maintain pressure so liquid water does not boil (1) • Distance from the Sun (the 'Goldilocks zone') gives insolation producing temperatures at which water is liquid (0-35 °C over most of the surface) and proteins are not denatured (1) • Too close (Venus) - too hot; too far (Mars) - too cold (1)	3

Question	Marking guidance	Marks
08.3	<i>1 mark for each point.</i> • The molten core produces a magnetosphere that deflects the solar wind / charged particles, preventing biologically damaging radiation reaching the surface (1) • The 24-hour rotation limits heating by day and cooling by night, reducing temperature extremes (Venus' slow rotation gives extreme conditions) (1)	2
08.4	<i>1 mark for each point.</i> • The tilted axis causes seasonal variation in insolation as the Earth orbits the Sun (1) • Producing seasons (temperature, day length) to which species' life cycles (breeding, migration, dormancy) are adapted; the Moon's gravity keeps the tilt stable and creates tides (1)	2
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-7; AQA spec 3.1.1.1.	
09.1	<i>1 mark for each point.</i> • The nucleus of a stem cell from the endangered species is transferred into an empty egg of a closely related species (southern white rhino) (1) • The embryo is implanted into a surrogate female of the related species which gives birth to a northern white rhino (1) • Very low success rates with wildlife so far; deep-frozen cells could allow clones even after the last individuals die (1)	3
09.2	<i>1 mark for each point.</i> • Micro-propagation: tissue culture producing many cell clusters from one plant, each grown into a genetically identical plant (1) • Black poplar: cuttings / pollarded stems of pure native trees are rooted to produce many identical trees (1) • Needed because the flowers are pollinated by introduced subspecies producing hybrids, so cloning maintains the pure gene pool (but no genetic diversity) (1)	3
09.3	<i>1 mark for each point.</i> • Stores seeds of wild plants (especially threatened species and crop wild relatives) so species are not lost if extinct in the wild (1) • Seeds collected worldwide; target of 10 000 seeds per species to maintain a diverse gene pool (1) • Stored dry and refrigerated / frozen in an underground reinforced vault to reduce risk of accident (1) • Seeds germinated periodically to check viability and replenish stocks; can be used for reintroduction / breeding (1)	4
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 35-37; AQA spec 3.1.2.3.3.	

Question	Marking guidance	Marks
10.1	Levels of response Level 3 (7-9 marks): Answer is comprehensive, relevant and logically structured. Shows detailed knowledge and understanding of the relevant scientific ideas and applies them accurately to the context. Evaluation/analysis is well supported by evidence and a clear judgement or conclusion is reached. Level 2 (4-6 marks): Answer is mostly relevant and shows some structure. Knowledge and understanding of relevant ideas is sound but application to the context or evaluation may be incomplete or lack detail. A judgement may be made but is not fully supported. Level 1 (1-3 marks): Answer is basic, with limited structure. Some relevant knowledge is shown but there are omissions or errors. Little application to the context and little or no evaluation. 0 marks: No relevant content. Indicative content (credit other relevant, accurate points) • Protected areas: Korup NP Cameroon (1260 km², 600 tree species, endemic <i>Ancistrocladus korupensis</i> with anti-HIV / antimalarial alkaloids); Tumucumaque NP Brazil (39 000 km², adjoining French Guiana reserve); Alto Maues; Rio Bravo Belize funded by charities, companies and ecotourism • Debt for nature swaps; sustainable exploitation: selective logging of high-value timber (mahogany) funding conservation; ITTO aims (largely unmet); CITES listing of timber species (Honduras mahogany Appendix II) • Ecotourism income (but visitor damage in Costa Rica, Malaysia); community projects and employment; carbon sequestration payments • Effectiveness: protected areas work where enforced but face illegal logging, mining, poaching, roads, conflict; drivers (population growth, demand for beef, soya, palm oil, timber, minerals) originate outside the forest; climate change cannot be controlled locally • Judgement: combination of large protected areas, economic alternatives for local people and reduced international demand needed; overall loss continues	9
10.2	<i>1 mark.</i> • Carbon sequestration reducing climate change; genetic resources / medicines; rainfall regulation; global biodiversity (1)	1
	Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 56-57; AQA spec 3.1.2.3.4.	

Question	Marking guidance	Marks
11.1	Agriculture involves the control of abiotic and biotic factors to maximise food production. Discuss how this control can be achieved and evaluate its environmental impacts. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Species selection: market, range of tolerance, controllability • Abiotic control: temperature, light, water, soil fertility / nutrients, aeration, salinity, pH, CO₂, topography, relief, wind - methods and examples • Biotic control: pest groups, cultural control, biological control (successes and failures), sterile males, pheromones, genetic resistance, pesticides (properties), antibiotics, pollinators, soil biota • Manipulation of food species: population density, monocultures, selective breeding, asexual reproduction, cross-breeding, AI / embryo transfer, GM; energetics - intensive vs extensive, energy subsidies, ratios, FCR, food chain losses • Impacts: habitat loss / change, reduced biodiversity, introduced species, pesticide and nutrient pollution, GHGs, hydrological changes, soil erosion; positive: plagioclimax habitats • Social, economic and political influences shaping methods • Sustainable strategies and evaluation; conclusion Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 306-337; AQA spec 3.5.1.	25

Question	Marking guidance	Marks
11.2	Explain how the physical features of the Earth and the activities of living organisms have combined to create and maintain conditions suitable for life. Levels of response Level 5 (21-25 marks): Comprehensive and detailed knowledge and understanding drawn from across the specification, applied accurately to the question. Argument is coherent, well-structured and supported by a wide range of relevant, well-chosen examples and quantitative detail where appropriate. Interconnections between topics are made explicitly and a clear, justified conclusion is reached. Level 4 (16-20 marks): Detailed knowledge and understanding with good application to the question. Argument is logically organised with relevant examples; some links between different areas of the specification are made. Conclusions are drawn but may be less fully justified. Level 3 (11-15 marks): Sound knowledge and understanding, mostly applied to the question. Some structure and relevant examples, but coverage may be uneven or descriptive rather than analytical. Limited linking of topics. Level 2 (6-10 marks): Basic knowledge and understanding with partial relevance. Answer is largely descriptive with few examples and limited structure; some errors or omissions. Level 1 (1-5 marks): Limited, fragmented knowledge with little relevance to the question. Little structure; examples absent or inappropriate. 0 marks: No relevant content. Indicative content (students are not expected to cover all of these; credit other relevant material) • Physical features: mass / gravity retaining an atmosphere and giving pressure for liquid water; distance from the Sun and the Goldilocks zone; speed of rotation reducing temperature extremes; tilt producing seasons; magnetic field deflecting the solar wind; the Moon stabilising the orbit and producing tides • Importance of liquid water: solvent, transport, temperature control, anomalous expansion, high specific heat capacity, habitats, absorption of UV before the ozone layer • Development of life: Archaea at vents; photosynthesis; oxygen reacting with iron then accumulating; ozone layer allowing colonisation of land; aerobic organisms • Life changing conditions: carbon sequestration offsetting solar brightening, biogeochemical cycles, transpiration and rainfall, regulation of atmospheric gases • Methods of studying past conditions: proxy data, isotope ratios, ice cores, Mg:Ca ratios; understanding of continental drift and ocean currents • Links to current threats (climate change, ozone depletion) and a justified conclusion about the interdependence of physical and biological factors Source: R. Genn, Environmental Science A level AQA (Insight & Perspective, 2018), pp. 5-9; AQA spec 3.1.1.	25