

DESARROLLO LABORATORIO 12

MAYTA LAURA ENZO IVAN

ingresar en www.whoami-labs.com

descargar los laboratorios.

DOCS-INTERNAL

LEGACY-FTP-SERVER

Critical System

DATAVAULT

Ejecutar Nmap contra la dirección IP asignada de cada laboratorio.

Identificar y documentar y adjuntar screenshot:

Los puertos abiertos encontrados.

El servicio asociado a cada puerto.

La versión o número de versión del servicio detectado (ejemplo: Apache 2.4.41, OpenSSH 8.2p1). Adjuntar todas las evidencias en 1 archivo PDF.

DOCS-INTERNAL

```
user@kali: ~/Escritorio
=====
Bienvenido a WHOAMI-LABS.COM.
Aprende, simula, escala. Sin burocracia.
=====

[*] Cargando imagen desde lab_docs_internal.tar...
[*] Iniciando laboratorio...

=====
[v] Laboratorio desplegado correctamente.
=====

LAB: DOCS-INTERNAL
DIFICULTAD: ★☆☆ Fácil (1 punto)

=====
IP del laboratorio: 172.17.0.6
=====

Ingresa la ROOT flag (formato CTF{...}):
```

```
(user@kali)-[~/Escritorio]
$ nmap 172.17.0.6
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-22 06:21 -0500
Nmap scan report for 172.17.0.6
Host is up (0.0000050s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
MAC Address: 2E:70:B9:5E:93:1A (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 0.70 seconds

(user@kali)-[~/Escritorio]
$ nmap -sV 172.17.0.6
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-22 06:22 -0500
Nmap scan report for 172.17.0.6
Host is up (0.0000060s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.41 ((Ubuntu))
MAC Address: 2E:70:B9:5E:93:1A (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 6.97 seconds
```

```
(user@kali)-[~/Escritorio]
$ sudo nmap -sS -sV 172.17.0.6
[sudo] contraseña para user:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-22 06:22 -0500
Nmap scan report for 172.17.0.6
Host is up (0.0000060s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protocol 2.0)
80/tcp    open  http     Apache httpd 2.4.41 ((Ubuntu))
MAC Address: 2E:70:B9:5E:93:1A (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 6.93 seconds
```

Reporte de Hallazgos

- **Dirección IP Analizada:** 172.17.0.6
- **Sistema Operativo Detectado:** Linux (Entorno de contenedor)

Puertos abiertos encontrados y servicios asociados:

- Puerto 22/tcp: Servicio SSH (Secure Shell).
- Puerto 80/tcp: Servicio HTTP (Servidor Web).

Puerto	Estado	Servicio	Versión Detectada
22/tcp	Abierto	SSH	OpenSSH 8.2p1 (Ubuntu 4ubuntu0.13)
80/tcp	Abierto	HTTP	Apache httpd 2.4.41 (Ubuntu)

LEGACY-FTP-SERVER

user@kali: ~/Escritorio

WELCOME TO WH0AMI-LABS.COM

venido a WH0AMI-LABS.COM.

rende, simula, escala. Sin burocracia.

] Cargando imagen desde legacy_ftp_server.rar...

] Iniciando laboratorio...

] Laboratorio desplegado correctamente.

AB: LEGACY-FTP-SERVER

IFICULTAD: ★ Fácil (1 punto)

del laboratorio: 172.17.0.2

pres la ROOT flag (formato CTF{...}):

(user@kali) [~/Escritorio]

\$ nmap -sV 172.17.0.2

Starting Nmap 7.99 (https://nmap.org) at 2026-07-22 06:38 -0500

Nmap scan report for 172.17.0.2

Host is up (0.000060s latency).

Not shown: 998 closed tcp ports (reset)

PORT STATE SERVICE VERSION

21/tcp open ftp ProFTPD 1.3.5a

80/tcp open http Apache httpd 2.4.18 ((Ubuntu))

MAC Address: EA:5D:CD:31:B4:62 (Unknown)

Service Info: OS: Unix

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .

Nmap done: 1 IP address (1 host up) scanned in 7.08 seconds

(user@kali) [~/Escritorio]

\$ nmap 172.17.0.2

Starting Nmap 7.99 (https://nmap.org) at 2026-07-22 06:38 -0500

Nmap scan report for 172.17.0.2

Host is up (0.000060s latency).

Not shown: 998 closed tcp ports (reset)

PORT STATE SERVICE

21/tcp open ftp

80/tcp open http

MAC Address: EA:5D:CD:31:B4:62 (Unknown)

user@kali: ~/Escritorio

\$ sudo nmap -sS -sV -O 172.17.0.2

[sudo] contraseña para user:

Starting Nmap 7.99 (https://nmap.org) at 2026-07-22 06:39 -0500

Nmap scan report for 172.17.0.2

Host is up (0.00012s latency).

Not shown: 998 closed tcp ports (reset)

PORT STATE SERVICE VERSION

21/tcp open ftp ProFTPD 1.3.5a

80/tcp open http Apache httpd 2.4.18 ((Ubuntu))

MAC Address: EA:5D:CD:31:B4:62 (Unknown)

No exact OS matches for host (If you know what OS is running on it, see https://nmap.org/submit/).

TCP/IP fingerprint:

OS:SCAN(V=7.99%E=4%D=7/22%OT=21%CT=1%CU=40529%PV=Y%DS=1%DC=D%G=Y%M=EA5DCD%T

OS:M=6A60AC06%P=x86_64-pc-linux-gnu)SEQ(SP=100%GCD=1%ISR=10D%TI=Z%CI=Z%II=I

OS:%TS=21)SEQ(SP=102%GCD=1%ISR=105%TI=Z%CI=Z%II=I%TS=21)SEQ(SP=103%GCD=1%IS

OS:R=10B%TI=Z%CI=Z%II=I%TS=21)SEQ(SP=F9%GCD=1%ISR=107%TI=Z%CI=Z%II=I%TS=21)

OS:SEQ(SP=FE%GCD=1%ISR=10E%TI=Z%CI=Z%II=I%TS=22)OPS(O1=M5B4ST11NWA%O2=M5B4S

OS:T11NWA%O3=M5B4NNT11NWA%O4=M5B4ST11NWA%O5=M5B4ST11NWA%O6=M5B4ST11)WIN(W1=

OS:FE88%W2=FE88%W3=FE88%W4=FE88%W5=FE88%W6=FE88)ECN(R=Y%DF=Y%T=40%W=FAF0%O=

OS:M5B4NNSNWA%CC=Y%Q=)T1(R=Y%DF=Y%T=40%S=O%A=S+%F=AS%RD=0%Q=)T2(R=N)T3(R=N)

OS:T4(R=Y%DF=Y%T=40%W=0%S=A%A=Z%F=R%O=%RD=0%Q=)T5(R=Y%DF=Y%T=40%W=0%S=Z%A=S

OS:+%F=AR%O=%RD=0%Q=)T6(R=Y%DF=Y%T=40%W=0%S=A%A=Z%F=R%O=%RD=0%Q=)T7(R=Y%DF=

OS:Y%T=40%W=0%S=Z%A=S+%F=AR%O=%RD=0%Q=)U1(R=Y%DF=N%T=40%IPL=164%UN=0%RIPL=G

OS:%RID=G%RIPCK=G%RUCK=G%RUD=G)IE(R=Y%DFI=N%T=40%CD=S)

Network Distance: 1 hop

Service Info: OS: Unix

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .

Nmap done: 1 IP address (1 host up) scanned in 18.34 seconds

Reporte de Hallazgos

- Dirección IP Analizada: 172.17.0.2
- Sistema Operativo Detectado: Unix / Linux

Puerto	Estado	Servicio	Versión Detectada
21/tcp	Abierto	FTP	ProFTPD 1.3.5a
80/tcp	Abierto	HTTP	Apache httpd 2.4.18 (Ubuntu)

CRITICAL-SYSTEM

```
user@kali: ~/Escritorio
=====
venido a WHOAMI-LABS.COM.
nde, simula, escala. Sin burocracia.
=====
cargando imagen desde critical_system.tar...
niciando laboratorio...
=====
laboratorio desplegado correctamente.
=====
CRITICAL-SYSTEM
CULTAD: ★☆☆ Facil (1 punto)
=====
l laboratorio: 172.17.0.3
=====
sa la ROOT flag (formato CTF{...}): []

$ sudo nmap -sS -sV -O 172.17.0.3
[sudo] contraseña para user:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-22 06:46 -0500
Nmap scan report for 172.17.0.3
Host is up (0.00014s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
22/tcp    open  ssh          OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protoc
ol 2.0)
139/tcp    open  netbios-ssn  Samba smbd 4
445/tcp    open  netbios-ssn  Samba smbd 4
MAC Address: AE:D5:03:59:61:00 (Unknown)
No exact OS matches for host (If you know what OS is running on it, see https://
nmap.org/submit/ ).
TCP/IP fingerprint:
OS:SCAN(V=7.99%E=4%D=7/22%OT=22%CT=1%CU=36800%PV=Y%D=1%DC=D%G=Y%M=AE503%T
OS:M=6A60ADA5%P=x86_64-pc-linux-gnu)SEQ(SP=103%GCD=1%ISR=108%TI=Z%CI=Z%II=I
OS:%TS=21)SEQ(SP=105%GCD=1%ISR=108%TI=Z%CI=Z%II=I%TS=21)SEQ(SP=105%GCD=1%IS
OS:R=10C%TI=Z%CI=Z%II=I%TS=21)SEQ(SP=105%GCD=1%ISR=10F%TI=Z%CI=Z%II=I%TS=21
OS:)SEQ(SP=106%GCD=1%ISR=10D%TI=Z%CI=Z%II=I%TS=22)OPS(O1=MSB4ST11NWA%O2=MSB
OS:4ST11NWA%O3=MSB4NNT11NWA%O4=MSB4ST11NWA%O5=MSB4ST11NWA%O6=MSB4ST11)WIN(W
OS:1=FE88%W2=FE88%W3=FE88%W4=FE88%W5=FE88%W6=FE88)ECN(R=Y%DF=Y%T=40%W=FAF0%
OS:0=MSB4NNSNWA%CC=Y%Q=)T1(R=Y%DF=Y%T=40%S=0%A=S+%F=AS%RD=0%Q=)T2(R=N)T3(R=
OS:N)T4(R=Y%DF=Y%T=40%W=0%A=Z%F=R%O=0%RD=0%Q=)T5(R=Y%DF=Y%T=40%W=0%S=Z%A
OS:=S+%F=AR%O=0%RD=0%Q=)T6(R=Y%DF=Y%T=40%W=0%S=A%A=Z%F=R%O=0%RD=0%Q=)T7(R=Y%
OS:F=Y%T=40%W=0%S=Z%A=S+%F=AR%O=0%RD=0%Q=)U1(R=Y%DF=N%T=40%IPL=164%UN=0%RIPL
OS:=G%RID=G%IPCK=G%RUCK=G%RUD=G)IE(R=Y%DFI=N%T=40%CD=S)

Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

OS and Service detection performed. Please report any incorrect results at https
://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 23.36 seconds
```

```
(user@kali)~/Escritorio
$ nmap 172.17.0.3
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-22 06:45 -0500
Nmap scan report for 172.17.0.3
Host is up (0.000060s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
139/tcp    open  netbios-ssn
445/tcp    open  microsoft-ds
MAC Address: AE:D5:03:59:61:00 (Unknown)

Nmap done: 1 IP address (1 host up) scanned in 0.69 seconds

(user@kali)~/Escritorio
$ nmap -sV 172.17.0.3
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-22 06:45 -0500
Nmap scan report for 172.17.0.3
Host is up (0.000017s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
22/tcp    open  ssh          OpenSSH 8.2p1 Ubuntu 4ubuntu0.13 (Ubuntu Linux; protoc
ol 2.0)
139/tcp    open  netbios-ssn  Samba smbd 4
445/tcp    open  netbios-ssn  Samba smbd 4
MAC Address: AE:D5:03:59:61:00 (Unknown)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap
.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 11.90 seconds
```

Reporte de Hallazgos - Análisis de Escaneo de Red

- Dirección IP Analizada: 172.17.0.3
- Sistema Operativo Detectado: Linux (Entorno de contenedor)

Puerto	Estado	Servicio	Versión Detectada
22/tcp	Abierto	SSH	OpenSSH 8.2p1 (Ubuntu 4ubuntu0.13)
139/tcp	Abierto	NetBIOS-SSN	Samba smbd 4
445/tcp	Abierto	Microsoft-DS / NetBIOS-SSN	Samba smbd 4

