

1. ARCHIVOS DE USUARIO DEL SISTEMA

CAPTURA DEL CONTENIDO DE /etc/passwd

```
(user@kali)~[~]
$ cat /etc/passwd
root:x:0:0:root:/root:/usr/bin/zsh
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
_apt:x:42:65534::/nonexistent:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:998:998:systemd Network Management:/:/usr/sbin/nologin
dhcpcd:x:996:996:DHCP Client Daemon:/usr/lib/dhcpcd:/bin/false
tss:x:990:990:tss user for tpm2:/:/usr/sbin/nologin
strongswan:x:100:65534:/:var/lib/strongswan:/usr/sbin/nologin
systemd-timesync:x:989:989:systemd Time Synchronization:/:/usr/sbin/nologin
systemd-oom:x:988:988:systemd Userspace OOM Killer:/:/usr/sbin/nologin
_gophish:x:101:104:/:var/lib/gophish:/usr/sbin/nologin
iodine:x:102:65534:/:run/iodine:/usr/sbin/nologin
messagebus:x:987:987:System Message Bus:/nonexistent:/usr/sbin/nologin
tcpdump:x:986:986:tcpdump:/nonexistent:/usr/sbin/nologin
miredo:x:103:65534:/:var/run/miredo:/usr/sbin/nologin
_rpc:x:104:65534:/:run/rpcbind:/usr/sbin/nologin
statd:x:105:65534:/:var/lib/nfs:/usr/sbin/nologin
redis:x:106:106:/:var/lib/redis:/usr/sbin/nologin
mosquitto:x:107:109:/:var/lib/mosquitto:/usr/sbin/nologin
redsocks:x:108:110:/:var/run/redsocks:/usr/sbin/nologin
stunnel4:x:984:984:stunnel service system account:/var/run/stunnel4:/usr/sbin/nologin
sshd:x:983:65534:sshd user:/run/sshd:/usr/sbin/nologin
```

2. SERVICIOS DE EJECUCION

CAPTURA DE LOS PROCESOS ACTIVOS DEL SISTEMA

```
(user@kali)-[~]
$ ps aux
USER          PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root            1  0.6  0.1 24992 15876 ?        Ss   02:38   0:02 /sbin/init splash
root            2  0.0  0.0      0     0 ?        S    02:38   0:00 [kthreadd]
root            3  0.0  0.0      0     0 ?        S    02:38   0:00 [pool_workqueue_relea
root            4  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/R-rcu_gp]
root            5  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/R-sync_wq]
root            6  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/R-kvfree_rcu
root            7  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/R-slub_flush
root            8  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/R-netns]
root           10  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/0:0H-events_
root           11  0.0  0.0      0     0 ?        I    02:38   0:00 [kworker/0:1-events]
root           12  0.0  0.0      0     0 ?        I    02:38   0:00 [kworker/u512:0-netns
root           13  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/R-mm_percpu_
root           14  0.0  0.0      0     0 ?        S    02:38   0:00 [ksoftirqd/0]
root           15  0.0  0.0      0     0 ?        I    02:38   0:00 [rcu_preempt]
root           16  0.0  0.0      0     0 ?        S    02:38   0:00 [rcu_exp_par_gp_kthre
root           17  0.0  0.0      0     0 ?        S    02:38   0:00 [rcu_exp_gp_kthread_w
root           18  0.0  0.0      0     0 ?        S    02:38   0:00 [migration/0]
root           19  0.0  0.0      0     0 ?        S    02:38   0:00 [idle_inject/0]
root           20  0.0  0.0      0     0 ?        S    02:38   0:00 [cpuhp/0]
root           21  0.0  0.0      0     0 ?        S    02:38   0:00 [cpuhp/1]
root           22  0.0  0.0      0     0 ?        S    02:38   0:00 [idle_inject/1]
root           23  0.0  0.0      0     0 ?        S    02:38   0:00 [migration/1]
root           24  0.0  0.0      0     0 ?        S    02:38   0:00 [ksoftirqd/1]
root           26  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/1:0H-kblockd
root           27  0.0  0.0      0     0 ?        S    02:38   0:00 [cpuhp/2]
root           28  0.0  0.0      0     0 ?        S    02:38   0:00 [idle_inject/2]
root           29  0.0  0.0      0     0 ?        S    02:38   0:00 [migration/2]
root           30  0.0  0.0      0     0 ?        S    02:38   0:00 [ksoftirqd/2]
root           32  0.0  0.0      0     0 ?        I<   02:38   0:00 [kworker/2:0H-events_
root           33  0.0  0.0      0     0 ?        S    02:38   0:00 [cpuhp/3]
root           34  0.0  0.0      0     0 ?        S    02:38   0:00 [idle_inject/3]
```

3.PRUEBA DE CONECTIVIDAD

```
(user@kali)-[~]
$ ping -c 10 www.cisco.com
PING e2867.dsca.akamaiedge.net (2.23.232.109) 56(84) bytes of data.
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=1 ttl=128 time=3.15 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=2 ttl=128 time=3.37 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=3 ttl=128 time=3.41 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=4 ttl=128 time=3.33 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=5 ttl=128 time=2.69 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=6 ttl=128 time=4.18 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=7 ttl=128 time=3.01 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=8 ttl=128 time=3.51 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=9 ttl=128 time=3.58 ms
64 bytes from a2-23-232-109.deploy.static.akamaitechnologies.com (2.23.232.109): icmp_seq=10 ttl=128 time=3.38 ms
```

4. INFORMACION DEL SISTEMA OPERATIVO

```
(user@kali)-[~]
$ uname -a
Linux kali 6.19.14+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.19.14-1+kali1 (2026-05-05) x86_64 GNU/Linux
```

5. USUARIOS CONECTADOS

```
(user@kali)-[~]
$ w
02:47:07 up 8 min, 1 user, load average: 0.12, 0.29, 0.22
USUARIO  TTY      DESDE      LOGIN@  IDLE   JCPU   PCPU   WHAT
user     tty2    -          02:39   8:18   0.05s  0.04s  /usr/libexec/gnome-session-init-worker gnome
```

6. PERMISOS DE ARCHIVO

```
(user@kali)-[~]
$ ls -l Documentos/
total 4
drwxrwxr-x 2 user user 4096 jul 22 02:48 test
```

7. BUSQUEDA DE ARCHIVO EN EL SISTEMA

```
(user@kali)-[~]
$ find ~ -name hola.txt
/home/user/Documentos/test/hola.txt
```

8. INTERFACES DE RED

```
(user@kali)-[~]
$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:86:ea:02 brd ff:ff:ff:ff:ff:ff
    inet 192.168.152.128/24 brd 192.168.152.255 scope global dynamic noprefixroute eth0
        valid_lft 957sec preferred_lft 957sec
    inet6 fe80::20c:29ff:fe86:ea02/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
3: docker0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN group default
    link/ether 96:31:16:81:93:b3 brd ff:ff:ff:ff:ff:ff
    inet 172.17.0.1/16 brd 172.17.255.255 scope global docker0
        valid_lft forever preferred_lft forever
```

9. PUERTOS Y CONEXIONES

```
(user@kali)-[~]
$ netstat -tulnp
(Not all processes could be identified, non-owned process info
will not be shown, you would have to be root to see it all.)
Active Internet connections (only servers)
Proto Recv-Q Send-Q Local Address           Foreign Address         State       PID/Program name
tcp        0      0 127.0.0.1:34613         0.0.0.0:*                LISTEN      -
```

10. FECHA Y HORA DEL SISTEMA

```
(user@kali)-[~]
$ date
mié 22 jul 2026 02:53:54 -05
```