Vocabulario técnico QA & AI

Oct 13, 2026 · @Enzo

El vocabulario que más vas a usar en entrevistas y en el día a día, agrupado por tema, con un ejemplo de uso real. Método recomendado: 10 palabras por semana, escribiendo una oración propia con cada una.

1. Testing y calidad

Término	Significado	Ejemplo
test case	caso de prueba	I wrote 30 test cases for the new checkout flow.
test suite	conjunto de pruebas	The regression suite has around 400 tests.
test plan / test strategy	plan / estrategia de pruebas	I shared the test plan with the team before the sprint started.
coverage	cobertura	We increased API test coverage to 80%.
edge case	caso límite	Empty carts are an edge case we often forget.
corner case	caso extremo (varias condiciones límite juntas)	That bug only happens in a corner case with two discounts and a refund.
happy path	flujo ideal sin errores	The happy path works, but the error messages are wrong.
negative testing	pruebas con datos inválidos	Negative testing showed the API accepted negative quantities.
exploratory testing	pruebas exploratorias	I found the issue during an exploratory testing session.
acceptance criteria	criterios de aceptación	The story isn't ready because it has no acceptance criteria.
expected / actual result	resultado esperado / obtenido	Expected result: an error message. Actual result: a blank page.
sign-off	aprobación final	QA sign-off is required before every release.
go / no-go	decisión de lanzar o no	I gave a no-go because of an open blocker.
shift-left	probar más temprano en el ciclo	We're shifting left by reviewing stories before development.
test environment / staging	entorno de pruebas	The bug only reproduces on staging.
load / stress testing	pruebas de carga / estrés	We ran load tests with k6 before Black Friday.
usability	usabilidad	Automation can't evaluate usability.
accessibility (a11y)	accesibilidad	We added accessibility checks to the pipeline.
reliability	confiabilidad	Flaky tests hurt the reliability of the suite.

2. Automatización, código y CI/CD

Término	Significado	Ejemplo
framework	estructura base de automatización	I built the framework with Playwright and TypeScript.
locator / selector	localizador de un elemento	Use data-testid locators instead of CSS classes.
assertion	verificación en un test	The test failed on the second assertion.
fixture	datos o estado preparado para un test	Each test gets a fresh user from a fixture.
mock / stub	simulación de un servicio	We mocked the payment provider to test errors.
flaky test	test inestable (a veces pasa, a veces falla)	That flaky test failed three times this week.
wait (implicit / explicit)	espera	Replace the hard-coded wait with an explicit wait.
headless	sin interfaz gráfica	Tests run headless in CI.
pipeline	flujo automatizado de build y deploy	The pipeline takes 12 minutes.
build	compilación / versión generada	The build is broken since the last merge.
deploy / deployment	despliegue	We deploy to production twice a week.
rollback / roll back	volver a la versión anterior	We had to roll back the release.
hotfix	arreglo urgente en producción	The hotfix went out the same afternoon.
merge	integrar cambios	Don't merge until the checks are green.
pull request (PR) / merge request	pedido de integración de código	I left two comments on your PR.
branch	rama	I created a branch for the new tests.
green / red	pasando / fallando	The pipeline is green again.
nightly run	ejecución nocturna	The nightly run caught a regression.
parallel execution	ejecución en paralelo	Parallel execution cut the time in half.
artifact	archivo generado por el pipeline (reportes, binarios)	Download the test report from the job artifacts.
environment variable	variable de entorno	The deploy failed because of a missing environment variable.
refactor	reestructurar código sin cambiar comportamiento	I refactored the page objects to remove duplication.
maintainability	facilidad de mantenimiento	The Page Object Model improves maintainability.

3. APIs, backend y bugs

Término	Significado	Ejemplo
endpoint	URL de un recurso de la API	The /orders endpoint returns a 500 error.
request / response	pedido / respuesta	The response body is missing the total field.
payload	contenido que se envía	The payload is too large for the endpoint.
status code	código de estado HTTP	It should return 404, not 200.
header	encabezado	The auth token goes in the Authorization header.
authentication / authorization	quién sos / qué podés hacer	A normal user passed the authorization check for admin routes.
schema / contract	estructura acordada de datos	The new version broke the contract with the mobile app.
latency / response time	demora / tiempo de respuesta	Latency went up to 2 seconds after the deploy.
timeout	tiempo de espera agotado	The test failed with a timeout.
bug / defect / issue	error	I logged the issue in Jira.
blocker	error que bloquea el release o el trabajo	That bug is a blocker for the release.
severity / priority	gravedad / prioridad	High severity, but low priority because few users are affected.
root cause	causa raíz	The root cause was a race condition.
race condition	error por concurrencia	Two requests at the same time caused a race condition.
regression	algo que funcionaba y se rompió	This is a regression from last week's release.
workaround	solución provisoria	There's a workaround: refresh the page.
to reproduce (repro)	reproducir	I can't reproduce it on Chrome.
intermittent	intermitente	It's an intermittent issue, it fails 1 in 10 times.
log / logs	registros	I attached the logs to the ticket.
stack trace	traza del error	The stack trace points to the payment service.
triage	clasificar y priorizar bugs	We triage new bugs every Monday.
outage / incident	caída / incidente	There was a 20-minute outage last night.
post-mortem	análisis después de un incidente	We wrote a post-mortem with action items.

4. IA y LLMs

Término	Significado	Ejemplo
LLM (large language model)	modelo de lenguaje grande	We use an LLM to summarize bug reports.
prompt	instrucción que se le da al modelo	A small change in the prompt changed the output a lot.
system prompt	instrucciones fijas del sistema	The system prompt tells the agent which tools it can use.
token	unidad de texto que procesa el modelo	Long documents use a lot of tokens.
context window	cantidad de texto que el modelo puede leer a la vez	The whole log didn't fit in the context window.
temperature	grado de aleatoriedad de la respuesta	We set the temperature to 0 for tests.
hallucination	respuesta inventada	The model hallucinated an API endpoint that doesn't exist.
grounding	basar la respuesta en fuentes	Grounding the answers in our docs reduced hallucinations.
RAG (retrieval-augmented generation)	generación con documentos recuperados	Our support bot uses RAG over the help center.
embedding	representación numérica del significado	We generate embeddings for every document.
vector database / vector store	base de datos de embeddings	The vector store returns the five closest chunks.
chunk / chunking	fragmento / dividir documentos	Smaller chunks improved retrieval.
agent	sistema que decide pasos y usa herramientas	The agent opens a ticket when a test fails.
tool calling / function calling	que el modelo llame funciones	Tool calling lets the agent query the database.
orchestration / orchestrator	coordinación de varios agentes o pasos	The orchestrator splits the task between three agents.
MCP (Model Context Protocol)	protocolo para conectar modelos con herramientas	We exposed our test runner as an MCP server.
eval / evaluation	evaluación de calidad del modelo	Every prompt change has to pass the evals.
LLM-as-a-judge	usar un modelo para calificar respuestas	We use an LLM as a judge to score relevance.
ground truth	respuesta de referencia correcta	We built a ground truth dataset of 200 questions.
guardrails	límites y controles de seguridad	Guardrails block answers with personal data.

Término	Significado	Ejemplo
prompt injection	instrucciones maliciosas en la entrada	The agent followed a prompt injection hidden in a web page.
fine-tuning	reentrenar un modelo con datos propios	We didn't need fine-tuning, RAG was enough.
latency / throughput	demora / cantidad de pedidos por segundo	Streaming improved perceived latency.
non-deterministic	no determinístico (no siempre da lo mismo)	LLM outputs are non-deterministic, so we test properties.

5. Agile, reuniones y colaboración

Término	Significado	Ejemplo
sprint	iteración de trabajo	We work in two-week sprints.
backlog	lista de trabajo pendiente	The bug went back to the backlog.
user story	historia de usuario	Each user story has acceptance criteria.
stand-up / daily	reunión diaria	I mentioned the blocker in the stand-up.
refinement / grooming	refinamiento de historias	During refinement, I ask about edge cases.
retro (retrospective)	retrospectiva	In the retro, we agreed to write tests earlier.
estimate / story points	estimación / puntos	I estimated the testing effort at three points.
stakeholder	persona interesada o afectada	We presented the results to the stakeholders.
deadline	fecha límite	The deadline is next Friday.
scope	alcance	Mobile is out of scope for this release.
handover / hand off	traspaso de trabajo	I'll hand off the tests to the new QA next week.
ownership / to own	responsabilidad / hacerse cargo	I own the end-to-end suite.
to follow up	hacer seguimiento	I'll follow up with the dev team tomorrow.
to escalate	escalar un problema	If it's not fixed today, I'll escalate it to the lead.
to sync / a quick sync	coordinar / reunión corta	Can we have a quick sync after lunch?
to be on the same page	estar alineados	Let's make sure we're on the same page about the scope.
action items	tareas que salen de una reunión	I'll send the action items after the meeting.
bandwidth	capacidad / tiempo disponible	I don't have the bandwidth to test both features this sprint.
trade-off	compromiso entre dos opciones	It's a trade-off between speed and coverage.
to push back	oponerse con argumentos	I pushed back on releasing without regression tests.
heads-up	aviso previo	Just a heads-up: staging will be down at 3 pm.

Término	Significado	Ejemplo
ETA	tiempo estimado de llegada / entrega	What's the ETA for the fix?

6. Falsos amigos

Palabras que se parecen al español pero significan otra cosa. Las de esta tabla aparecen seguido en conversaciones de trabajo.

Palabra en inglés	Significa	No significa	Para decir eso, usá
actually	en realidad	actualmente	currently, right now
eventually	finalmente, con el tiempo	eventualmente (quizás)	possibly, at some point
realize	darse cuenta	realizar	do, carry out, run (tests)
assist	ayudar	asistir (ir)	attend (a meeting)
attend	asistir, ir a	atender	serve, deal with, take care of
career	carrera profesional	carrera universitaria	degree, studies
support	apoyar, dar soporte	soportar (aguantar)	stand, put up with
sensible	sensato	sensible	sensitive (sensitive data)
library	biblioteca (también de código)	librería (negocio)	bookstore
exit	salida	éxito	success
succeed	tener éxito	suceder	happen
compromise	acuerdo / concesión; también comprometer la seguridad	compromiso (obligación)	commitment
discussion	conversación, debate	discusión (pelea)	argument
argument	discusión fuerte o argumento	solo argumento	point, reason (para argumento)
demand	exigir	demandar (judicialmente)	sue
lecture	clase magistral, charla	lectura	reading
advice	consejo	aviso	warning, notice, heads-up
resume / résumé	retomar / CV	resumir	summarize, sum up
particular	específico	privado / particular de una persona	private, personal
topic	tema	tópico (lugar común)	cliché
embarrassed	avergonzado	embarazada	pregnant

Palabra en inglés	Significa	No significa	Para decir eso, usá
constipated	estreñido	resfriado	have a cold
quite	bastante	quitar	remove
deception	engaño	decepción	disappointment
pretend	fingir	pretender (aspirar)	intend, aim, expect
application	aplicación / postulación a un trabajo	solo app	(contexto) I sent my application.

7. Errores típicos de hispanohablantes

Más allá de los tiempos verbales, estos son los errores que más se notan en una entrevista.

Error	Correcto	Regla
Is very important to test early.	**It** is very important to test early.	En inglés el sujeto nunca se omite.
The people is happy with the release.	The people **are** happy.	People es plural.
I received many feedbacks / informations / advices.	I received a lot of **feedback / information / advice**.	Incontables: sin plural y sin "a".
I have experience in testing of APIs.	I have experience **in API testing**.	El sustantivo que describe va adelante.
The automation is important for the companies.	Automation is important for companies.	Hablando en general, sin "the".
I'm working in Globant.	I work **at** Globant.	At + empresa. In + ciudad / equipo / área.
The meeting is in Monday at the 10.	The meeting is **on** Monday **at** 10.	On + día, at + hora, in + mes / año.
Make a test / make a deploy.	**Run** a test / **do** a deploy / **deploy**.	Collocations: run tests, do a review, make a decision.
He said me that it was fixed.	He **told me** / He **said** that it was fixed.	Tell + persona; say sin persona.
Where is the log? I can't find.	I can't find **it**.	Los verbos transitivos necesitan objeto.
More easy / more fast.	**Easier / faster**.	Adjetivos cortos: -er.
What means "flaky"?	What **does** "flaky" **mean**?	Preguntas con do / does.
Can you tell me where is the report?	Can you tell me where **the report is**?	En preguntas indirectas no se invierte.
I didn't see nothing.	I didn't see **anything**.	No hay doble negación.
I like very much testing.	I **really like** testing. / I like testing a lot.	Very much no va entre el verbo y el objeto.

Error	Correcto	Regla
If I would have time, I would automate it.	If I **had** time, I would automate it.	Después de if, nunca would.
I'm boring in long meetings.	I'm **bored** in long meetings.	-ed = cómo te sentís; -ing = cómo es algo.
Two years ago I work at X.	Two years ago I **worked** at X.	Ago siempre con Past Simple.
I know him since 2020.	I've **known** him since 2020.	Since con algo que sigue: Present Perfect.
One of the best tester.	One of the best **testers**.	One of the + plural.

Qué hacer con esta tabla: marcá los 5 errores que reconocés en vos y anotalos en el registro de errores. Esos son tu foco del mes.