Cuaderno de práctica: Vocabulario técnico

Oct 13, 2026 · @Enzo

Este cuaderno es el punto 6 del plan en versión práctica. El documento de vocabulario técnico tiene las palabras con su significado y un ejemplo; acá las usás, primero reconociéndolas y después en oraciones tuyas, que es como se te quedan.

Cómo usar este cuaderno

1. **Un bloque por semana, el martes**, como dice el plan de estudio. Cada sección del documento de vocabulario tiene dos bloques: el A es para reconocer las palabras y el B para usarlas vos.
2. **Antes de cada bloque, leé la sección** del documento de vocabulario que le corresponde. Tapate la columna del significado y probá si te acordás. Entre bloques, repasá con Vocab Deck: son tarjetas con todo el documento y te muestran más seguido las que te cuestan.
3. **Mandame las respuestas con el código**, por ejemplo *1A.3: coverage*. Te corrijo con tu frase, la versión correcta y la regla en una línea. Las soluciones no están en el cuaderno.
4. **Para avanzar necesitás 4 de 5 bien.** Si sacás menos, repasá la sección y repetí el bloque la semana siguiente.
5. **Anotá en tu banco de palabras** las que te costaron, con una oración tuya. Una palabra se queda cuando la usás hablando, no cuando la leés.

En los bloques B también se corrigen los tiempos verbales: muchas preguntas piden Past Simple o Present Perfect a propósito.

Ruta semanal

Semana	Sección del documento de vocabulario	Bloque
1	1. Testing y calidad	1A
2	1. Testing y calidad	1B
3	2. Automatización, código y CI/CD	2A
4	2. Automatización, código y CI/CD	2B
5	3. APIs, backend y bugs	3A
6	3. APIs, backend y bugs	3B
7	4. IA y LLMs	4A
8	4. IA y LLMs	4B
9	5. Agile, reuniones y colaboración	5A
10	5. Agile, reuniones y colaboración	5B
11	6. Falsos amigos	6A
12	6. Falsos amigos	6B
13	7. Errores típicos de hispanohablantes	7A

Semana	Sección del documento de vocabulario	Bloque
14	7. Errores típicos de hispanohablantes	7B
15	Repaso de todo	Test final

Si un tema te urge antes (por ejemplo, tenés una entrevista de IA la semana que viene), salteá al bloque que necesites: los bloques no dependen unos de otros.

Bloque 1. Testing y calidad

1A. Completá con la palabra

Usá las palabras del recuadro. Sobran dos.

> **Palabras:** acceptance criteria / coverage / edge case / exploratory testing / happy path / sign-off / staging

1A.1. The story can't go into the sprint yet: nobody has written the _____.

1A.2. A user who tries to pay with an empty cart is an _____ we should test.

1A.3. Our unit test _____ is 85%, but the UI has almost no tests.

1A.4. The new version is on _____ now. Can you run the smoke tests there before we deploy to production?

1A.5. We tested the _____ first: valid user, valid card, payment accepted.

1B. Usalas vos

Respondé cada pregunta en inglés, en una o dos oraciones, usando la palabra entre paréntesis. Ojo con el tiempo verbal que pide la pregunta.

1B.1. What did you do when you saw that the sign-up form accepted an empty email? *(negative testing)*

1B.2. Why didn't the release go out last Friday? *(no-go)*

1B.3. How do you get involved earlier in the development process? *(shift-left)*

1B.4. Besides the steps, what do you always include in a bug report? *(expected result / actual result)*

1B.5. Why did you remove the hard-coded waits from the suite? *(reliability)*

Bloque 2. Automatización, código y CI/CD

2A. Elegí la palabra correcta

2A.1. The test failed on the third _____: the total was 99.90 instead of 100. *(assertion / locator)*

2A.2. We _____ the payment provider, so we can test errors without using real money. *(mocked / merged)*

2A.3. The release broke the login, so we had to _____ to the previous version. *(roll back / refactor)*

2A.4. The tests run _____ in CI, so no browser window opens. *(headless / in parallel)*

2A.5. Please don't _____ your pull request until someone has reviewed it. *(merge / deploy)*

2B. Explicalo como en una entrevista

Respondé en inglés, en una o dos oraciones, como si te lo preguntara un entrevistador. No copies el ejemplo del documento: usá tu experiencia.

2B.1. What is a flaky test, and what usually causes it?

2B.2. Why would you use a mock instead of the real service in a test?

2B.3. What is a fixture?

2B.4. What can a nightly run catch that a pull request check can't?

2B.5. Why does the Page Object Model improve maintainability?

Bloque 3. APIs, backend y bugs

3A. Completá con la palabra

Usá las palabras del recuadro. Sobran dos.

> **Palabras:** blocker / intermittent / regression / root cause / timeout / triage / workaround

3A.1. Search worked fine last week, and now it's broken. It's a _____.

3A.2. Until the fix is deployed, users have a _____: they can export the report as CSV instead of PDF.

3A.3. We can't release with that bug open. It's a _____.

3A.4. The bug only happens in 1 out of 20 runs, so it's _____.

3A.5. After two days of debugging, we found the _____: the cache wasn't cleared after the deploy.

3B. Severity, priority y títulos de bugs

Para 3B.1 a 3B.4, decí en inglés qué severity y qué priority le darías (high, medium o low) y por qué, en una oración. En 3B.5, escribí el título del bug.

3B.1. There's a typo on the *About us* page.

3B.2. Checkout fails for every user on Safari.

3B.3. The admin panel crashes when you upload a 2 GB file. Only two people in the company use that panel.

3B.4. The company logo on the home page is the old one, and there's a big marketing launch tomorrow.

3B.5. The /orders endpoint returns a 500 error when the quantity is 0. Escribí un título claro, de una línea.

Bloque 4. IA y LLMs

4A. Uní cada término con su definición

Sobra una definición. Mandame las respuestas así: *4A.1: letra*.

Término	Definición
4A.1. hallucination	a) the correct reference answer you compare the model's output with
4A.2. grounding	b) an answer the model invents and presents as a fact
4A.3. context window	c) controls that block unsafe or unwanted outputs
4A.4. guardrails	d) the amount of text the model can read at once
4A.5. ground truth	e) basing the model's answers on trusted sources
	f) how random the model's output is

4B. Completá con la palabra

Usá las palabras del recuadro. Sobran dos.

> **Palabras:** chunks / embeddings / evals / fine-tuning / prompt injection / temperature / tool calling

4B.1. We set the _____ to 0 to make the outputs more consistent in our tests.

4B.2. A user hid the text *"ignore your previous instructions"* in a PDF, and the assistant obeyed it. That was a _____.

4B.3. We split the documentation into small _____ before we indexed it.

4B.4. Thanks to _____, the agent can check the status of an order in our database.

4B.5. Every time someone changes the prompt, the _____ run automatically to check that the quality didn't drop.

Bloque 5. Agile, reuniones y colaboración

5A. Completá la conversación de Slack

Usá las palabras del recuadro. Sobran dos.

> **Palabras:** bandwidth / ETA / follow up / heads-up / on the same page / out of scope / push back

> **Dev:** Just a **(5A.1)** _____: the payment API will be down tomorrow from 9 to 10.
> **Vos:** Thanks! What's the **(5A.2)** _____ for the fix on the refund bug?
> **Dev:** Probably Thursday. Can you test the mobile flow too?
> **Vos:** Mobile is **(5A.3)** _____ for this sprint, and I don't have the **(5A.4)** _____ to test both this week. Let's talk to the PO so we're all **(5A.5)** _____.

5B. Reescribí con la expresión

Decí lo mismo usando la expresión entre paréntesis. Mantené el tiempo verbal de la oración original.

5B.1. I'll write to the dev team tomorrow to check if they fixed it. *(follow up)*

5B.2. I told the PM that releasing without regression tests was a bad idea, and I gave my reasons. *(push back)*

5B.3. If the bug isn't fixed today, I'll take it to my manager. *(escalate)*

5B.4. I'm the person responsible for the end-to-end suite. *(own)*

5B.5. We had to choose between speed and coverage. *(trade-off)*

Bloque 6. Falsos amigos

6A. Elegí la palabra correcta

6A.1. _____, I work at a fintech company. *(Actually / Currently)*

6A.2. I _____ the meeting with the client yesterday. *(assisted / attended)*

6A.3. We _____ the regression tests on staging every night. *(realize / run)*

6A.4. That's a very _____ decision: it saves time and reduces risk. *(sensible / sensitive)*

6A.5. Before applying, I updated my _____ with my last project. *(career / résumé)*

6B. Corregí el falso amigo

Cada oración tiene una palabra que suena bien en español pero en inglés significa otra cosa. Encontrala y cambiala.

6B.1. Eventually we will migrate to Playwright, but it isn't decided yet.

6B.2. I can't support long meetings without an agenda.

6B.3. The lecture of the logs took me an hour.

6B.4. The release was a big exit: no bugs in production.

6B.5. Next year, I pretend to apply for a senior position.

Bloque 7. Errores típicos de hispanohablantes

7A. Corregí la oración (parte 1)

Algunas oraciones tienen más de un error.

7A.1. Is necessary to update the test data every sprint.

7A.2. I received a lot of feedbacks after the demo.

7A.3. The meeting with the client is in Thursday at the 3 pm.

7A.4. Can you tell me where is the staging URL?

7A.5. If I would know the root cause, I would fix it.

7B. Corregí la oración (parte 2)

Acá también aparecen errores de tiempos verbales.

7B.1. What means "flaky test"?

7B.2. I work in Mercado Libre since 2022.

7B.3. He said me that the build was green.

7B.4. Playwright is more fast than Selenium for our suite.

7B.5. I checked the logs, but I didn't find nothing.

Test final

Hacelo en la semana 15, sin mirar el documento de vocabulario. Son 15 preguntas de todas las secciones. Mandame las 15 juntas.

Parte 1. Completá la palabra

Tenés la primera letra de cada palabra como ayuda.

T1. The bug only reproduces on s_____, not on my machine.

T2. The login broke after the deploy, so we had to r___ b___ the release.

T3. The chatbot told a customer about a refund policy that doesn't exist. That's a h_____.

T4. I'll send the a_____ i____ to everyone after the retro.

T5. The s____ t____ points to a null value in the payment service.

Parte 2. Corregí la oración

T6. Actually I'm learning about RAG and agents.

T7. I assisted to a conference about AI testing last month.

T8. We need more informations about the error before we can fix it.

T9. The people in my team is very collaborative.

T10. The demo is on Monday in 10 am.

Parte 3. Explicalo en inglés

Una o dos oraciones cada una, como en una entrevista.

T11. What's the difference between severity and priority?

T12. What is a regression?

T13. What's the difference between authentication and authorization?

T14. What is RAG?

T15. What is a trade-off? Give an example from your work.

Mi banco de palabras

Anotá acá las palabras que te cuestan, con una oración tuya sobre tu trabajo. Marcá la última columna la primera vez que la uses hablando (en un simulacro, en una daily o en una entrevista).

Palabra	Mi oración	La usé hablando

Hoja de seguimiento

En *Estado* poné Pendiente, Repetir (menos de 4 de 5) o Aprobado. Las palabras que fallaste van a tu banco de palabras.

Bloque	Fecha	Resultado	Palabras que fallé	Estado
1A. Testing: completá		__ / 5		Pendiente
1B. Testing: usalas vos		__ / 5		Pendiente
2A. Automatización: elegí		__ / 5		Pendiente
2B. Automatización: explicalo		__ / 5		Pendiente
3A. Bugs: completá		__ / 5		Pendiente
3B. Severity y priority		__ / 5		Pendiente
4A. IA: uní		__ / 5		Pendiente
4B. IA: completá		__ / 5		Pendiente

Bloque	Fecha	Resultado	Palabras que fallé	Estado
5A. Slack		__ / 5		Pendiente
5B. Expresiones		__ / 5		Pendiente
6A. Falsos amigos: elegí		__ / 5		Pendiente
6B. Falsos amigos: corregí		__ / 5		Pendiente
7A. Errores típicos 1		__ / 5		Pendiente
7B. Errores típicos 2		__ / 5		Pendiente
Test final		__ / 15		Pendiente

Test final: con 12 o más, el vocabulario de entrevistas está firme. Con menos, repetí los bloques de las preguntas que fallaste y volvé a hacer el test dos semanas después.