

the 1990s, the number of people with a mental health problem has increased by 50% (Mental Health Foundation 2000). The prevalence of mental health problems is also increasing in children and young people (Mental Health Foundation 2000).

There is a growing awareness of the need to address the mental health needs of young people (Mental Health Foundation 2000). The National Institute for Mental Health (NIMH) in the USA has identified the need for research to improve the understanding of mental health problems in young people (NIMH 1999). The World Health Organization (WHO) has also identified the need for research to improve the understanding of mental health problems in young people (WHO 1999).

The aim of this study was to explore the experiences of young people with mental health problems and to identify the factors that influence their mental health. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.

The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional. The study was conducted in a community setting and involved a series of focus group discussions with young people who had been identified as having a mental health problem by a mental health professional.