GoodFood

QUESTION 1

SELECT DISTINCT PLAT.NUMPLAT, LIBELLE, DATCOM FROM PLAT

INNER JOIN CONTIENT ON PLAT.NUMPLAT = CONTIENT.NUMPLAT
INNER JOIN COMMANDE ON CONTIENT.NUMCOM = COMMANDE.NUMCOM
WHERE DATCOM BETWEEN TO_DATE('10/09/2016') AND TO_DATE('24/10/2016');

	NUMPLAT \$	LIBELLE \$	DATCOM	1		
1	2 tarte de saison		2016-09-10 00:00:00			
2	5	salade verte	2016-09-10 00:00:00			
3	11 brochet à l'oseille		2016-09-10 00:00:00			
4	13 crème caramel		2016-09-10 00:00:00			
5	15	filet de sole au beurre	2016-09-10 00:00:00			
6	7	pate lorrain	2016-09-10 00:00:00			
7	12 gigot d'agneau		2016-09-10 00:00:00			
8	10	gratin dauphinois	2016-09-10 00:00:00			
9	14 munster au cumin		2016-09-10 00:00:00			
10	3	sorbet mirabelle	2016-09-10 00:00:00			
11	4	filet de boeuf	2016-09-10 00:00:00			
12 3 :		sorbet mirabelle	2016-10-11 00:00:00			
13	9 entrecote printaniere		2016-09-10 00:00:00			
14	16	fois gras de lorraine	2016-09-10 00:00:00			
15	1	assiette de crudités	2016-09-10 00:00:00			

QUESTION 2

SELECT NUMPLAT, LIBELLE

FROM PLAT

WHERE NUMPLAT NOT IN (SELECT DISTINCT PLAT.NUMPLAT

FROM PLAT

INNER JOIN CONTIENT ON PLAT.NUMPLAT = CONTIENT.NUMPLAT
INNER JOIN COMMANDE ON CONTIENT.NUMCOM = COMMANDE.NUMCOM
WHERE DATCOM BETWEEN TO_DATE('10/09/2016') AND

TO_DATE('24/10/2016'));

	NUMPLAT \$	III LIBELLE	\$
1	8	saumon fumé	
2	6	chevre chaud	

QUESTION 3

SELECT DISTINCT NOMSERV, DATCOM

FROM SERVEUR

INNER JOIN AFFECTER ON SERVEUR.NUMSERV = AFFECTER.NUMSERV INNER JOIN COMMANDE ON AFFECTER.NUMTAB = COMMANDE.NUMTAB INNER JOIN TABL ON COMMANDE.NUMTAB = TABL.NUMTAB

WHERE DATCOM BETWEEN TO_DATE('10/09/2016') AND TO_DATE('11/10/2016')
AND AFFECTER.NUMTAB = 10;

	NOMSERV \$		DATCOM	
1	Tutus Peter		2016-09-10 00:00:00	

QUESTION 4

SELECT NOMSERV, *SUM*(**PRIXUNIT** * **QUANTITE**) **AS** CHIFFREAFFAIRE, *COUNT*(**UNIQUE** COMMANDE.**NUMCOM**) **AS** NOMBRECOMMANDE **FROM** SERVEUR

INNER JOIN AFFECTER ON SERVEUR.NUMSERV = AFFECTER.NUMSERV INNER JOIN COMMANDE ON COMMANDE.NUMTAB = AFFECTER.NUMTAB INNER JOIN CONTIENT ON COMMANDE.NUMCOM = CONTIENT.NUMCOM INNER JOIN PLAT ON CONTIENT.NUMPLAT = PLAT.NUMPLAT

WHERE DATCOM BETWEEN TO_DATE('10/09/2016') AND TO_DATE('11/10/2016') AND to_char(datcom, 'dd/mm/yyyy') = to_char(dataff, 'dd/mm/yyyy') GROUP BY NOMSERV

ORDER BY CHIFFREAFFAIRE DESC;

	NOMSERV \$	CHIFFREAFFAIRE \$	NOMBRECOMMANDE \$
1	Tutus Peter	1030	4
2	Lilo Vito	376	2

QUESTION 5

SELECT NOMSERV

FROM SERVEUR

WHERE NOMSERV NOT IN (SELECT NOMSERV

FROM SERVEUR

INNER JOIN AFFECTER ON SERVEUR.NUMSERV =


AFFECTER.NUMSERV

INNER JOIN COMMANDE ON COMMANDE.NUMTAB =

AFFECTER.NUMTAB

WHERE DATCOM BETWEEN *TO_DATE*('10/09/2016') AND *TO_DATE*('11/10/2016')

GROUP BY NOMSERV);



QUESTION 6

SELECT COMMANDE.NUMCOM, SUM(PRIXUNIT * QUANTITE)
FROM COMMANDE

INNER JOIN CONTIENT ON COMMANDE.NUMCOM = CONTIENT.NUMCOM INNER JOIN PLAT ON CONTIENT.NUMPLAT = PLAT.NUMPLAT

GROUP BY COMMANDE.NUMCOM

ORDER BY COMMANDE.NUMCOM;

	NUMCOM \$	SUM(PRIXUNIT*QUANTITE) \$
1	100	204
2	101	544
3	102	230
4	103	212
5	104	146
6	105	70
7	106	70

UPDATE COMMANDE

SET MONTCOM = 'nouvelle valeur calculée par la fonction SUM' WHERE NUMCOM = '100';

	NUMCOM \$	NUMTAB \$	DATCOM	NBPERS NBPERS □	DATPAIE :	‡ MODPAIE	MONTCOM \$
1	100	10	2016-09-10 00:00:00	2	2016-09-10 20:50:00	Carte	204.00
2	101	11	2016-09-10 00:00:00	4	2016-09-10 21:20:00	Chèque	<null></null>
3	102	17	2016-09-10 00:00:00	2	2016-09-10 20:55:00	Carte	<null></null>
4	103	12	2016-09-10 00:00:00	2	2016-09-10 21:10:00	Espèces	<null></null>
5	104	18	2016-09-10 00:00:00	1	2016-09-10 21:00:00	Chèque	<null></null>
6	105	10	2016-09-10 00:00:00	2	2016-09-10 20:45:00	Carte	<null></null>
7	106	14	2016-10-11 00:00:00	2	2016-10-11 22:45:00	Carte	<null></null>

Pour la première commande et ainsi de suite

Question 7

Question 7.a

CREATE OR REPLACE TRIGGER ENREGISTREMENTAUDITER

AFTER

INSERT ON COMMANDE

DECLARE

v nbeuro NUMBER(6, 2);

v numserv SERVEUR.NUMSERV%TYPE;

BEGIN

SELECT SUM(**PRIXUNIT** * **QUANTITE**)

INTO v nbeuro

FROM PLAT

INNER JOIN CONTIENT ON PLAT.NUMPLAT = CONTIENT.NUMPLAT

WHERE NUMCOM = :NEW.NUMCOM;

SELECT DISTINCT SERVEUR.NUMSERV

INTO v_numserv

FROM SERVEUR

INNER JOIN AFFECTER ON SERVEUR.NUMSERV = AFFECTER.NUMSERV

WHERE SERVEUR. GRADE = 'maitre d''hotel'

AND AFFECTER.**NUMTAB** = :**NEW.NUMTAB**;

IF ((v_nbeuro / :NEW.NBPERS) < 15 AND v_numserv = 1) THEN</pre>

INSERT INTO AUDITER VALUES (NEW.NUMCOM, NEW.NUMTAB, NEW.DATCOM,

NEW.NBPERS, **NEW.DATPAIE**, v_nbeuro);

END IF:

END:

Question 7.b

```
CREATE OR REPLACE TRIGGER LIMITEQUANTITEPLAT
BEFORE
INSERT ON CONTIENT
DECLARE
v_nbperso COMMANDE.NBPERS%TYPE;
BEGIN
SELECT NBPERS
INTO v_nbperso
FROM COMMANDE
WHERE :NEW.NUMCOM = COMMANDE.NUMCOM;
IF (:NEW.QUANTITE > v_nbperso) THEN
:NEW.QUANTITE := v_nbperso;
END IF;
END;
```