GitHub NPM Registry

Use GitHub as package registry for your private packages

Why?

- separation of concerns: split projects into one-purpose only module(s)

- cheap: github package registry is already included in paid accounts

- effortless: almost zero administration & maintenance of registry required

Scopes

- Some package names also have a scope

- A scope follows the usual rules for package names. When used in package names, scopes are preceded by an "@" symbol and followed by a slash, e.g.

- Scopes are usually used company-wide

```
@scopename/somepackagename
```

Checklist

- package name contains a scope which matches the GitHub organization / username name (lowercased)

- npm config set GitHub registry URL for specific scope(s)

- properly setup of NPM_TOKEN

Package Name

The package's "scope" must match the organisation's name:

`package.json`

```json
{
    "name": "@egoditor/somepackagename"
}
```

Name is lowercased cause naming convention doesn't allow uppercase letters.

Registry

Configure `npm` to use a different package registry URL for specific scope(s).

Note that the Organisation's name must exact match here. **Do not lowercase!**

```
npm config set --@Egoditor:registry --location project https://npm.pkg.github.com/
```

or for all projects

```
npm config set --@Egoditor:registry https://npm.pkg.github.com/
```

NPM Token

Using private NPM Packages from GitHub registry requires a *personal access token* (PAT) with "write:packages" for publishing and/or "read:packages" for pulling.

```
npm config set //npm.pkg.github.com/:_authToken <token-value>
```

(alternative) interactively login

```
npm login --scope=@Egoditor --registry=https://npm.pkg.github.com
```

(alternative) environment variable

```
NPM_TOKEN=token-value npm install
```

Personal Access Tokens can be created in the GitHub Settings > "[Personal Access Tokens](#)".

Install package

```
npm install --save @egoditor/my-package@1.0.0
```

- check project's and user's `.npmrc` file for scope "@egoditor"

- uses `NPM_TOKEN` configured for the registry to authorize against the registry

GitHub Actions (CI)

- Installing or publishing a private package in GitHub package registry is very easy when following the rules.

- Access to the package is handled by github and the repository and organisation user permissions.

GITHUB_TOKEN

The github workflow environment automatically creates a secret `GITHUB_TOKEN` which can be used to do different things.

Permissions

Defined by:

- workflow settings

- type of repository (fork or source)

- settings in workflow.yml

read more …


```
depcheck
succeeded 16 hours ago in 31s                    Q  Search logs

∨  ⊘  Set up job

  1   Current runner version: '2.289.2'
  2   ▶ Operating System
  6   ▶ Virtual Environment
 11   ▶ Virtual Environment Provisioner
 13   ▼ GITHUB_TOKEN Permissions
 14      Actions: write
 15      Checks: write
 16      Contents: write
 17      Deployments: write
 18      Discussions: write
 19      Issues: write
 20      Metadata: read
 21      Packages: write
 22      Pages: write
 23      PullRequests: write
 24      RepositoryProjects: write
 25      SecurityEvents: write
 26      Statuses: write
 27   Secret source: Actions
 28   Prepare workflow directory
 29   Prepare all required actions
 30   Getting action download info
```

Example Workflow

```yaml
// .github/workflows/example.yml
env:
  NPM_AUTH_TOKEN: ${{ secrets.GITHUB_TOKEN }}
jobs:
  ci:
    runs-on: ubuntu-latest
    steps:
      - name: setup nodejs
        uses: actions/setup-node@v3
      - name: install dependencies
        run: npm ci
```

Install Local Package

npm link

Before publishing a version use the local copy of the package in your project by linking it:

```
cd my-new-project
npm link ../../egoditor/my-funky-package
```

Publishing Packages

- configure `package.json` "files" or `.npmignore` to publish only required files

- follow SEMVER

- use publishing channels (current, next, beta, alpha)

- easy to setup with semantic-release package

… will be covered in another talk

Troubleshooting

> npm ERR! Unable to authenticate, need: Basic realm="GitHub Package Registry"

The NPM Token is not valid, doesn't have the correct permissions. Double check the value.

> npm ERR! 404 Not Found - GET https://npm.pkg.github.com/download/@egoditor...

Authentification worked well but the package could not be found as the scope is not correct. Correct would be with uppercase "e".

Additional Resources

- [GitHub Documentation](#)

- [NPM config Documentation](#)

- [GITHUB_TOKEN: How it Works, Change Permissions, Customizations](#)

Thanks for listening!