

Copyright © 2020-2021, Vaagn Oganessian <ovgn@protonmail.com>

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at


<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and limitations under the License.

Title: <b>F-board.Header</b>	
File: <b>0_HEADER.SchDoc</b>	Size: <b>A4</b>
Drawn by: <b>Vaagn Oganessian</b>	Version: <b>v1.1.0</b>
Date: <b>25.12.2021</b> Time: <b>19:22:05</b>	Sheet: <b>1</b> of <b>3</b>

open**IRV**

## Focus sensor



## Motor wire expanders



These are motors wire expander connectors. Unfortunately original shutter and focus motor wires may be too short to reach the P-boards in various hardware configuration. Using this expanders and two additional cables the motors wire length problem can be solved.

Title: F-board.Focus

File: 1\_FOCUS.SchDoc

Size: A4

Drawn by: Vaagn Oganessian

Version: v1.1.0

Date: 25.12.2021 Time: 19:22:06

Sheet: 2 of 3

openIRV

v1.1.0

> public release

Title: F-board.ChangeLog		
File: 2_CHANGELOG.SchDoc	Size: A4	
Drawn by: Vaagn Oganessian	Version: v1.1.0	
Date: 25.12.2021	Time: 19:22:06	Sheet: 3 of 3

openIRV