

AI-Chatbot-Basic: four steps at startup, then a loop



ChatterBot imports live inside the functions, so importing functions.py alone never fails on a missing package. The training-data folder in this repo is not read by any code. The bot trains on the installed package instead.

OK

From launch to goodbye, one path



Two details the loop keeps: the bye check runs before get_response, so the bye words are never learned from, and the match is exact, with no stripping. bye with a trailing space or bye! goes to the bot as a question.

Product map: a small bot named Jordan

WHO IT SERVES

Me, learning how a corpus chatbot behaves, and anyone who wants a bot running in a terminal in minutes.

INPUTS

Typed lines at the me: prompt. Before that, the English corpus and one custom pair at startup.

THE CHAT WINDOW

me: Who is the owner of the house?

Jordan: Mark Nicholas

signed in chat, GK

OUTPUTS


Printed replies at the Jordan: prompt, and a growing db.sqlite3 the bot learns into as we talk.

BOUNDARIES

BestMatch only: the nearest stored statement wins, with no fallback. It never says it does not know.

that one answer is trained in main.py, in code, not looked up anywhere


Data flow: what Jordan learns, and from where



Both training passes run on every launch, in that order, before the first question is asked.
mapped from the code, GK

AI-Chatbot-Basic in numbers, counted 2026-10-30

Lines by kind, from git ls-files and a line count over each tracked text file. The two PNG brand images are excluded.



The whole repo is 27 files and 10 commits. First commit 2023-02-11, last one 2026-10-30, both from git log.
Most of the repo by lines is the YAML corpus copy the code never reads. The bot itself is 104 lines of Python.
Tests: none in the repo, and ChatterBot is not installed in my sandbox, so I ran nothing. No pass is claimed.
Full table, with the counting method behind every number, in VISUAL.md in this folder.

counted and drawn, GK

AI Chatbot Basic: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. emotion.yml
2. ai.yml
3. psychology.yml
4. conversations.yml

in flow order, first to last
housed in: training-data



base plate: the repo itself, sectioned

span: 24 files, 1624 lines counted

turns of the crank so far: 6 commits, 2023-02-11 to 2023-02-11

measured and sketched, OK