

Banking Program: how it is put together



balancechecking = input("?n What is the balance of your checking account? ?n") this would be another desired input and the input would be a float number or an integer number.

Sketched from the files

Banking Program: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed. GK

Product map: what Banking Program is for

WHAT IT IS

balancechecking = input("?n What is the balance of your checking account? ?n") this would be another desired input and the input would be a float number or an integer number.

WHAT GOES IN

The files at the top of the tree: banking.py, README.md, LICENSE.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK

Banking Program: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet,

Banking Program in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



4 files in the tree.
4 commits, first 2024-09-03, last 2024-09-03, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

Banking Program: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. banking.py
2. README.md
3. LICENSE
4. Flowchart.pdf

in flow order, first to last



base plate: the repo itself, sectioned

span: 4 files, 111 lines counted

turns of the crank so far: 4 commits, 2024-09-03 to 2024-09-03

measured and sketched, GK