

Custom Hacking OS Theming: how it is put together



When theming a hacking OS that you didn't create, there are only two things that have to be themed, the rest should not be themed as it will be a waste of time. All the other cust.

sketched from the files

Custom Hacking OS Theming: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed, GK

Product map: what Custom Hacking OS Theming is for

WHAT IT IS

When theming a hacking OS that you didn't create, there are only two things that have to be themed, the rest should not be themed as it will be a waste of time. All the other cust.

WHAT GOES IN

The files at the top of the tree: README.md.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand.

Custom Hacking OS Theming: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, GK

Custom Hacking OS Theming in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



1 files in the tree.
6 commits, first 2025-06-16, last 2025-06-16, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

Custom Hacking OS Theming: schematic of the apparatus


the document is the apparatus: its sections are the parts

construction lines left in, as drawn

parts list

1. README.md

in flow order, first to last



base plate: the repo itself, sectioned

span: 1 file, 8 lines counted

turns of the crank so far: 6 commits, 2025-06-16 to 2025-06-16

measured and sketched, GK