

Kokoro FastAPI Colab: how it is put together



A ready-to-run Google Colab notebook for deploying Kokoro text-to-speech API with GPU acceleration and public access via an ngrok tunnel.

sketched from the files

Kokoro FastAPI Colab: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed. GK

Product map: what Kokoro FastAPI Colab is for

WHAT IT IS

A ready-to-run Google Colab notebook for deploying Kokoro text-to-speech API with GPU acceleration and public access via an ngrok tunnel.

WHAT GOES IN

The files at the top of the tree: launch_kokoro.ipynb, README.md, banner.png.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK

Kokoro FastAPI Colab: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, GK

Kokoro FastAPI Colab in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



5 files in the tree.
22 commits, first 2025-03-25, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

Kokoro FastAPI Colab: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. launch_kokoro.ipynb
2. README.md
3. banner.png
4. logo.png

in flow order, first to last



base plate: the repo itself, sectioned

span: 5 files, 434 lines counted

measured in the code: port 8880 (launch_kokoro.ipynb); cap 180 (launch_kokoro.ipynb)

turns of the crank so far: 22 commits, 2025-03-25 to 2026-10-30

measured and sketched, GK