

MacOS Wireguard VPN Killswitch: how it is put together



MacOS Wireguard VPN Killswitch Script

sketched from the files

macOS WireGuard VPN Killswitch: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed, GK


Product map: what MacOS Wireguard VPN Killswitch is for

WHAT IT IS	WHAT GOES IN
MacOS Wireguard VPN Killswitch Script	The files at the top of the tree: README.md, killswitch.sh, unkillswitch.sh.

WHAT COMES OUT	WHERE IT STOPS
What the top files produce when they run or get read. Nothing else is promised.	No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK


MacOS Wireguard VPN KillSwitch: data flow, in one direction



One direction. Anything the code does not do is not drawn.

MacOS Wireguard VPN Killswitch in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



4 files in the tree.
8 commits, first 2023-10-08, last 2023-10-08, from the local git log.
No test files by name in this snapshot.

Counted and drawn. GK

macOS Wireguard VPN Killswitch: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. README.md
2. killswitch.sh
3. unkillswitch.sh
4. LICENSE

in flow order, first to last



base plate: the repo itself, sectioned

span: 4 files, 93 lines counted

turns of the crank so far: 8 commits, 2023-10-08 to 2023-10-08

measured and sketched, CK