
POLLIPAPER: how it is put together




the names doing the work

DESKTOP_WALLPAPER_POSITION, IDesktopWallpaper, RECT
WeatherFetcher, PollinationsBackgroundSetter, __init__

POLLIPAPER is a dynamic wallpaper application that uses the Pollinations AI image generation service to create and set unique desktop backgrounds. It offers features like weather-.

sketched from the file

POLLIPAPER: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed, GK

Product map: what POLLIPAPER is for

WHAT IT IS

POLLIPAPER is a dynamic wallpaper application that uses the Pollinations AI image generation service to create and set unique desktop backgrounds. It offers features like weather-.

WHAT GOES IN

The files at the top of the tree: POLLIPAPER.py, README.md, LICENSE.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK


POLLIPAPER: data flow, in one direction



One direction. Anything the code does not do is not drawn.

POLLIPAPER in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



4 files in the tree.

3 commits, first 2024-09-04, last 2024-09-07, from the local git log.

No test files by name in this snapshot.

counted and drawn, GK

POLLIPAPER: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. POLLIPAPER.py
2. README.md
3. LICENSE
4. .gitignore

in flow order, first to last



base plate: the repo itself, sectioned

span: 4 files, 969 lines counted

measured in the code: cap 5 (POLLIPAPER.py)

turns of the crank so far: 3 commits, 2024-09-04 to 2024-09-07 measured and sketched, GK