

Proxy List: how it is put together



SECURITY ADVISORY WARNING: DO NOT TRUST ANY PROXIES IN THIS LIST, THIS IS A FORK OF THE PROXY-LIST PROJECT FOR SECURITY ANALYSIS PURPOSES, PROFESSIONAL-USE ONLY.

sketched from the file

Proxy List: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed, GK

Product map: what Proxy List is for

WHAT IT IS

SECURITY ADVISORY WARNING: DO NOT TRUST ANY PROXIES IN THIS LIST, THIS IS A FORK OF THE PROXY-LIST PROJECT FOR SECURITY ANALYSIS PURPOSES, PROFESSIONAL-USE ONLY.

WHAT GOES IN

The files at the top of the tree: http.txt, socks4.txt, socks5.txt.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand.

Proxy List: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, OK

Proxy List in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



7 files in the tree.
2883 commits, first 2024-03-11, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

Proxy List: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. http.txt
2. socks4.txt
3. socks5.txt
4. action.yml

in flow order, first to last
housed in: .github



base plate: the repo itself, sectioned

span: 7 files, 4930 lines counted

turns of the crank so far: 2883 commits, 2024-03-11 to 2026-10-30

measured and sketched, GK