

TeleSync: how it is put together



Folder sync to Telegram, used as backup storage. A PowerShell script compresses and encrypts a local sync folder with 7-Zip, a Python script creates a dated Telegram backup channe.

sketched from the file

TeleSync: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed. GK

Product map: what TeleSync is for

WHAT IT IS

Folder Sync to Telegram, used as backup storage. A PowerShell script compresses and encrypts a local sync folder with 7-Zip, a Python script creates a dated Telegram backup channe.

WHAT GOES IN

The files at the top of the tree: main.ps1, create-channel.py, README.md.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK

TeleSync: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, CK

TeleSync in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



9 files in the tree.
87 commits, first 2023-03-11, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn, EK

TeleSync: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. main.ps1
2. create-channel.py
3. README.md
4. upload.py

in flow order, first to last



base plate: the repo itself, sectioned

span: 9 files, 280 lines counted

turns of the crank so far: 87 commits, 2023-03-11 to 2026-10-30

measured and sketched, GK