

UFO Detector: how it is put together



A novelty radar page that pretends to scan for UFOs. A green radar sweep animates in a circle, and at random the page flashes UFO DETECTED! with a red blip and a sound effect, the.

sketched from the files

UFO Detector: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed, GK

Product map: what UFO Detector is for

WHAT IT IS

A novelty radar page that pretends to scan for UFOS. A green radar sweep animates in a circle, and at random the page flashes UFO DETECTED! with a red blip and a sound effect, the.

WHAT GOES IN

The files at the top of the tree: script.js, style.css, README.md.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, 

UFO Detector: data flow, in one direction




One direction. Anything the code does not do is not Drawn.

second sheet,

UFO Detector in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



7 files in the tree.
3 commits, first 2025-03-16, last 2026-10-30, from the local git log.
No test files by name in this snapshot.

counted and drawn, GK

UFO Detector: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. script.js
2. style.css
3. README.md
4. index.html

in flow order, first to last



base plate: the repo itself, sectioned

span: 7 files, 224 lines counted

measured in the code: port 8000 (README.md)

turns of the crank so far: 3 commits, 2025-03-16 to 2026-10-30

measured and sketched, GK