

WireGuard Killswitch Monitor: how it is put together



A bash script that creates a kill switch for WireGuard VPN on macOS using PF (Packet Filter). It ensures that your internet traffic only flows through the VPN, preventing any leak.

sketched from the files

WireGuard Killswitch Monitor: the run, step by step



If a step fails, the honest run says so and stops.

traced, not guessed. GK

Product map: what WireGuard Killswitch Monitor is for

WHAT IT IS

A bash script that creates a kill switch for WireGuard VPN on macOS using PF (Packet Filter). It ensures that your internet traffic only flows through the VPN, preventing any leak.

WHAT GOES IN

The files at the top of the tree: README.md, killswitch.sh, leak_test.py.

WHAT COMES OUT


What the top files produce when they run or get read. Nothing else is promised.

WHERE IT STOPS

No service behind it, no account, no upload. If a path is untested, VISUAL.md says so.

mapped by hand, GK

WireGuard Killswitch Monitor: data flow, in one direction




One direction. Anything the code does not do is not drawn.

second sheet, GK

WireGuard Killswitch Monitor in numbers, counted 2026-10-30

Counted from the local snapshot of this repo. Method for every number: VISUAL.md.



4 files in the tree.
10 commits, first 2024-12-15, last 2025-06-23, from the local git log.
1 test files by name.

counted and drawn, GK

WireGuard Killswitch Monitor: schematic of the apparatus


the system as a machine: parts, flow, and measurements

construction lines left in, as drawn

parts list

1. README.md
2. killswitch.sh
3. leak_test.py
4. LICENSE

in flow order, first to last



base plate: the repo itself, sectioned

Span: 4 files, 384 lines counted

turns of the crank so far: 10 commits, 2024-12-15 to 2025-06-23

measured and sketched, GK