Rotaract Club of Xiamen University Malaysia

Rotary Club of Kuala Lumpur Dynamics

Rotary Club of Tun Razak Exchange

SDC Hackathon

Technical Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club

Submission Deadline: 25 October 2026

Instructions: Declare every API, cloud service, AI tool, dataset, model, and sponsor resource your team used to build the project. Complete every section; where a category does not apply, tick "No" or write "None" – do not leave it blank. Submit as a single PDF document named "SDC2026_TeamName_TechDeclaration.pdf" together with your project submission. Undeclared third-party resources discovered at judging may affect your score or eligibility.

Instagram: @sdc_xmumhack ***Email:*** sdc.xmumhack@gmail.com

1. TEAM AND PROJECT OVERVIEW

Team Name

Console

Project / Solution Name

ShiftBridge

Name (Leader)

Tan King Yang

Email & Phone (Leader)

kingyang3096@gmail.com | +60176653136

University Affiliation(s)

UTAR

Live Prototype URL

https://shift-bridge-kingyang3096.replit.app

Code Repository URL (public / access granted to judges)

https://github.com/Epsilon3096/SDC_Hackathon

2. ARCHITECTURE & TECHNOLOGY STACK

2.1. System Architecture Overview

Describe how the components declared in this document connect end-to-end (e.g., user interface → backend → AI model/API → database → cloud hosting). Attach a system block diagram as an appendix if available.

[Maximum 200 words]

The React/TypeScript interface calls a Fastify API. Synthetic worker profiles, public source records, review decisions, immutable evidence snapshots and adopted plans persist as isolated PostgreSQL JSONB workspaces. Local development uses embedded PostgreSQL through PGlite; managed PostgreSQL uses the pg driver.
The arXiv connector fetches and validates Atom metadata, with an RSS fallback. Source content is untrusted. A reviewer selects an exact passage, records an interpretation and role scope, then approves it. A separate publication operation produces a new snapshot. Deterministic TypeScript code calculates skill alignment, qualification status and prerequisite-aware learning priorities. The worker explicitly adopts a plan; its original assessment, profile and constraints are captured for later export.
An isolated rehearsal uses the same API operations with synthetic data and generation guards. It does not execute paid inference. RunPod performs bounded public-passage relevance triage. The hosted app accepted a v3 TalentCorp result; six synthetic cases also completed. Similarity never publishes evidence or ranks workers. Replit f056cef passed tests/build/smoke and the published app passed 24 HTTPS checks. Patched v3 execution was accepted by the hosted app. Validation includes automated tests and browser exercises, while human usability and workforce validation remain outstanding.

2. ARCHITECTURE & TECHNOLOGY STACK

2.2. Languages, Frameworks & Libraries

List the main programming languages, frameworks, and third-party libraries that your team did not create. Open-source use is permitted provided it is declared and properly licensed/attributed.

Name & Version	Purpose in Project	License
React / react-dom 19.3.1	Browser UI and rendering	MIT
TypeScript 5.9.3; Vite 7.3.7; Vitest 5.0.5	Language tooling, production build and automated tests	Apache-2.0 / MIT
Fastify 5.12.7; Zod 4.6.7	HTTP API and input validation; Fastify plugins listed in Appendix T	MIT
PGlite 0.3.16; pg 8.23.1	Local PostgreSQL and managed database driver	Apache-2.0 / MIT
Node.js; Python; GPU worker packages	Runtime/build components; exact versions and purpose in Appendix T	Component-specific notices
Full dependency inventory	Appendix T lists all direct npm packages and worker pins; repository CSV contains 260 lockfile entries.	Package-declared licences; preserve notices

3. APIs & CLOUD SERVICES

3.1. External APIs

List every external API your solution calls (GenAI, maps, payments, messaging, data feeds, etc.). Do not include API keys or secrets in this document.

API and Provider	Purpose in Project	Access Tier (free / paid / sponsor-provided)
arXiv Atom API	Research candidate metadata refresh	Public / no API key
arXiv cs.CV RSS	Fallback research candidate ingestion; announcement dates retained	Public / no API key
RunPod serverless API	Bounded public-passage embedding triage and status polling; v3 execution verified	Hackathon US$25 credit
Other application APIs	None. No payments, email, messaging, maps or recruitment API.	N/A
External learning links	Open publisher websites; not an application API integration	Publisher terms
Development / media services	Codex, Gemini and Higgsfield are declared in 4.3 / Appendix T; separate from runtime APIs.	Provider/account terms
Credentials	No keys or tokens included; private server-side secrets	N/A

3. APIs & CLOUD SERVICES

3.2. Cloud Platforms & Deployment

List every cloud service used for hosting, storage, databases, authentication, or compute, and indicate how the prototype is deployed.

Service & Provider	Purpose in Project	Plan / Region
Replit	Public app + managed PostgreSQL	Core; Asia autoscale
RunPod	Serverless GPU triage; endpoint and recorded hardware/runtime proof in Appendix T	Max 1 / active 0; observed RO / EU-RO-1; US$25 credit
GitHub	Public application source, CI and separate private worker build input	Repository services; region not recorded
Hugging Face Hub	Download pinned model/worker assets during build; not a user-profile service	Public model host; no paid plan recorded
Higgsfield	Synthetic demo narration only; not application hosting	Connected account; actual charge not itemized
Local Windows / PGlite	Local development, verification and media preparation	Local, not cloud
Other cloud services	None recorded; details and provider proof in Appendix T	N/A

4. AI TOOLS, MODELS & DATASETS

4.1. AI Models Used in the Solution

List every AI model embedded in or called by your application, including pre-trained, fine-tuned, and self-trained models.

Model & Version	Source / Provider	Usage (pre-trained / fine-tuned / self-trained)	License / Terms
BAAI/bge-large-en-v1.5	BAAI / Hugging Face	Pretrained embeddings; RunPod	MIT
Revision / execution (same model)	Pinned build; Appendix T 4.1	No training or fine-tuning. Hosted v3 passage and six synthetic cases completed.	Pinned notice retained; source passages retain rights
Other runtime AI	None	Matching and planning are deterministic.	N/A
Media / development AI	See 4.3 and Appendix T	Separate from application runtime	Provider/model terms
N/A	-	-	-
N/A	-	-	-
N/A	-	-	-

4. AI TOOLS, MODELS & DATASETS

4.2. Datasets

List all datasets used for training, fine-tuning, evaluation, or in the running application. State clearly if a dataset contains personal or sensitive data.

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
Profiles / practice	Team project	Synthetic	Apache-2.0	N
Role/skill catalogue	TalentCorp; O*NET; Intel; NIST	Public refs + team assumptions	Publisher rights; short excerpts/links	No worker data; public author names possible
Learning catalogue	Microsoft Learn; ASQ; NIST	Public links + original briefs	Publisher terms	N
Research metadata	arXiv Atom / RSS	Public abstracts/metadata	Per-paper/content terms	Public author names possible
Test fixtures	Project tests/	Synthetic	Apache-2.0	N
Training datasets	None	No training/fine-tuning	N/A	N
Private worker data	None	No CVs/employer records supplied	N/A	N
Full provenance	Appendix T 4.2	Detailed sources / scope	Rights retained	See above

4. AI TOOLS, MODELS & DATASETS

4.3. AI-Assisted Development Tools

Tools used to help write code, design, content, or documentation (e.g., chat assistants, code completion tools, image generators). Declaring these tools does not reduce your score; undeclared use may.

Did your team use any generative-AI tool to help create code, design, text, or other project material?

☑ Yes ☐ No

If yes, list them below:

Tool & Version	Used For	Extent of Use (minor / moderate / major)
Codex / gpt-6-astra	Concept, code, tests, research, documents and script	Major
Gemini / Argon UI label	Ideas and critique only; underlying model version unverified; no application code requested	Minor
Higgsfield / Seed Audio 1.0	User-selected synthetic narration; 13 completed jobs, 12 clips used. Not participant-recorded speech.	Major for narration only
faster-whisper 1.2.1; small.en / base.en	Local CPU transcription/caption checks; not runtime AI. Full tools and provenance in Appendix T.	Moderate for media QA

4. AI TOOLS, MODELS & DATASETS

Briefly describe how your team reviewed, tested, and took responsibility for AI-generated output:

[Maximum 100 words]

Codex contributed substantially to the concept, code, tests and documents. Automated checks cover scoring, prerequisites, publication boundaries and persistence; browser rehearsals exercise real API interactions. Source dates, qualifications and learning costs were checked; unsupported claims were removed. The participant directed scope and revisions, supplied personal declarations and authorized the signature and synthetic narration. The participant retains responsibility for the entry. Higgsfield's user-selected synthetic narrator is disclosed separately from participant-recorded speech. Automated verification and AI critique are not independent user validation or evidence of employment impact. Public video upload remains pending.

5. SPONSOR-PROVIDED RESOURCES

Declare any official SDC sponsor-provided GenAI API, cloud credits, tools, mentoring, or data that your team used.

Did your project use any official SDC sponsor-provided resource?

☑ Yes ☐ No

If yes, list them below:

Sponsor	Resource (API / credits / platform / data)	How It Was Used in the Project
Replit	Hackathon US$20 credit	Hosting + database
RunPod	Hackathon US$25 credit; serverless GPU	Bounded inference: hosted v3 passage plus six synthetic cases; historical v2 proof labelled separately
Other sponsor / mentor	None recorded	No additional contribution identified
Origin / evidence	Participant confirmed credit origin; genuine execution records retained	Appendix T includes endpoint URL, GPU type and runtime proof

5. SPONSOR-PROVIDED RESOURCES

Was the sponsor resource essential to the core functionality of the prototype, or could it be replaced? Explain briefly:

[Maximum 100 words]

Replit hosts the public application and managed PostgreSQL. Local execution remains possible. RunPod supplies bounded relevance triage, separate from deterministic matching and manual review. A hosted v3 request and six synthetic cases completed. Failures preserve published recommendations and display their actual status. Public HTTPS checks and retained GPU records establish concrete use of both sponsor platforms. Technical replaceability does not imply an exemption from event rules. Credits are declared as hackathon-supplied based on the participant's confirmation.

6. SECURITY, PRIVACY & RESPONSIBLE USE

6.1. Data Handling & Privacy

What user or personal data does your application collect, store, or send to third-party services (including AI APIs)? How is it protected, and how long is it kept? State "No user data is collected" if applicable.

[Maximum 150 words]

The prototype stores editable synthetic names, qualifications, experience, skill levels, study constraints, saved plans, review notes and audit records. A random browser-session cookie identifies an isolated workspace; no real CV upload or account registration is provided. Real personal profiles must not be entered for this competition.

The session cookie is HttpOnly and SameSite=Strict, with Secure enabled in hosted HTTPS mode. API validation, origin checks, rate limits and transactional writes protect state changes. Workspace data persists in PostgreSQL; the cookie expires after fourteen days, but database cleanup is not automated. A retention/deletion policy is therefore still required before a real pilot.

arXiv requests contain a fixed research query, not worker profiles. The configured RunPod adapter sends a bounded public-source passage and relevance query, not worker data. Publisher links may involve those sites' own privacy practices. No production security certification or independent audit is claimed.

6. SECURITY, PRIVACY & RESPONSIBLE USE

6.2. Known Limitations & Risks

Identify the main technical limitations of your AI components (e.g., hallucination, bias, rate limits, dependency on a single provider) and any mitigation you have implemented.

[Maximum 150 words]

The six-skill model is incomplete, self-reported and not validated as occupational readiness. Requirements, weights and adoption scenarios are assumptions. Unknown proficiency remains unknown; adjacent-route entry requirements are not invented. No employment probability is produced.

Research relevance does not prove deployment or changed duties. Exact passages, recorded human interpretation, role scope and separate publication constrain evidence changes. Rejection preserves accepted plans; corrections create new snapshots. Older unscoped rules are explicitly labelled rather than silently rewritten.

A hosted v3 request and six synthetic cases completed. Accuracy and calibration remain unmeasured. Timings are single-run observations. The live feed may fail or return insufficient evidence; previous reviewed state remains readable. Learning times are team estimates; credentials and optional tools are outside the displayed learning cost. Completion records activity rather than competence. Automated tests and developer rehearsals do not substitute for independent worker validation, usability measurement or a complete security/accessibility audit.

7. COMPLIANCE & READINESS

Tick all boxes that apply before submitting.

☑ All APIs, cloud services, AI tools, models, and datasets used in the project are declared in this document.

☑ All third-party code, datasets, and models are used in accordance with their licenses, and attribution is provided where required.

☑ No API keys, passwords, or other credentials are exposed in the code repository, prototype, or this document.

☑ Any use of generative-AI tools for development has been disclosed and reviewed by the team.

☑ Any use of official SDC sponsor resources has been declared in Section 5.

☑ The prototype described here is accessible to judges through the links provided in Section 1.

☑ All fields in this template have been completed within the word limits stated.

Appendix T is part of this declaration. Prototype/source access verified; the completed video awaits participant YouTube upload. No final portal submission is claimed.

8. DECLARATION

By submitting this document, the team leader confirms that the information provided is complete and accurate to the best of the team's knowledge, and that every API, cloud service, AI tool, dataset, model, and sponsor resource used in the project has been declared.

[Signature]



Tan King Yang | Team Console | Sole participant / leader

[Date]

23 October 2026

Official template completed 24 October 2026. Participant-supplied signature and its original date retained with authorization. Codex assisted preparation; the participant is the entrant and signatory.

Appendix T - Detailed resource records

Continuation of official sections 2.2, 3, 4 and 5. This appendix and the following genuine RunPod screenshots form part of the signed declaration.

2.2 Languages, frameworks and libraries

All direct npm dependencies are listed below. Package-declared licence metadata is not a legal-clearance opinion. The source repository includes the complete 260-entry lockfile inventory.

Runtime

Name and resolved version	Purpose	Package-declared licence
@electric-sql/pglite 0.3.16	Local embedded PostgreSQL storage	Apache-2.0
@fastify/cookie 11.1.3	Session-cookie handling	MIT
@fastify/rate-limit 11.2.1	API request rate limits	MIT
@fastify/static 10.1.6	Serve the built client	MIT
dotenv 17.4.2	Environment configuration	BSD-2-Clause
fast-xml-parser 5.11.2	Validate and parse arXiv Atom/RSS	MIT
fastify 5.12.7	HTTP API framework	MIT
lucide-react 0.468.0	Interface icons	ISC
pg 8.23.1	Managed PostgreSQL driver	MIT
react 19.3.1	Interface components	MIT
react-dom 19.3.1	Browser interface rendering	MIT
zod 4.6.7	Input schemas and validation	MIT

Development and verification

Name and resolved version	Purpose	Package-declared licence
@types/node 24.19.2	Node type definitions	MIT
@types/pg 8.23.1	PostgreSQL driver type definitions	MIT
@types/react 19.3.0	React type definitions	MIT
@types/react-dom 19.3.0	React DOM type definitions	MIT
@vitejs/plugin-react 5.2.0	React build integration	MIT
concurrently 9.2.5	Local client/server development runner	MIT
tsx 4.23.15	Execute TypeScript in development/server scripts	MIT
typescript 5.9.3	Type checking and TypeScript language tooling	Apache-2.0
vite 7.3.7	Development server and production client build	MIT
vitest 5.0.5	Automated test runner	MIT

Other runtime/platform components: JavaScript/TypeScript, HTML/CSS, Node.js 24.14.0 locally, Node.js 22.22.0 in the earlier Replit check, npm, PostgreSQL and PGlite. Exact managed PostgreSQL server and final-host npm versions were not exposed in the retained deployment record; no version is invented. No ORM or custom model training framework is claimed in the running application.

3. APIs and cloud services

3.1 External APIs

API and provider	Purpose	Access tier and actual status
arXiv Atom API - export.arxiv.org	Refresh industrial-inspection research candidates, actual publication/revision metadata and source links.	Public endpoint, no app API key. Live retrieval has been exercised. Rate limits/network failures are handled; no availability guarantee.
arXiv cs.CV RSS - rss.arxiv.org	Fallback candidate ingestion with honest announcement/date metadata.	Public feed, no app API key. Code path and validation tested; announce date is not invented publication date.
RunPod serverless API	Embedding relevance job submission/status polling, with durable reservations and matching provenance.	**Live execution verified.** A hosted TalentCorp v3 result and six v3 synthetic cases completed. Endpoint-restricted GET/POST key configured privately; latest recorded account balance was US$24.98 on 23 October 2026; billing can lag, so no per-job cost is inferred.

No payment, recruitment, email, mapping or messaging APIs are called by the application. External learning/source links open the publisher’s website. Development-time Codex browsing and research are disclosed separately below; they are not end-user runtime APIs.

3.2 Cloud platforms and deployment

Service/provider	Purpose	Plan/region and actual status
Replit development workspace and managed PostgreSQL	Earlier source import, HTTPS standalone preview, database persistence check.	Commit f056cef: 257 passed; 3 skipped, build and smoke passed. Published 45bfed5 (r4): 24 HTTPS checks passed. Security scan: zero active/zero dismissed findings. Core/US$20 credit confirmed; auto-reload off. Autoscale: 1 CPU, 1 GiB, max 1 instance, Asia, fresh production database.
RunPod	Bounded GPU relevance service.	Endpoint API URL https://api.runpod.ai/v2/0qcgjcclf6fln9/runsync, container built from private source; hosted v3 passage and six v3 synthetic jobs completed. One 16 GB GPU family; quoted runtime US$0.58/hour; max 1/active 0 workers; idle 5s; execution 120s. The retained Workers view shows RTX A4500 in RO / EU-RO-1 for the observed release-4 worker; future allocation may differ. Actual per-job billing was not itemized in the retained account observation.
GitHub	Public application source and CI; separate private GPU build input.	Public Epsilon3096/SDC_Hackathon, anonymous access verified with original history preserved through c09c5f3 (documentation checkpoint); application deployment 45bfed5. All seven CI jobs passed; per-job counts were not extracted from these logs. Private Epsilon3096/shiftbridge-inference remains repository-only build input.
Local Windows + PGlite	Current development, tests and persisted demo.	Local execution; not cloud hosting.

4. AI tools, models and datasets

4.1 AI models used in the solution

The hosted application accepted a v3 TalentCorp result; six v3 synthetic triage cases also completed. Matching and planning are deterministic; evidence mapping is reviewed manually.

Model/version	Source/provider	Usage	Licence/terms and status
BAAI/bge-large-en-v1.5 - build revision d4aa6901d3a41ba39fb536a557fa166f842b0e09	BAAI, configured for RunPod	Pretrained embedding relevance triage only; one hosted TalentCorp passage plus six synthetic cases completed under v3; app accepted the real-passage result. No training/fine-tuning.	**Executed revision pinned; genuine job provenance recorded in ../RUNPOD_VERIFICATION.md.** Pinned-model MIT notice is included. Public source passages are attributed; the source publishers retain their rights. These cases do not establish accuracy.

The current model row records v3 execution from private-worker commit 383eabc: a hosted TalentCorp passage accepted by the app and six synthetic jobs. Earlier seven-job v2 results remain separately labelled. The published source passed the Replit security scan with zero active/zero dismissed findings. The pinned model MIT notice and browser dependency notices are included; public source content retains its publisher rights and is not relicensed as application code; no

threshold calibration or general model accuracy is established. The Python worker uses PyTorch, Transformers, huggingface-hub, safetensors and the RunPod SDK; pinned direct versions are in runpod/requirements.txt and runpod/Dockerfile. These worker dependencies are separate from the npm inventory; transitive Python hashes are not yet frozen.

4.2 Datasets

Dataset / material	Source	Type	Personal data?	Licence / permitted use recorded here
Aina and Farid profiles; edited rehearsal; practice CSVs/worksheets	src/shared/catalogue.ts, public/practice/, team project	Synthetic, AI-assisted creation	No real worker data	Original project material under the project's Apache-2.0 licence; project provenance and AI assistance are disclosed in this declaration. These are not measured factory records.
Role/skill/source catalogue	TalentCorp E&E report; O*NET inspection/process/calibration references; Intel deployment account; NIST calibration	Public reference material; team-authored modelling assumptions	No worker records; bibliography may contain public author names	Source publishers retain rights. Short excerpts and links are attributed. Do not redistribute complete copyrighted reports or assume the application licence covers them. Use is limited to attributed short passages, metadata and links; complete reports are not included in the source package.
Learning-resource catalogue	Microsoft Learn, ASQ and NIST links listed in proposal [S5-S6]	Public references + original practice briefs	No learner account data imported	External learning materials remain under publisher terms. Reading access is separate from reuse, credentials and paid tools.
arXiv abstracts/metadata and PatchCore research example	arXiv API/RSS; source record URLs	Public research metadata/text, not training data	No worker profiles sent; publication text may contain public author names	Individual paper/content terms may differ. API access does not grant blanket relicensing of all abstracts or papers. Preserve attribution and avoid bundling complete papers.
Automated test fixtures	tests/	Synthetic	No	Project licence; mocked network outputs are test data, not live model or user evidence.

No dataset was used to train or fine-tune a model. No private employer records, real CVs or genuine employee profiles were supplied to the running app. The team must maintain that boundary during recording and evaluation.

4.3 AI-assisted development tools

Yes.

Tool/version	Used for	Extent
OpenAI Codex; session model identifier gpt-6-astra	Research, initial concept and strategy, design, implementation, tests, browser verification, documentation and video scripting. Identifier verified from task session metadata.	**Major.** Substantial development assistance, not only autocomplete.
Google Gemini; observed interface label Argon	Ideas-only reviews on 21 and 23 October. Underlying model/build version was not independently verified.	Minor relative to the build; no Gemini application code was requested.

Tool/version	Used for	Extent
Higgsfield; model Seed Audio 1.0 (seed_audio), ByteDance via Higgsfield; voice User-selected voice element 667f2658-38c5-41ba-b45b-f5e2dc4d216d	Synthetic narration with the participant-selected element/reference voice. Completed 24 October 2026. 13 audio jobs completed; 12 clips are used. One pronunciation take was replaced after automated review. Provider job identifiers and unmodified source hashes are retained in the private production record. Actual generation cost was not itemized in the retained provider result; no price estimate is presented as paid usage.	Media narration only; not a recording of the participant's narration. No claim is made that the selected voice is a generic preset or a clone of any identified person.
Other AI tools	Automated speech-recognition tools used for media checks are listed in the production-tooling appendix. No further AI use is recorded or reported. The earlier no-additional-AI statement preceded Higgsfield authorization.	No generated application footage is claimed.

Higgsfield usage/terms record: Narration was generated through the connected Higgsfield account using the voice selected in its picker. It is disclosed as AI-generated narration, not the participant's own recorded voice. The underlying voice identity is not inferred from its display label.

Document and video preparation tools

Python 3.12.14, ReportLab 4.4.9 and pypdf 6.10.0 produced and checked the PDFs. Pillow 12.3.0 handled layout previews and ordinary video crops; it did not reconstruct the interface. The bundled @oai/artifact-tool 2.8.99 authored the deck; python-pptx 1.0.2 supported verification. FFmpeg 7.1 via imageio-ffmpeg 0.6.0 assembled genuine application captures and the eight-slide deck. faster-whisper 1.2.1 with small.en and base.en models ran on CPU for automated transcription and caption checks; this is media-quality tooling, not application runtime AI. The earlier silent edit measured 395.02 seconds; that measurement is not a measurement of the revised narrated video. The revised narrated file has a measured duration of 401.22 seconds. Visual review, signal analysis and automated transcription do not establish a human listening review. Human listening was unavailable during automated preparation and is not claimed. Synthetic narration is the disclosed generated-media component; no generated interface footage or stock music is included. The participant-supplied signature image is embedded unchanged in these private PDFs, retaining its original 23 October date.

5. Sponsor-provided resources

Yes. The participant confirmed on 23 October 2026 that the US$20 Replit and US$25 RunPod credits were supplied by the hackathon, and authorized their use for ShiftBridge. Actual platform execution is evidenced separately from credit origin. No additional sponsor or mentor contribution is recorded for this project.

Sponsor	Resource	How actually used
Replit	Hackathon-supplied US$20 credit; development platform and managed PostgreSQL	Public application hosting, database persistence, development verification and publication. Auto-reload was off at the recorded account check.
RunPod	Hackathon-supplied US$25 credit; serverless GPU build and inference	One hosted v3 TalentCorp request and six v3 synthetic jobs completed. Seven earlier v2 jobs are retained as historical evidence. Latest 23 October account observation: US$24.98 remaining, US$0/hour, no queued/running workers and AutoPay disabled. Billing can lag; this is not a per-job cost calculation.
Other sponsor/mentor	None recorded	No additional external contribution is identified in the project records.

Python worker pins

PyTorch 2.13.0+cu126 / CUDA 12.6; runpod 1.12.0; transformers 5.20.2; huggingface-hub 1.31.0; safetensors 0.8.0; certifi 2026.10.19; httpx2 2.16.0; httpcore2 2.16.0. These are the direct build pins in runpod/requirements.txt and Dockerfile; transitive Python hashes are not frozen. Upstream notices are retained separately.

Sources

- **[S1]** TalentCorp, Impact Study of Artificial Intelligence, Digital, and Green Economy on the Malaysian Workforce, Volume 2: Electrical and Electronics, copyright 2024, printed pp. 50-51, 67 and 70. Official report. Context, not a particular worker's forecast.

- **[S2]** Intel, Computer Vision and AI for Inline Inspection, December 2023 according to its linked white paper. Deployment account. Date precision is month; it is not a Malaysian employment study.

- **[S3]** O*NET, 51-9061.00, updated 2026. US task reference, not Malaysian labour-market statistics.

- **[S4]** O*NET, 17-3027.00 and 17-3028.00, updated 2026. Exploratory adjacent-role task references, not universal entry rules.

- **[S5]** Microsoft Learn: Power BI, machine-learning concepts and computer-vision concepts. Provider durations are not established; certificates are not included.

- **[S6]** ASQ: Check Sheet and Root Cause Analysis; NIST: Calibration. Public references, not certified four-hour courses.

- **[S7]** arXiv API and cs.CV RSS; PatchCore research example, first submitted 2021-06-15, revised 2022-05-05. Research alone does not prove adoption or altered job duties.


- **[S8]** United Nations, Goal 4 and its targets. The app's planning measures are project proxies, not official SDG indicator measurements.

Catalogue source review: 21 October 2026. Published role-count baseline checked on 23 October 2026. The baseline describes assessed role types, not a measured ShiftBridge outcome.

RunPod provider proof 1

Endpoint URL - dashboard captured 24 October 2026

Genuine RunPod Overview captured on 24 October 2026. The visible request URL identifies endpoint 0qcgjcclf6fln9. YOUR_API_KEY is a placeholder; no API credential is visible. The dashboard shows Ready and zero running workers, in-progress jobs and queued jobs. Opening this view did not submit a new inference request.




Endpoint API URL: https://api.runpod.ai/v2/0qcgjcclf6fln9/runsync. Authentication is required; no key is included.

RunPod provider proof 2

GPU family and release - retained 23 October capture

Unmodified genuine Workers capture retained from 23 October 2026. The worker row shows RTX A4500, version 4 marked Latest, and idle status. This is historical GPU and release evidence, not a new 24 October worker observation. The Uptime cell is a dash, so no uptime or execution duration is inferred from this image.




Endpoint API URL: https://api.runpod.ai/v2/0qcgjcclf6fln9/runsync. Authentication is required; no key is included.

RunPod provider proof 3

Historical v2 execution - retained 23 October capture

Unmodified genuine Metrics capture retained from 23 October 2026. The selected dashboard window shows seven completed requests, zero failures, zero retries and total execution time of 7.6 seconds. These are the initial historical v2 jobs, not the later v3 jobs and not newly run jobs on 24 October. The total is not per-job latency, queue delay, an uptime measurement or an accuracy result.



Endpoint API URL: https://api.runpod.ai/v2/0qcgjcclf6fln9/runsync. Authentication is required; no key is included.

Final submission links

Console | ShiftBridge | Domain 1 - AIVERSECITY

Publication update: 24 October 2026

This dated administrative update supersedes earlier statements that the YouTube upload is pending. The signed declaration and its original date are preserved without alteration.

Pitch/demo: Console: ShiftBridge - 6 minutes 41 seconds

https://youtu.be/zyS30NtQKsg

Public source and final submission index:

https://github.com/Epsilon3096/SDC_Hackathon

Live prototype:

https://shift-bridge-kingyang3096.replit.app

The participant supplied the uploaded video URL. Browser playback and the 6:41 duration were checked on 24 October 2026. YouTube labels it Unlisted; viewers can access it using the direct link.

The repository README links the slide deck and separate Replit and RunPod proof-of-use PDFs. This sheet records publication readiness; it does not itself certify portal receipt or judging acceptance.