```
<?php namespace App\Controllers;</pre>
use App\Models\Tipo;
use CodeIgniter\Controller;
class TipoInstructor extends Controller{
   private $tipo;
   public function __construct(){
       $this->tipo = new Tipo();
   public function index(){
       return view('admin/tipo/index.php');
   }
   public function listar(){
       echo view('admin/tipo/listar.php', ['tipo' => $this->tipo->getListar()]);
   }
   public function buscar(){
       if($this->request->isAJAX()){
           $b = $this->request->getPost('search');
           $salida = "";
           if($b){
               $tipo = $this->tipo->buscarT($b);
               if(count($tipo)>0){
                  $salida.='
table-condesed" id="hidden-table-info">
                  <thead>
                      Tipo
                          </thead>
                  ';
                  foreach($tipo as $item){
                      $salida.='
                      '.$item['tipo'].'
                      <button class="btn btn-danger"</pre>
onclick="deleteTypeInstructor('.$item['idTipInst'].')" title="Eliminar">
                             <i class="fa fa-trash"></i></i>
                          </button>
                      <button class="btn btn-primary"</pre>
onclick="showformTypeInstructor('.$item['idTipInst'].')" title="Actualizar">
                             <i class="fa fa-pencil"></i></i>
```

```
</button>
                       </td
                       ';
                   $salida.='';
               }else{
                   $salida = '<div class="col-xs-12">
style="font-size: 17px; border-left: 10px solid red; border-right: 10px solid
red;">No hay datos</div>';
               echo $salida;
           }
       }
   }
   public function showForm(){
       if($this->request->isAJAX()){
           $id[0] = $this->request->getPost('id');
           if($id[0]){
               echo view('admin/tipo/guardarTipo.php', [
'registro'=>$this->tipo->buscarR($id)]);
           }else{
               echo view('admin/tipo/guardarTipo.php', ['registro'=>null]);
           }
       }
   }
   public function saveData(){
       if($this->request->isAJAX()){
           $data = $this->request->getPost('datos');
           $data2 = [];
           e = 0;
           foreach($data as $i => $v){
               if($v['value'] == ""){
                   data2[e] = null;
                   $e++;
               }else{
                   $data2[$e] = $v['value'];
                   $e++;
               }
           $msj = $this->tipo->guardar($data2);
           echo $msj;
       }
   }
   public function deleteData(){
       if($this->request->isAJAX()){
           if($this->tipo->delete($this->request->getPost('id')) != false){
               echo 'ok';
```

```
}else{
            echo 'Error al borrar';
}
}
}
```