```
<?php namespace App\Controllers;</pre>
use App\Models\Especialidad;
use App\Models\Instructor;
use App\Models\Telefono;
use App\Models\Tipo;
use App\Models\TipoTelefono;
use CodeIgniter\Controller;
class Instructores extends Controller{
   private $instructor;
   private $especialidad;
   private $tipo;
   private $telefono;
   private $tipTel;
   public function __construct(){
       $this->instructor = new Instructor();
       $this->especialidad = new Especialidad();
       $this->tipo = new Tipo();
       $this->telefono = new Telefono();
       $this->tipTel = new TipoTelefono();
   }
   public function index(){
       return view('admin/instructor/index.php',['especialidad' =>
$this->especialidad->getListar(), 'tipo' => $this->tipo->getListar()]);
   }
   public function listar(){
       echo view('admin/instructor/listar.php', ['instructor' =>
$this->instructor->getListar()]);
   }
   public function buscar(){
       if($this->request->isAJAX()){
           $b = $this->request->getPost('search');
           $e = $this->request->getPost('esp');
           $t = $this->request->getPost('tip');
           $salida = "";
           if($b || $e || $t){
               $instructor = $this->instructor->buscarT($b, $e, $t);
               if(count($instructor)>0){
                   $salida.='
table-condesed" id="hidden-table-info">
                   <thead>
                       Nombre
                           Especialidad
                           Tipo
```

```
<
                          </thead>
                   ';
                  foreach($instructor as $item){
                      $salida.='
                      '.$item['nombreInstructor']." ".$item['apellidoI1']."
".$item['apellidoI2'].'
                      '.$item['especialidad'].'
                      '.$item['tipo'].'
                      <button class="btn btn-danger"</pre>
onclick="deleteInstructor('.$item['idInstructor'].')" title="Eliminar">
                              <i class="fa fa-trash"></i></i>
                          </button>
                      <button class="btn btn-primary"</pre>
onclick="showformInstructor('.$item['idInstructor'].')" title="Actualizar">
                              <i class="fa fa-pencil"></i></i>
                          </button>
                      </td
                      ';
                  $salida.='';
               }else{
                  $salida = '<div class="col-xs-12">
style="font-size: 17px; border-left: 10px solid red; border-right: 10px solid
red;">No hay datos</div>';
               echo $salida;
           }
       }
   }
   public function showForm(){
       if($this->request->isAJAX()){
           $id[0] = $this->request->getPost('id');
           if($id[0]){
               echo view('admin/Instructor/guardarInstructor.php',
['registro'=>($idTel = $this->instructor->buscarR($id)),
               'telt' => $this->tipTel->getListar(), 'tel' =>
$this->telefono->buscarR($idTel[0]['telefonoIns_idTel']),
               'e' => $this->especialidad->getListar(), 't' =>
$this->tipo->getListar()]);
           }else{
               echo view('admin/Instructor/guardarInstructor.php',
['registro'=>null, 'telt' => $this->tipTel->getListar(),
               'tel' => null, 'e' => $this->especialidad->getListar(), 't' =>
```

```
$this->tipo->getListar()]);
        }
    }
    public function saveData(){
        if($this->request->isAJAX()){
            $data = $this->request->getPost('datos');
            $data2 = [];
            e = 0;
            foreach($data as $i => $v){
                $data2[$e] = $v['value'];
                $e++;
            if($this->instructor->buscarR($data2[0])){
                $msj = $this->telefono->guardar([$data2[6], $data2[5], $data2[4]]);
                if($msj != 'ok'){
                    echo $msj;
                }else{
                    $data2 = [$data2[0], $data2[7], $data2[8], $data2[6],
$data2[1], $data2[2], $data2[3]];
                    $msj = $this->instructor->actualizar($data2);
                    echo $msj;
            }else{
                $msj = $this->telefono->guardar([null, $data2[5], $data2[4]]);
                if($msj != 'ok'){
                    echo $msj;
                }else{
                    $data2 = [$data2[0], $data2[7], $data2[8], null, $data2[1],
$data2[2], $data2[3]];
                    $msj = $this->instructor->guardar($data2);
                    echo $msj;
                }
            }
        }
    }
    public function deleteData(){
        if($this->request->isAJAX()){
            if($this->instructor->delete($this->request->getPost('id')) != false){
                echo 'ok';
            }else{
                echo 'Error al borrar';
            }
        }
    }
}
```