```
<?php namespace App\Controllers;</pre>
use App\Models\Horario;
use CodeIgniter\Controller;
class Horarios extends Controller{
   private $horario;
   public function __construct(){
       $this->horario = new Horario();
   public function index(){
       return view('admin/horario/index.php');
   }
   public function listar(){
       echo view('admin/horario/listar.php', ['horario' =>
$this->horario->getListar()]);
   }
   public function buscar(){
       if($this->request->isAJAX()){
          $i = $this->request->getPost('i');
          $f = $this->request->getPost('f');
          $salida = "";
          if($i || $f){
              $horario = $this->horario->buscarT($i, $f);
              if(count($horario)>0){
                  $salida.='
table-condesed" id="hidden-table-info">
                  <thead>
                     Horario Inicio
                         Horario Termino
                         dia
                         </thead>
                  ';
                  foreach($horario as $item){
                     $salida.='
                     '.$item['horaInicio'].'
                     '.$item['horaTermino'].'
                     '.$item['dias'].'
                     <button class="btn btn-danger"</pre>
onclick="deleteSchedule('.$item['idHorario'].')" title="Eliminar">
                            <i class="fa fa-trash"></i></i>
```

```
</button>
                       <button class="btn btn-primary"</pre>
onclick="showformSchedule('.$item['idHorario'].')" title="Actualizar">
                               <i class="fa fa-pencil"></i></i>
                           </button>
                       </td
                       ';
                   $salida.='';
               }else{
                   $salida = '<div class="col-xs-12">
style="font-size: 17px; border-left: 10px solid red; border-right: 10px solid
red;">No hay datos</div>';
               echo $salida;
           }
       }
   }
   public function showForm(){
       if($this->request->isAJAX()){
           $id[0] = $this->request->getPost('id');
           if($id[0]){
               echo view('admin/horario/guardarHorario.php',
['registro'=>$this->horario->buscarR($id)]);
           }else{
               echo view('admin/horario/guardarHorario.php', ['registro'=>null]);
       }
   }
   public function saveData(){
       if($this->request->isAJAX()){
           $data = $this->request->getPost('datos');
           $data2 = [];
           e = 0;
           foreach($data as $i => $v){
               $data2[$e] = $v['value'];
               $e++;
           if(!$this->horario->buscarR($data2[0])){
               $msj = $this->horario->guardar($data2);
               echo $msj;
           }else{
               $msj = $this->horario->actualizar($data2);
               echo $msj;
           }
       }
```

```
public function deleteData(){
    if($this->request->isAJAX()){
        if($this->horario->delete($this->request->getPost('id')) != false){
            echo 'ok';
        }else{
            echo 'Error al borrar';
        }
    }
}
```