

Problem

Result

Forms Use

[Send Feedback](#)

What is the use of Forms in HTML?

i You have max 2 attempts to score in this question.

Attempts left: 0/2

Options

This problem has only one correct answer

- to display contents
- to collect user's input
- to search the site by user's input
- none of the above

 Hurray! Correct Answer

Problem

Result

Input Tag

[Send Feedback](#)

Input tag is generally used within:

You have max 2 attempts to score in this question.

Attempts left:

Options

This problem has only one correct answer

- <title> element
- <form> element
- <meta> element
- <head> element
- Hurray! Correct Answer

Solution Description

Explanation: It is used to create interactive controls for forms in order to accept data from the user within the form element.

Problem

Result

Label tag

[Send Feedback](#)

Select the correct statements about the label tag.

i You have max 2 attempts to score in this question.

Options

Attempts left: **1/2**

This problem has only one correct answer

- <label> tag in HTML is used to specify a label that you v
- <label> tag is an inline element.
- 'for' attribute used in <label> tag refers to the id of the e
- All of the above.

 Hurray! Correct Answer

Problem

Result

Take Input From User

[Send Feedback](#)

Which element is used to take input from the user that can be send to the server?

i You have max 2 attempts to score in this question.

Attempts left: 1/2

Options

This problem has only one correct answer

<form>

<label>

<input>

<select>

 Hurray! Correct Answer

Problem

Result

Default of Type Attribute

[Send Feedback](#)

What is the default 'type' attribute of <input> element?

i You have max 2 attempts to score in this question.

Attempts left: 1/2

Options

This problem has only one correct answer

- text
- password
- numerals
- date

 Hurray! Correct Answer

 PREVIOUS

NEXT 

 SUBMIT

ENG

19:52

Problem

Result

Not Input Type Value

[Send Feedback](#)

Which of them is not the value of the input's type attribute?

i You have max 2 attempts to score in this question.

Attempts left **1/2**

Options

This problem has only one correct answer

- email
- password
- hidden
- range
- week
- None of these
- Hurray! Correct Answer

Solution Description

Hint: Refer to the extra link given in Notes to get a list of

Problem

Result

Compulsory to Fill

[Send Feedback](#)

Adding which of the following to input box make it compulsory to be filled out when submitting the form?

i You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

type="required"

required

important

compulsory

 Hurray! Correct Answer

Problem

Result

Create Check Box

[Send Feedback](#)

Which tag creates a check box for a form in HTML?

You have max 2 attempts to score in this question.

Attempts left:

Options

This problem has only one correct answer

- <checkbox></checkbox>
- <input type="checkbox">
- <input=checkbox>
- <input checkbox>

Hurray! Correct Answer

Problem

Result

For Attribute

[Send Feedback](#)

How does the "for" attribute of label tag linked to the input box?



You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

- set the "name" attribute of input to same value as "for"
- set the "value" attribute of input to same value as "for"
- set the "id" attribute of input to same value as "for" attri
- all the above options are necessary



Hurray! Correct Answer

Problem

Result

Same Value For Name

[Send Feedback](#)

Choose the correct statement regarding elements having same value of "name" attribute.

i You have max 2 attempts to score in this question.

Attempts left: 0/2

Options

This problem has only one correct answer

- Elements with `<input type="checkbox">` can have different values for the "name" attribute.
- Elements with `<input type="radio">` can have same values for the "name" attribute.
- Elements with `<input type="checkbox">` can have same values for the "name" attribute.
- Elements with `<input type="radio">` can have same values for the "name" attribute.

The solution to this problem has been viewed

Problem

Result

Radio Buttons vs Checkboxes

[Send Feedback](#)

Which of the following HTML elements will allow the user to choose none, one, several or all items?

i You have max 2 attempts to score in this question.

Attempts left: 1/2

Options

This problem has only one correct answer

- Radio buttons
- Checkboxes
- Specially designed radio button
- Dropdown list

 Hurray! Correct Answer

Solution Description

Explanation: Radio buttons allow one option to be selected out of all available options, whereas checkboxes allow multiple options to be selected. If a checkbox is unchecked when its form is submitted then there is no option/value submitted to the server.

Problem

Result

For Attribute

[Send Feedback](#)

How does the "for" attribute of the label tag linked to the input box?



You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

- Set the "name" attribute of input to the same value as "for".
 - Set the "value" attribute of input to the same value as the id.
 - Set the "id" attribute of input to the same value as "for".
 - All the above options are necessary.
- Hurray! Correct Answer

Solution Description

Explanation: You need to give the "input" an "id" attribute then "label" needs a for attribute whose value is the same as the input's Id.

Problem

Result

Multi Line Input

[Send Feedback](#)

Which element is used to create multi-line text input?



You have max 2 attempts to score in this question.

Attempts left: 1/2

Options

This problem has only one correct answer

- text
- textarea
- submit
- radio

Hurray! Correct Answer

Problem

Result

Drop Down

[Send Feedback](#)

To create a drop down which tag will you use?



You have max 2 attempts to score in this question.

Attempts left: 1/2

Options

This problem has only one correct answer

- <select>
- <list>
- <input type="dropdown">
- Any of them will work
- Hurray! Correct Answer

Problem

Result

Used With Select

[Send Feedback](#)

Which attribute can be used with <select> element?

i You have max 2 attempts to score in this question.

Attempts left: 1/2

Options

This problem has only one correct answer

- selected
- value
- multiple
- none of the above

 Hurray! Correct Answer

Problem

Result

Action Specifies

[Send Feedback](#)

What does the action attribute defines?

i You have max 2 attempts to score in this question.

Options

Attempts left: 1/2

This problem has only one correct answer

- The action attribute specifies where to send the form-data.
- The action attribute specifies where to send the form-data.
- Specify the method to call when the form is submitted.
- None of the above

 Hurray! Correct Answer

Solution Description

Explanation: 'action' attribute is used to specify where the form data is to be sent to the server after submission of the form.

Problem

Result

Method Specifies

[Send Feedback](#)

The method attribute specifies -

i You have max 2 attempts to score in this question.

Attempts left: 1/2

Options

This problem has only one correct answer

- the method name that process the form data
- the URI of program that processes the form data
- the method that the browser uses to submit the form
- none of the above

 Hurray! Correct Answer

Problem

Result

Not Method Value

[Send Feedback](#)

Which of the following is not the keyword of form method attribute?

You have max 2 attempts to score in this question.

Attempts left:

Options

This problem has only one correct answer

- GET
- POST
- OUT
- None of these

Hurray! Correct Answer

Problem

Result

Suitable Request Methods

[Send Feedback](#)

Which method would be more appropriate in the form where a user enters a password such as a login form?

i You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

GET

POST

PUT

None of the above

 Hurray! Correct Answer

Solution Description

Explanation: The POST method is more appropriate if the user supplies sensitive information like passwords.

It transfers information via HTTP headers. But the GET method appends the data with the URL to send it to the server. Sending data this way is insecure as one can easily

Problem

Result

Audio Tag

[Send Feedback](#)

Which of the following tag is used for audio in HTML5 ?



You have max 2 attempts to score in this question.

Attempts left **1/2**

Options

This problem has only one correct answer

- <video>
- <canvas>
- <media>
- <audio>

Hurray! Correct Answer

Problem

Result

Multiple Media Resources

[Send Feedback](#)

Which tag is used to defines multiple media resources for media elements audio and video?

i You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

- <canvas>
- <source>
- <media>
- none of the above

 Hurray! Correct Answer

Problem

Result

Audio Controls

[Send Feedback](#)

Which of the following attribute adds audio controls, like play, pause, and volume?



You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

audio

source

src

controls

Hurray! Correct Answer

Problem

Result

Figcaption Used With

[Send Feedback](#)

With which element can the figcaption be used?

i You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

- figure
- caption
- img
- any tag

 Hurray! Correct Answer

[PREVIOUS](#)

[NEXT](#)

[SUBMIT](#)



Problem

Result

Metadata

[Send Feedback](#)

Metadata store information about the web page that is not necessarily visible to end users.



You have max 2 attempts to score in this question

Options

Attempts left

This problem has only one correct answer

True

False

Hurray! Correct Answer

Problem

Result

Metadata Container

[Send Feedback](#)

In which part of the HTML metadata is contained?



You have max 2 attempts to score in this question.

Attempts left **1/2**

Options

This problem has only one correct answer

body tag

html tag

head tag

title tag

Hurray! Correct Answer

Problem

Result

Associated Value

[Send Feedback](#)

Which attribute gives the value associated with the http-equiv or name attribute?

i You have max 2 attempts to score in this question.

Attempts left **1/2**

Options

This problem has only one correct answer

- content
- name
- charset
- http-equiv

 Hurray! Correct Answer

Solution Description

The content attribute can only be used with "name" and "http-equiv" attributes only. The name attribute specifies a name for the value of the content attribute. The http-equiv attribute provides an HTTP header for the value of the content attribute.

Problem

Result

Name in Metadata

[Send Feedback](#)

What does the name attribute in meta tags specify?

 You have max 2 attempts to score in this question.

Options

Attempts left:

This problem has only one correct answer

- HTTP header value
- name of the metadata
- name of character encoding
- all of the above

 Hurray! Correct Answer

Problem

Result

Auto Play Media

[Send Feedback](#)

In HTML Audio/Video,which attribute sets or returns whether it should start playing as soon as it is loaded?

 You have max 2 attempts to score in this question

Options

Attempts left

This problem has only one correct answer

controls

audio

autoplay

loop

 Hurray! Correct Answer

Problem

Result

Group in Drop Down List

[Send Feedback](#)

Which of the following element defines a group of related options in a drop-down list?

i You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

- <form>
- <optgroup>
- <output>
- <option>

 Hurray! Correct Answer

Solution Description

Explanation: The optgroup tag is used to group related options in a dropdown list. This makes it easier to understand their choices when looking at a large list.

Problem

Result

Default Select Check Box

[Send Feedback](#)

Which attribute will make a checkbox selected/ ticked by default?

i You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

ticked

select

selected

checked

 Hurray! Correct Answer

Problem**Result****Rel Attribute**[Send Feedback](#)

What is the value of rel attribute to describe a favicon?



You have max 2 attempts to score in this question.

Attempts left

Options

This problem has only one correct answer

favicon

image

icon

fav

Hurray! Correct Answer

Solution Description

Explanation: rel attribute defines the relationship between the current page and the linked resource. rel = "icon" value describes the favicon or web page icon that visually represents the website.

Problem

Result

Charset

[Send Feedback](#)

What is the role of charset attribute? It specifies -

i You have max 2 attempts to score in this question.

Options

Attempts left: **1/2**

This problem has only one correct answer

- a scheme to be used to interpret the value of the content
- a name for the metadata
- the character encoding for the HTML document
- none of the mentioned

 Hurray! Correct Answer

Problem

Result

Create Submit Button

[Send Feedback](#)

In which of the following ways can a submit button be created?



You have max 2 attempts to score in this question.

Options

Attempts left: 1/2

This problem may have one or more correct answers

- <input type="submit" value="Submit" /> ✓
- <button>Submit</button> ✓
- <button type="submit">Submit</button> ✓
- <button submit>Submit</>
- <input-button>Submit</input-button>
- <submit>Submit</submit>

Hurray! Correct Answer

Problem

Result

Send Sensitive Data

[Send Feedback](#)

When form data contains sensitive information, then which method should be used?

You have max 2 attempts to score in this question.

Attempts left: **1/2**

Options

This problem has only one correct answer

- Get
- Post
- Put
- Out

Hurray! Correct Answer

Solution Description

The post method is used to send critical data. The data is automatically passed in header of the request send and is accessible to the server.

Problem

Result

User Controllable Video

[Send Feedback](#)

What is the correct syntax to add user controllable mp4 video to the HTML?

i You have max 2 attempts to score in this question.

Attempts left: 12

Options

This problem has only one correct answer

- <video controls><source src="xyz.mp4" type="video"></video>
- <video><source src="xyz.mp4" type="video/mp4"></video>
- <video controls><source src="xyz.mp4" type="video/mp4"></video>
- all of the above

 Hurray! Correct Answer