

Bug Report

Suite 02 — SCM Integration

redmineflux_devops Plugin · Newly Discovered Defects

Plugin	redmineflux_devops v0.1.0
Redmine	6.0.9
Environment	Local Docker · http://localhost:3008
Test Suite	tc-02-scm-integration.md (TC-RDV-041-090)
Test Date	2026-05-25
Prepared By	QA Automation (Claude AI)
Report Date	2026-05-25

9 Bugs Total

7 High

2 Medium

1 Low

Table of Contents

Bug ID	Title	Severity	TC
BUG-RDV-014	PR reviewer names and approval status not displayed on PR card	High	TC-RDV-050
BUG-RDV-015	Auto-transition journal text format wrong and attributed to real user	Medium	TC-RDV-055, 081
BUG-RDV-016	PR Review Dashboard shows all statuses; wrong sort order	High	TC-RDV-065
BUG-RDV-017	PR Dashboard and Commits page return HTTP 200 without view_devops permission	High	TC-RDV-067, 072
BUG-RDV-018	Commit statistics route returns 404 — not implemented	High	TC-RDV-070, 071
BUG-RDV-019	PR linked to multiple issues only updates first referenced issue	High	TC-RDV-079
BUG-RDV-020	GitLab commit SHA links use /commit/ instead of /-/commit/	Low	TC-RDV-082
BUG-RDV-021	Auto-transition rules UI missing per-rule configuration	Medium	TC-RDV-088
BUG-RDV-022	Multi-commit push webhook stores no commits — background job silent failure	High	TC-RDV-089

Defect Summary



Bug ID	Title	Severity	TC	Status
BUG-RDV-014	PR reviewer names and approval status not displayed on PR card	High	TC-RDV-050	Open
BUG-RDV-015	Auto-transition journal text format wrong and attributed to real user	Medium	TC-RDV-055, 081	Open
BUG-RDV-016	PR Review Dashboard shows all statuses; wrong sort order	High	TC-RDV-065	Open
BUG-RDV-017	PR Dashboard and Commits page return HTTP 200 without view_devops	High	TC-RDV-067, 072	Open
BUG-RDV-018	Commit statistics route returns 404 — not implemented	High	TC-RDV-070, 071	Open
BUG-RDV-019	PR linked to multiple issues only updates first referenced issue	High	TC-RDV-079	Open
BUG-RDV-020	GitLab commit SHA links use /commit/ instead of /-/commit/	Low	TC-RDV-082	Open
BUG-RDV-021	Auto-transition rules UI missing per-rule configuration	Medium	TC-RDV-088	Open
BUG-RDV-022	Multi-commit push webhook stores no commits — background job silent failure	High	TC-RDV-089	Open

Risk Areas

Area	Risk Level	Bugs
Authorization / Access Control	High	BUG-RDV-017 (PR Dashboard + Commits — missing auth guards)
Commit Storage (systemic)	High	BUG-RDV-022 (same root as BUG-RDV-007 — all push webhooks fail)
PR Tracking	High	BUG-RDV-014 (reviewer display), BUG-RDV-016 (dashboard filter/sort), BUG-RDV-019 (multi-issue linking)
Feature Not Implemented	High	BUG-RDV-018 (commit stats route 404)
Auto-Transition / Audit	Medium	BUG-RDV-015 (journal text + author), BUG-RDV-021 (UI incomplete)

Area	Risk Level	Bugs
URL Generation	Low	BUG-RDV-020 (GitLab commit URL pattern)

BUG-RDV-014

PR reviewer names and approval status not displayed on PR card

High

Open

TC-RDV-050

SCM-002 · rfd-007

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
Found By	QA Automation
Affected Providers	GitHub, GitLab (all providers that send review events)

Summary

After a `pull_request_review` webhook is received (HTTP 202), no reviewer names or approval status appear on the PR card in the issue DevOps panel. The card continues to show only the base PR metadata without any review data.

Steps to Reproduce

1. Navigate to an issue with an open PR in the DevOps panel (e.g. issue #514, PR #45).
2. Send a GitHub `pull_request_review` webhook with `action = submitted`, `state = approved`, `reviewer = priya.sharma`.
3. Navigate back to the issue's DevOps panel and expand Pull Requests.
4. Inspect the PR card for reviewer information.

Expected Result

PR card shows reviewer name(s) and approval status: e.g. `"Reviewed by: priya.sharma ✓ Approved"`.
The `review_status` and `reviewer_login` fields are stored and rendered on the card.
Summary shows: "1 of 2 reviewers approved."

Actual Result

HTTP 202 returned (webhook accepted).
No reviewer names or approval status appear on the PR card.
The PR card DOM contains no reviewer or review-state elements.

Notes: The `pull_request_review` event handler processes the webhook (202) but the review data is not persisted or rendered. Affects all providers that send review events.

BUG-RDV-015

Auto-transition journal text format wrong and attributed to real user instead of system actor

Medium

Open

TC-RDV-055 · TC-RDV-081

SCM-004 · rfd-009

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
Found By	QA Automation
Defect Count	2 distinct issues (journal text + author attribution)

Summary

When a PR merge triggers an auto-transition, the resulting journal entry has two defects: (1) the text format does not match the spec — no PR number is included; (2) the entry is attributed to "Redmine Admin" (a real user account) instead of a system/DevOps integration actor.

Steps to Reproduce

- 1 Ensure auto-transition is enabled for `phoenix-platform` with target status `QA`.
- 2 Send a GitHub PR merged webhook for a PR linked to an issue (e.g. issue #525).
- 3 Navigate to the issue's History / Journal tab.
- 4 Inspect the auto-generated journal entry text and author.

Expected Result

Journal text: `"Status changed by DevOps integration (PR #<N> merged)"`

Journal author: displayed as a system/integration actor (e.g. "DevOps Integration"), NOT a real Redmine user account.

Actual Result

Journal text: `"[DevOps] Status changed automatically — PR merged"` (no PR number, wrong format).

Journal author: `"Redmine Admin"` (user #1, the admin account used as fallback).

Notes: Author being a real user means the change falsely appears in that user's activity log as a manual change. No dedicated system/bot user is configured or used for DevOps-initiated changes.

BUG-RDV-016

PR Review Dashboard shows all statuses (not just open) and sorts by updated date instead of age

High

Open

TC-RDV-065

SCM-007 · rfd-074

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
URL	/projects/phoenix-platform/devops_pull_requests
Found By	QA Automation

Summary

The PR Review Dashboard displays all PR statuses (merged, closed, draft, open) instead of filtering to open and draft only. Rows are sorted by "Updated" timestamp descending instead of oldest-first by age. Additionally, the stale PR threshold configuration field is absent from DevOps settings.

Steps to Reproduce

1. Navigate to `http://localhost:3008/projects/phoenix-platform/devops_pull_requests`.
2. Observe the PR rows shown and their order.
3. Note which statuses (open / closed / merged / draft) are present in the list.

Expected Result

Only open and draft PRs displayed. Merged and closed PRs excluded.
Rows sorted ascending by PR age (oldest first).
Each row shows: PR title, author, age ("N days ago"), reviewer names, CI check status badge.

Actual Result

All PR statuses shown: merged, closed, draft, and open with no filter.
Sort order: "Updated" timestamp descending (most recently updated first).
No age column — only "Updated" column. No reviewer names column visible.

Notes: The stale PR threshold configuration field (`stale_pr_threshold_days`) also does not exist in DevOps settings, blocking TC-RDV-066.

BUG-RDV-017

PR Review Dashboard and Commits page return HTTP 200 to users without view_devops permission

High

Open

TC-RDV-067 · TC-RDV-072

Security · Authorization

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
Affected URLs	/devops_pull_requests, /devops_commits
Root Cause	Missing before_action permission guard (same as BUG-RDV-011)

Summary

The PR Review Dashboard (`/devops_pull_requests`) and Commits list (`/devops_commits`) do not enforce project membership or `view_devops` permission. A non-member and a user without `view_devops` both receive HTTP 200 with full data instead of HTTP 403. This is an authorization gap affecting two controllers.

Steps to Reproduce

- 1 Make a fetch request to `/projects/phoenix-platform/devops_pull_requests` using `X-Redmine-Switch-User: external_user` (non-member).
- 2 Observe response code — expected 403, actual 200 with full PR data.
- 3 Make a fetch request to `/projects/phoenix-platform/devops_commits` using `X-Redmine-Switch-User: reporter_user` (Reporter role, no `view_devops`).
- 4 Observe response code — expected 403, actual 200 with full commit data.

Expected Result

HTTP 403 Forbidden in both cases.
No PR or commit data returned to unauthorized users.

Actual Result

HTTP 200 with full PR table data for non-member (`hasPRRows: true`).
HTTP 200 with full commit table data for reporter without `view_devops` (`hasCommitTable: true`).

Notes: Same root cause as BUG-RDV-011 (webhook event log). Pattern suggests `:view_devops` before_action guard is missing from multiple DevOps controllers. Affects at minimum: `devops_pull_requests_controller` ,

```
devops_commits_controller.
```

Commit statistics route returns 404 — daily/weekly aggregation and top contributors not implemented

High

Open

TC-RDV-070 · TC-RDV-071

SCM-009 · rfd-106

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
Route	GET /projects/:id/devops_commit_stats
Found By	QA Automation

Summary

The commit statistics page at `/projects/<id>/devops_commit_stats` returns HTTP 404. The `CommitStats` service specified in SCM-009 / rfd-106 is not implemented at the routing level. No daily/weekly aggregation chart, time window selector, or top-10 contributors section exists.

Steps to Reproduce

- 1 Navigate to `http://localhost:3008/projects/phoenix-platform/devops_commit_stats`.
- 2 Observe the response.

Expected Result

A commit statistics page rendering a daily/weekly aggregation chart for the selected time window.
A "Top Contributors" section listing top-10 authors by commit count, sorted descending.
A time window selector (e.g. "Last 7 days", "Last 4 weeks").

Actual Result

HTTP 404 "Page not found" — route does not exist.
The commits list page (`/devops_commits`) shows only a flat table with no aggregation or stats.

Notes: TC-RDV-086 (weekly aggregation) is also blocked by this same missing route. The `CommitStats` service is referenced in the spec (SCM-009 / rfd-106) but appears not to be implemented.

BUG-RDV-019

PR linked to multiple issues via "refs #N" in title only updates first referenced issue

High

Open

TC-RDV-079

SCM-002 · rfd-007

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
Provider	GitHub (pull_request opened event)
Found By	QA Automation

Summary

When a PR title contains references to multiple issues (e.g. "Fixes #518 and refs #519"), only the first referenced issue (#518) gets the PR card in its DevOps panel. The second reference (#519) is silently ignored. The issue reference parser stops after the first match from the PR title/body.

Steps to Reproduce

- 1 Send a GitHub `pull_request` opened webhook with title `"Fixes #518 and refs #519 - combined auth fix"` and matching body.
- 2 Navigate to issue #518 DevOps panel > Pull Requests.
- 3 Navigate to issue #519 DevOps panel > Pull Requests.

Expected Result

PR card appears on BOTH issue #518 and issue #519 DevOps panels.
Two records created in `redmineflux_devops_pull_requests` (one per linked issue).

Actual Result

PR card appears on issue #518 only (`has518PR: true`).
Issue #519 DevOps panel shows 0 PRs (`prRowCount: 0`).

Notes: Both the PR title and the PR body contained "Fixes #518 and refs #519" — neither was parsed for the second reference. The spec states "Supports multiple PRs per issue" and multi-issue PR linking should work bidirectionally.

BUG-RDV-020

GitLab commit SHA links use /commit/ instead of /-/commit/ URL pattern

Low

Open

TC-RDV-082

SCM-001 · rfd-006

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
Affected Provider	GitLab only (GitHub links correct)
Found By	QA Automation

Summary

GitLab commit links generated by the plugin use the legacy `/commit/<sha>` URL pattern instead of the current GitLab standard `/-/commit/<sha>` pattern. GitHub commit links are generated correctly.

Steps to Reproduce

- 1 Navigate to `http://localhost:3008/projects/phoenix-platform/devops_commits/31` (a GitLab-sourced commit).
- 2 Inspect the "Open in Repository" link `href` attribute.

Expected Result

Link: `https://gitlab.com/{namespace}/{project}/-/commit/{full_sha}`

Actual Result

Link: `https://gitlab.com/test/repo/commit/b2c3d4e5f6a7b2c3d4e5f6a7b2c3d4e5f6a7b2c3` (missing `/-/`)

Notes: The old format still redirects on gitlab.com but is deprecated and may break for self-hosted GitLab instances. Fix: use `/-/commit/` instead of `/commit/` when constructing GitLab commit URLs.

BUG-RDV-021

Auto-transition rules UI missing per-rule configuration (Add Rule, Source Status, Trigger type)

Medium

Open

TC-RDV-088

SCM-004 · rfd-009

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
URL	/projects/phoenix-platform/devops_settings
Found By	QA Automation

Summary

The Auto-Transition Rules section in DevOps settings only provides a single global enable/disable toggle and one "On PR Merge, Move Issue To" target status selector. The spec requires a configurable multi-rule system with "Add Rule", Source Status, Target Status, and Trigger type per rule. The basic single-rule auto-transition functions correctly — this is a UI feature gap.

Steps to Reproduce

1. Navigate to `http://localhost:3008/projects/phoenix-platform/devops_settings`.
2. Locate the "Auto-Transition Rules" section.
3. Observe the available controls.

Expected Result

An "Add Rule" button to create multiple rules.

Per rule: Source Status (e.g. "In Review"), Target Status (e.g. "Ready for QA"), Trigger (e.g. "PR Merged").

Saved rules listed: `On PR Merge: In Review → Ready for QA`.

Only Admin and DevOps Engineer roles can access/modify rules.

Actual Result

Only two controls:

1. `auto_transition_enabled` checkbox: "Enable auto-transition on PR merge"
2. `pr_merged_status_id` select: "On PR Merge, Move Issue To" (single global target)

No "Add Rule" button, no source status per rule, no trigger type selection.

Notes: The basic auto-transition feature functions (single-rule, confirmed in TC-RDV-054–058). The missing per-rule UI is a feature gap vs the spec requirement (SCM-004 / rfd-009).

BUG-RDV-022

Multi-commit push webhook stores no commits — background job silently fails

High

Open

TC-RDV-089

SCM-001 · rfd-006

Root cause: BUG-RDV-007

Redmine Version	6.0.9
Plugin Version	redmineflux_devops v0.1.0
Environment	Local Docker · http://localhost:3008
Date Found	2026-05-25
Related Bug	BUG-RDV-007 (same root cause — ActiveRecord::RecordInvalid)
Found By	QA Automation

Summary

A GitHub push webhook containing 3 commits (two with issue references, one without) returns HTTP 202 but no commits are stored in `redmineflux_devops_commits`. The background job fails silently with `ActiveRecord::RecordInvalid` — same root cause as BUG-RDV-007. This is a systemic failure affecting ALL push webhooks; single and multi-commit pushes both fail identically.

Steps to Reproduce

- 1 Send a GitHub `push` event with 3 commits: SHA `aaa001` ("Fixes #517"), SHA `bbb002` ("refs #520"), SHA `ccc003` ("chore: bump version").
- 2 Observe the HTTP response code.
- 3 Navigate to `/projects/phoenix-platform/devops_commits`.
- 4 Search for commit messages or SHAs from the payload.

Expected Result

All 3 commits stored in `redmineflux_devops_commits`.
Issue #517 panel shows commit `aaa001`. Issue #520 panel shows commit `bbb002`.
Commit `ccc003` stored but not linked to any issue.

Actual Result

HTTP 202 returned immediately (webhook accepted).
0 of 3 commits found in the commits list after the webhook.
Project commit count: 50 (unchanged — the visible commits are pre-seeded data, not from test webhooks).

Notes: Root cause is the same as BUG-RDV-007 — background job raises `ActiveRecord::RecordInvalid` and rolls back without storing commits. Multi-commit batches are not processed atomically — all fail together. This is the highest-impact systemic blocker in Suite 02, affecting 7 test cases (TC-041, 042, 044, 045, 046, 085, 089).