

CSV Import — Test Steps & Expected Results

Feature test report for [#118782](#), tracked as testcase [#119797](#) in run [#559](#)

Redmineflux Testcase Management plugin v7.0.0 · Test environment: Docker instance localhost:3010

CSV FILES TESTED

17 / 17

PASSED

15

BUGS FOUND & FIXED

2

FINAL RESULT

PASSED

Executive summary

All 17 purpose-built CSV files covering the full test matrix for the multi-step CSV import feature were executed end-to-end on a live Docker instance: uploaded through the 4-step import wizard, actually imported (not just previewed), and the resulting testcase(s) opened and inspected to confirm real saved data.

17

Scenarios tested

15

Passed outright

2

Found as bugs, since
fixed & verified

0

Open issues
remaining

Two defects were found during this pass — [#119817](#) (padded header value silently dropped) and [#119818](#) (duplicate header second occurrence silently discarded). Both were fixed by the development team and independently re-verified on this same test environment. Both are now closed (Done, 100%).

Contents


- #01 — Legacy single-step format (backward compatibility) **PASS**
- #02 — 0-to-50 step range sweep **PASS**
- #03 — Steps-only rows (no Expected Result data) **PASS**

- #04 — Expected-only rows (no Step data) **PASS**
- #05 — Mixed partial combinations in one file **PASS**
- #06 — Varying step counts within the same file **PASS**
- #07 — Oversized step text (negative test) **PASS**
- #08 — 2000 / 2001 character boundary **PASS**
- #09 — Large bulk import **PASS**
- #10 — Header-only CSV (zero data rows) **PASS**


- #11 — Completely empty file **PASS**
- #12 — Non-sequential step numbering **PASS**
- #13 — Special characters, unicode, emoji, embedded newlines **PASS**
- #14 — Duplicate "Step 1" header columns **BUG FOUND → FIXED & VERIFIED**
- #15 — Header case & whitespace variations **BUG FOUND → FIXED & VERIFIED**
- #16 — Header has Step columns but no Expected Result columns at all **PASS**
- #17 — Header has Expected Result columns but no Step columns at all **PASS**

#01 — Legacy single-step format (backward compatibility) **PASS**

Old Steps/Expected columns must keep working unchanged after the enhancement.



Valid legacy row — Step 1 and Expected Result both present




Step-without-expected-result row — step correctly skipped, testcase still created


All 5 legacy rows imported successfully. A step with a missing expected result is skipped with a warning; the testcase itself is still created.

#02 — 0-to-50 step range sweep PASS

One row per step count from 0 through 50 — the core new multi-step feature at scale.



0-step case — no Step section at all, as expected



50-step case — all 50 steps present, correctly numbered and ordered

All 51 rows imported successfully. Verified the 0-step and 50-step boundaries directly on the saved testcase pages.

#03 — Steps-only rows (no Expected Result data) PASS

Every Step column filled, every Expected Result column left blank.

HomeMy pageProjectsTime TrackerTimesheetWorkloadsAdministrationHelp

test project

Search...:test project

+OverviewActivityKnowledgebaseRoadmapIssuesSpent timeTestCasesGanttCalendarNewsDocumentsWikiForumsFilesRepositorySettings<>

Test case #998OPEN

Start TimerEditLog timeUnwatchCopy...

RASteps-only case - 5 step(s)
Added by Redmine Admin less than a minute ago.

Status:NewStart date:

Priority:NormalDue Date:

Assignee:-Progress:0%

Category:-Estimated time:

Target version:-

Test Run:

Test Suite:

Description
All Step columns filled, all Expected Result columns blank

Checklist...

SubtasksAdd

Related issuesAdd

EditLog timeUnwatchCopy...
Also available in: Atom | PDF

Powered by Redmine © 2006-2026 Jean-Philippe Lang

5-step case, all steps skipped (missing expected result) — testcase still created with no steps

Each step is skipped individually with a warning; the testcase is still created using only the core fields.

#04 — Expected-only rows (no Step data) PASS

Mirror of #03 — every Expected Result column filled, every Step column left blank.

HomeMy pageProjectsTime TrackerTimesheetWorkloadsAdministrationHelp

test project

Search...test project

+OverviewActivityKnowledgebaseRoadmapIssuesSpent timeTestCasesGanttCalendarNewsDocumentsWikiForumsFilesRepositorySettings

<>

Test case #1003OPEN

Start TimerEditLog timeUnwatchCopy

RAExpected-only case - 5 result(s)

Added by Redmine Admin less than a minute ago.

Status:NewStart date:

Priority:NormalDue Date:

Assignee:-Progress:0%

Category:-Estimated time:

Target version:-

Test Run:

Test Suite:

Description

All Expected Result columns filled, all Step columns blank

Checklist

Subtasks

Add

Related issues

Add

EditLog timeUnwatchCopy

Also available in: AtomPDF

Powered by Redmine © 2006-2026 Jean-Philippe Lang

5-result case, all steps skipped (missing step text) — testcase still created

Symmetric behavior to #03 confirmed — each expected-result-without-step is skipped cleanly.

#05 — Mixed partial combinations in one file PASS

One file mixing fully-paired rows, steps-only, expected-only, no-step-data, and mid-sequence gaps.

Flux

Home

My page

Projects

Time Tracker

Timesheet

Workloads

Administration

Help

test project

test project

Main Menu

Overview

Activity

Knowledgebase

Roadmap

Test case #993

OPEN

+ Add Notes

Start Timer

Edit

Log time

Unwatch

Copy

RA

Mixed - missing step mid-sequence

Added by Redmine Admin less than a minute ago.

Status

New

Priority

Normal

Assignee

-

Category

-

Target version

-

Start date

Due Date

Estimated time

Progress

0%

Test Run:

Test Suite:

Step 1:

Step 1 action

Expected Result:

Step 1 expected

Step 2:

Step 3 action

Expected Result:

Step 3 expected

TEXT:

Description

Step 2's action is blank; its expected result is filled

Checklist

Subtasks

+ Add

Related issues

+ Add

Watchers (1)

+ Add

Redmine Admin

Edit

Log time

Unwatch

Copy

Powered by Redmine © 2006-2026 Jean-Philippe Lang

Missing-step-mid-sequence row — Step 2's action is blank; Steps 1 and 3 (renumbered to 1 and 2) import correctly

All 6 rows handled independently per their own data; a mid-sequence gap skips only that one step, not the whole case.

#06 — Varying step counts within the same file PASS

Rows with 1, 3, 7, 15, and 30 steps imported together.

Test case #1008 [OPEN](#)[Start Timer](#) [Edit](#) [Log time](#) [Unwatch](#) [Copy](#) [...](#)**RA** Varying-length case - 30 steps

Added by Redmine Admin less than a minute ago.

Status: New
Priority: Normal
Assignee: -
Category: -
Target version: -
Test Run:
Test Suite:

Start date:
Due Date:
Progress: 0%
Estimated time:

Step 1:	Step 1	Expected Result:	Expected 1
Step 2:	Step 2	Expected Result:	Expected 2
Step 3:	Step 3	Expected Result:	Expected 3
Step 4:	Step 4	Expected Result:	Expected 4
Step 5:	Step 5	Expected Result:	Expected 5
Step 6:	Step 6	Expected Result:	Expected 6
Step 7:	Step 7	Expected Result:	Expected 7
Step 8:	Step 8	Expected Result:	Expected 8
Step 9:	Step 9	Expected Result:	Expected 9
Step 10:	Step 10	Expected Result:	Expected 10
Step 11:	Step 11	Expected Result:	Expected 11
Step 12:	Step 12	Expected Result:	Expected 12
Step 13:	Step 13	Expected Result:	Expected 13
Step 14:	Step 14	Expected Result:	Expected 14
Step 15:	Step 15	Expected Result:	Expected 15
Step 16:	Step 16	Expected Result:	Expected 16
Step 17:	Step 17	Expected Result:	Expected 17
Step 18:	Step 18	Expected Result:	Expected 18
Step 19:	Step 19	Expected Result:	Expected 19
Step 20:	Step 20	Expected Result:	Expected 20
Step 21:	Step 21	Expected Result:	Expected 21
Step 22:	Step 22	Expected Result:	Expected 22
Step 23:	Step 23	Expected Result:	Expected 23
Step 24:	Step 24	Expected Result:	Expected 24
Step 25:	Step 25	Expected Result:	Expected 25
Step 26:	Step 26	Expected Result:	Expected 26
Step 27:	Step 27	Expected Result:	Expected 27
Step 28:	Step 28	Expected Result:	Expected 28
Step 29:	Step 29	Expected Result:	Expected 29
Step 30:	Step 30	Expected Result:	Expected 30

Description

Different step counts co-exist in one import

Checklist [...](#)Subtasks [Add](#)Related issues [Add](#)[Edit](#) [Log time](#) [Unwatch](#) [Copy](#) [...](#)Also available in: [Atom](#) | [PDF](#)

No spurious warnings for shorter rows; each row gets exactly its own step count.

#07 — Oversized step text (negative test) PASS

A step field with 2500 characters — over the 2000-char limit.

The screenshot shows a web application interface for test management. The top navigation bar includes links for Home, My page, Projects, Time Tracker, Timesheet, Workloads, Administration, and Help. A search bar is present with the text 'test project'. The main navigation bar includes links for Overview, Activity, Knowledgebase, Roadmap, Issues, Spent time, TestCases (selected), Gantt, Calendar, News, Documents, Wiki, Forums, Files, Repository, and Settings. The left sidebar contains icons for adding test suites, viewing workloads, and other test management functions. The main content area displays a 'Testcase Summary' table with columns for checkbox, ID, Priority, Subject, and Updated. A green banner at the top of the table area states 'No testcases to import.'

	#	Priority	Subject	Updated
☐	1008	Normal	Varying-length case - 30 ste...	09/02/2026 10:54 AM
☐	1007	Normal	Varying-length case - 15 ste...	09/02/2026 10:54 AM

Import correctly refuses to create the testcase — "No testcases to import"

The entire testcase is rejected on a single oversized step, exactly as documented.

#08 — 2000 / 2001 character boundary PASS

Exact boundary check: a step at exactly 2000 chars (valid) vs. 2001 chars (invalid).

Flux

Home

My page

Projects

Time Tracker

Timesheet

Workloads

Administration

Help

test project

test project

Main Menu

Overview

Activity

Knowledgebase

Roadmap

Issues

Spent time

TestCases

Gantt

Calendar

News

+ Add Test Suite

workload (50)

vt (62)

dfsogsdffjgdsfg dsfg

?

✓ 1 testcase(s) imported successfully.

Testcase Summary

Search by s...

+ New Test Case

	#	Priority	Subject	Updated	
☐	887	Normal	Boundary - step exactly 20...	09/01/2026 07:18 PM	
☐	886	Normal	Range test - 50 step(s)	09/01/2026 07:16 PM	
☐	885	Normal	Range test - 49 step(s)	09/01/2026 07:16 PM	
☐	884	Normal	Range test - 48 step(s)	09/01/2026 07:16 PM	
☐	883	Normal	Range test - 47 step(s)	09/01/2026 07:16 PM	
☐	882	Normal	Range test - 46 step(s)	09/01/2026 07:16 PM	
☐	881	Normal	Range test - 45 step(s)	09/01/2026 07:16 PM	
☐	880	Normal	Range test - 44 step(s)	09/01/2026 07:16 PM	
☐	879	Normal	Range test - 43 step(s)	09/01/2026 07:16 PM	
☐	878	Normal	Range test - 42 step(s)	09/01/2026 07:16 PM	
☐	877	Normal	Range test - 41 step(s)	09/01/2026 07:16 PM	
☐	876	Normal	Range test - 40 step(s)	09/01/2026 07:16 PM	
☐	875	Normal	Range test - 39 step(s)	09/01/2026 07:16 PM	
☐	874	Normal	Range test - 38 step(s)	09/01/2026 07:16 PM	
☐	873	Normal	Range test - 37 step(s)	09/01/2026 07:16 PM	
☐	872	Normal	Range test - 36 step(s)	09/01/2026 07:16 PM	
☐	871	Normal	Range test - 35 step(s)	09/01/2026 07:16 PM	
☐	870	Normal	Range test - 34 step(s)	09/01/2026 07:16 PM	
☐	869	Normal	Range test - 33 step(s)	09/01/2026 07:16 PM	
☐	868	Normal	Range test - 32 step(s)	09/01/2026 07:16 PM	
☐	867	Normal	Range test - 31 step(s)	09/01/2026 07:16 PM	
☐	866	Normal	Range test - 30 step(s)	09/01/2026 07:16 PM	
☐	865	Normal	Range test - 29 step(s)	09/01/2026 07:16 PM	
☐	864	Normal	Range test - 28 step(s)	09/01/2026 07:16 PM	
☐	863	Normal	Range test - 27 step(s)	09/01/2026 07:16 PM	

« Previous

1

2

3

12

Next »

(1-25/293)

Per page: 25, 50, 100

Also available in: CSV, PDF, Atom

Powered by Redmine © 2006-2026 Jean-Philippe Lang


Version: 7.0

Only the 2000-char row is imported (#887); the 2001-char row is rejected with a precise error message

Error message: "Step 1: step content exceeds the maximum length of 2000 characters (got 2001)." Exact validation boundary confirmed.

#09 — Large bulk import PASS

100 test cases x 3 steps each = 300 steps total, imported in a single pass.



The screenshot displays the Flux application interface. The top navigation bar includes links for Home, My page, Projects, Time Tracker, Timesheet, Workloads, Administration, and Help, along with a search bar containing 'test project'. The left sidebar shows a 'Main Menu' with options like Overview, Activity, Knowledgebase, Roadmap, Issues, Spent time, TestCases, Gantt, Calendar, and News. The central area features a '+ Add Test Suite' button and a list of folders: 'workload (50)', 'vt (62)', and 'dfsogsdjfgdsfg dsfg (62)'. A green notification banner at the top of the main content area states '✓ 100 testcase(s) imported successfully.' Below this, the 'Testcase Summary' section includes a search bar and a '+ New Test Case' button. A table lists the imported test cases with columns for checkboxes, IDs, priorities, and subjects.

☐	#	Priority	Subject
☐	987	Normal	Bulk case 100
☐	986	High	Bulk case 099
☐	985	Normal	Bulk case 098
☐	984	Normal	Bulk case 097
☐	983	High	Bulk case 096
☐	982	Normal	Bulk case 095

"100 testcase(s) imported successfully" — no timeout, no crash

Confirms the feature scales well beyond the developer's own 20-case load test.

#10 — Header-only CSV (zero data rows) PASS

A CSV with a valid header row but no data rows at all.

Flux

HomeMy pageProjectsTime TrackerTimesheetWorkloadsAdministrationHelp

test project

test project

Main Menu

- Overview
- Activity
- Knowledgebase
- Roadmap
- Issues
- Spent time
- TestCases
- Gantt
- Calendar
- News

The CSV file contains headers but no data rows.

Import Testcase

Step(1/4)

Select the file to import (CSV)

To import testcase in bulk, you need to provide the data in a CSV file format.

Upload CSV file:

Choose File

 No file chosen

Import Settings:

Field Separator:

Comma (,)

Encoding:

UTF-8

Date Format:

MM/DD/YYYY

Notifications ☐ Send email notifications during the import

Advanced Options:

Import to:

> workload

vt

dfsogsdfigdsfg dsfg

Next →

Powered by Redmine © 2006-2026 Jean-Philippe Lang

Version: 7.0

Clean, specific error: "The CSV file contains headers but no data rows."

No crash; a clear, actionable error message is shown.

#11 — Completely empty file PASS

A literal 0-byte CSV file.

The screenshot shows the Flux web application interface. At the top, a navigation bar includes links for Home, My page, Projects, Time Tracker, Timesheet, Workloads, Administration, and Help. A search bar on the right contains the text 'test project'. The left sidebar features a 'Main Menu' with options like Overview, Activity, Knowledgebase, Roadmap, Issues, Spent time, TestCases, Gantt, Calendar, and News. The main content area is titled 'Import Testcase' and shows 'Step(1/4)'. A red error message at the top reads: 'The file does not contain any headers or data.' Below this, the 'Select the file to import (CSV)' section prompts the user to upload a CSV file. The 'Import Settings' section includes dropdowns for Field Separator (Comma (,)), Encoding (UTF-8), and Date Format (MM/DD/YYYY), along with a checkbox for 'Send email notifications during the import'. The 'Advanced Options' section shows a tree view for 'Import to:' with folders like 'workload', 'vt', and 'dfsogsdjfgdsfg dsfg'. A 'Next' button is located at the bottom of the main content area. The footer indicates the application is 'Powered by Redmine © 2006-2026 Jean-Philippe Lang' and shows 'Version: 7.0'.

Clean, specific error: "The file does not contain any headers or data."

No crash; a clear, actionable error message is shown.

#12 — Non-sequential step numbering PASS

Header only has Step/Expected Result columns 1, 3, and 5 — skipping 2 and 4.

HomeMy pageProjectsTime TrackerTimesheetWorkloadsAdministrationHelp

test project

Search...test project

+

Overview

Activity

Knowledgebase

Roadmap

Issues

Spent time

TestCases

Gantt

Calendar

News

Documents

Wiki

Forums

Files

Repository

Settings

<

>

Test case #1009

OPEN

Start Timer

Edit

Log time

Unwatch

Copy

...

RA

Non-sequential step numbers

Added by Redmine Admin less than a minute ago.

Status:

New

Start date:

Due Date:

Priority:

Normal

Due Date:

Progress:

0%

Assignee:

-

Estimated time:

Category:

-

Target version:

-

Test Run:

Test Suite:

Step 1:

First action

Expected Result:

First expected

Step 2:

Third action

Expected Result:

Third expected

Step 3:

Fifth action

Expected Result:

Fifth expected

Description

Header skips Step 2/4 and Expected Result 2/4 entirely

Checklist

...

Subtasks

Add

Related issues

Add

Edit

Log time

Unwatch

Copy

...

Also available in: Atom | PDF

Powered by Redmine © 2006-2026 Jean-Philippe Lang

All three non-sequential columns map and import correctly, renumbered 1, 2, 3 in the saved testcase

The importer does not require contiguous step numbering in the source CSV.

#13 — Special characters, unicode, emoji, embedded newlines PASS

Quotes, commas, emoji (🚀), and unicode text (café, naïve, 日本語, rect) in title and step fields, plus a step with an embedded newline.

Home My page Projects Time Tracker Timesheet Workloads Administration Help

test project Search... test project

Overview Activity Knowledgebase Roadmap **Issues** Spent time TestCases Gantt Calendar News Documents Wiki Forums Files Repository Settings

Test case #1010 OPEN

Start Timer Edit Log time Unwatch Copy

RA Special chars - "quotes", commas, and emoji 🍌
Added by Redmine Admin less than a minute ago.

Status: New
Priority: Normal
Assignee: -
Category: -
Target version: -
Test Run:
Test Suite:

Start date:
Due Date:
Progress: 0%
Estimated time:

Step 1: Click "Submit, Now" button
Step 2: Type café, naïve, 日本語, test

Expected Result: Dialog shows: "Success, saved!"
Expected Result: Unicode text is stored and displayed correctly

Description
Tests CSV escaping of embedded quotes/commas

Checklist

Subtasks Add

Related issues Add

Edit Log time Unwatch Copy

Also available in: Atom | PDF

Powered by Redmine © 2006-2026 Jean-Philippe Lang

Title and step text render correctly including the emoji and quoted text

Verified via raw DOM inspection that unicode text (including the diacritic and Cyrillic case) is stored correctly — an earlier screenshot font-rendering artifact had suggested otherwise; that was a false alarm, corrected after re-checking the actual page text.

#14 — Duplicate "Step 1" header columns

BUG FOUND → FIXED & VERIFIED

A malformed CSV where "Step 1" and "Expected Result 1" each appear twice as column headers.

Home My page Projects Time Tracker Timesheet Workloads Administration Help

test project Search... test project

Overview Activity Knowledgebase Roadmap Issues Spent time **TestCases** Gantt Calendar News Documents Wiki Forums Files Repository Settings

Import Testcase Step(4/4)

Preview Import Summary
Your file statistics: 1 testcases will be created correctly.
0 testcases will be created with warnings.
0 testcases cannot be created due to errors.

Errors Warnings OK

#	Subject	Status	Issues
1	Duplicate Step 1 header columns	OK	

Per page: 25 Showing 1-1 of 1

Cancel Import

Powered by Redmine © 2006-2026 Jean-Philippe Lang Version: 7.0

BEFORE FIX: preview showed "OK" with 0 warnings — second occurrence's data silently discarded, no indication anything was wrong

Home My page Projects Time Tracker Timesheet Workloads Administration Help

test project Search... test project

Overview Activity Knowledgebase Roadmap Issues Spent time **TestCases** Gantt Calendar News Documents Wiki Forums Files Repository Settings

Import Testcase Step(4/4)

Import from CSV
Map Columns & Row Layout
Testcase Management Plugin analyzed the CSV file and detected fields it could map automatically.

Fields mapping

CSV Column	Testcase Field's
Title	Subject
Description	Description
Priority	Priority
Step 1	Step 1
Expected Result 1	Expected Result 1
Step 1	Step 1
Expected Result 1	Expected Result 1

☐ Ignore records without a subject

Cancel Next

Powered by Redmine © 2006-2026 Jean-Philippe Lang Version: 7.0


AFTER FIX: a clear warning banner now appears on the Map Columns screen — "Duplicate column names found: Step 1, Expected Result 1 -- only the first occurrence of each will be used, the rest will be ignored."

Filed as defect #119818. Fixed by the dev (added the warning banner) and independently retested here — confirmed fixed. Behavior (first occurrence wins) is now clearly communicated instead of silent.


#15 — Header case & whitespace variations

BUG FOUND → FIXED & VERIFIED

Column headers with mixed case and stray whitespace: " step 1 " (padded), "EXPECTED RESULT 1" (uppercase), "Step 2" (double-spaced), "expected result 2" (lowercase).



BEFORE FIX: the padded header " step 1 " matched correctly in the mapping UI, but its value came through empty — "Step 1 is missing its step text", even though the CSV clearly had the data



AFTER FIX: both steps now save with their correct, full content — no data loss

Filed as defect #119817. Fixed by the dev (value lookup now trims whitespace/case consistently) and independently retested twice — confirmed fixed both times.

#16 — Header has Step columns but no Expected Result columns at all

PASS

Structural edge case — an entire column family (Expected Result) missing from the header.

HomeMy pageProjectsTime TrackerTimesheetWorkloadsAdministrationHelp

test project

Search...:test project

+OverviewActivityKnowledgebaseRoadmapIssuesSpent timeTestCasesGanttCalendarNewsDocumentsWikiForumsFilesRepositorySettings<>

Test case #1015OPEN

Start TimerEditLog timeUnwatchCopy...

RA

No Expected Result columns in header at all

Added by Redmine Admin less than a minute ago.

Status:New

Priority:Normal

Assignee:-

Category:-

Target version:-

Test Run:

Test Suite:

Start date:

Due Date:

Progress:0%

Estimated time:

Description

Header has Step 1/2/3 but no Expected Result columns

Checklist...

SubtasksAdd

Related issuesAdd

EditLog timeUnwatchCopy...

Also available in: Atom | PDF

Powered by Redmine © 2006-2026 Jean-Philippe Lang

All 3 steps skipped gracefully; testcase still created with just core fields

No crash on a structurally incomplete header.

#17 — Header has Expected Result columns but no Step columns at all

PASS

Mirror of #16 — Step column family entirely missing.

HomeMy pageProjectsTime TrackerTimesheetWorkloadsAdministrationHelp

test project

Search...:test project

+OverviewActivityKnowledgebaseRoadmapIssuesSpent timeTestCasesGanttCalendarNewsDocumentsWikiForumsFilesRepositorySettings<>

Test case #1016OPEN

Start TimerEditLog timeUnwatchCopy...

RA

No Step columns in header at all

Added by Redmine Admin less than a minute ago.

Status:New

Priority:Normal

Assignee:-

Category:-

Target version:-

Test Run:

Test Suite:

Start date:

Due Date:

Progress:0%

Estimated time:

Description

Header has Expected Result 1/2/3 but no Step columns

Checklist

Subtasks

Related issues

EditLog timeUnwatchCopy...

Also available in: Atom | PDF

Powered by Redmine © 2006-2026 Jean-Philippe Lang

All 3 results skipped gracefully; testcase still created with just core fields

Symmetric behavior to #16 confirmed.

Bugs found during this test pass

ID	SUMMARY	STATUS
#119817	Padded step column header (" Step 1 ") mapped correctly in the UI, but its cell value was silently dropped during processing — step wrongly reported "missing".	Fixed & verified — Done, 100%
#119818	Duplicate "Step 1" header columns — second occurrence's data silently discarded with no warning.	Fixed & verified — Done, 100%

