


BATCH : BATCH 85


LESSON : Docker

DATE: 03.10.2022


SUBJECT: Docker Swarm

techproeducation

















# **Table of Contents**

- Monolith vs Microservices
- Orchestration
- Oocker Swarm
- Oeclarative vs Imperative
- Services and Tasks






The word 'monolith' means 'one massive stone'. So we can describe monolithic as a large unified block





In software development, monolithic architecture is a traditional way to build an application as a single and indivisible unit.






- Let's imagine that we are building an e-commerce application that takes orders from customers, verifies inventory and available credit, and ships them.
- The aplication consists of several components including the StoreFrontul, which implements the user interface, along with some backend services for checking credit, maintaining inventory and shipping orders.



The application is deployed as a single monolithic application. For example, a Java web application consists of a single WAR file that runs on a web container such as Tomcat.







### Pros of monolithic architecture:

- Easier to develop. As long as the monolithic approach is a standard way of building applications any engineering team has the right knowledge and capabilities to develop a monolithic application.
- Easier to deploy. You need to deploy your application only once instead of performing multiple deployments of different files.
- Easier to test and debug. Since a monolithic app is a single indivisible unit, you can run end-to-end testing much faster.






### Cons of monolithic architecture:

- Understanding. When a monolithic application scales up, it becomes too complicated to understand.
- Making changes. Any code change affects the whole system so it has to be thoroughly coordinated.
- Scalability. You cannot scale components independenty, only the whole application.
- New technology barriers. It is extremely problematic to apply a new technology in a monolithic application because then the entire application has to be rewritten.




While a monolithic aplication is a single unified unit, a microservices architecture breaks it down into a collection of smaller independent

units.









### Pros of microservices:

- Independent components.
  - All the services can be deployed and updated independently, which gives more flexibility.
  - A bug in one microservice has an impact only on a particular service and does not influence the entire application.
  - It is much easier to add new features to a microservice application than a monolithic one.





### Pros of microservices:

- Easier understanding. Split up into smaller and simpler components a microservice aplication is easier to understand and manage.
- Better scalability. Each element can be scaled independenty. So the entire process is more cost- and time-effective than with monoliths when the whole application has to be scaled even if there is no need in it.





### Pros of microservices:


- Flexibility in choosing the technology. The engineering teams are not limited by the technology chosen from the star. They are free to apply various technologies and frameworks for each microservice.
- The higher level of aility. Any fault in a microservices application affects only a particular service and not the whole solution s all the changes and experiments are implemented with lower risks and fewer errors.




### Cons of microservices:

- Extra complexity. Since a microservices architecture is a distributed system, you have to choose and set up the connections between all the modules and databases.
- System distribution. microservices architecture is a complex system of multiple modules and databases so all the connections have to be handled carefully.
- Testing. A multitude of independently deployable components makes testing a microservices-based solution much harder.

















- Containers are great, but when you get lots of them running, at some point, you need themall working together in harmony to solve business problems.
- Tools to manage, scale, and maintain containerized applications are called orchestrators, and the most common examples of these are Kubernetes and Docker Swarm.





Container orchestration is used to automate the following tasks at scale:

- Provisioning and deployments of containers
- Availbility of containers
- Load balancing traffic routing and service discovery of containers





- Health monitoring of containers
- Securing the interactions between containers.
- Configuring and scheduling of containers
- Allocation of resources between containers





# **Container Orchestration Work**

- Container orchestration works like Kubernetes and Docker Swarm.
- Container orchestration tools work in any environment that runs containers.







- Docker Swarm is native clustering for Docker.
- Oocker Swam Mode comes integrated with Docker Platform.
- Oocker Swarm Mode rightly integrated which means that you don't need to install anything outside to run Docker Swarm.






### **Manager Node:**

The primary function of manager nodes is to assign tasks to worker nodes in the swarm.

### **Worker Node:**

In a docker swarm with numerous hosts, each worker node functions by receiving and executing the tasks that are allocated to it by manager nodes.







- When the Docker Engine runs in swam mode, manager nodes implement the Raft Consensus Algorithm to manage the global cluster state.
- The reason why Docker swarm mode is using a consensus algorithm is to make sure that all the manager nodes that are in charge of managing and scheduling tasks in the cluste, are storing the same consistent state.



- When the Docker Engine runs in swam mode, manager nodes implement the Raft Consensus Algorithm to manage the global cluster state.
- The reason why Docker swarm mode is using a consensus algorithm is to make sure that all the manager nodes that are in charge of managing and scheduling tasks in the cluste, are storing the same consistent state.



- We having the same consistent state across the cluster means that in case of a failure, any Manager node can pick up the tasks and restore the services to a stable state. For example, if the Leader Manager which is responsible for scheduling tasks in the cluster dies unexpectedly, any other Manager can pick up the task of scheduling and re-balance tasks to match the desired state.
- It is recommended to create clusters with an odd number of managers in Swarm, because a majority vote is needed between managers to agree on proposed management tasks according to 'Raft Algorithm'.



# Declarative vs Imperative



# Declarative vs Imperative

Declarative and imperative approach is a DevOps paradigm or programmatic approach.

- While using an imperative paradigm, the user is responsible for defining exact steps which are necessary to achieve the end goal, such as instructions for software installation, configuration, database creation, etc.
- In declarative paradigm, instead of defining exact steps to be executed, the ultimate state is defined. The user declares how many machines will be deployed, will workloads be virtualised or containerised, which applications ill be deployed, how will they be configured, etc.



# Declarative vs Imperative

Imperative focuses on how and declarative focuses on what.

- Imperative approach:
  - 1. Build the foundation
  - 2. Put in the framework
  - 3. Add the walls
  - 4. Add the doors and windows
- Declarative approach: I want a tiny and cute house.






# Services and Tasks



# Declarative vs Imperative

### Services and Tasks:

- A service is the definition of the tasks to execute on the manager or worker nodes. I is the central structure of the swarm system and the primary root of user interaction with the swarm.
- A task carries a Docker container and the commands to run inside the container. It is the atomic scheduling unit of swarm.





# Do you have any questions?

Send it to us! We hope you learned something new.

