

Markedge PeopleOS

Administrator Guide — the Admin Control Centre and the MY PEOPLEOS portal

Covers every module delivered in build phases 1–16 · Generated 27 September 2026

This guide describes what administrators, HR, payroll teams and managers do in the system. For the engineering notes behind each module see [docs/architecture/](#) in the repository.

Contents

1. Welcome
2. Setting up a new tenant
3. Roles, users and permissions
4. People: the Employee 360
5. Onboarding, documents and verification
6. Attendance
7. Leave
8. Payroll and compliance
9. Performance and talent
10. Learning and assets
11. Service desk, grievances, knowledge, communication
12. Exit, letters and alumni
13. Analytics
14. AI assistants
15. Configuration platform
16. Enterprise: integrations, SSO, security, international
17. Audit, scheduled jobs and troubleshooting
18. Appendix: reference

Welcome

Markedge PeopleOS is a multi-tenant People Operating System: one record per person, one configuration platform, one audit trail. This guide is for the people who run it day to day: tenant administrators, HR administrators, payroll administrators and managers. It follows the left-hand menu of the Admin Control Centre and tells you, for each area, what it is for, how to set it up and how the everyday tasks work.

Signing in

Open [/admin](#) in your browser and sign in with your work email and password. If your organisation has set up single sign-on you will also see a link such as [/sso/<connection>/redirect](#); use it to sign in with your company identity provider. If your tenant requires multi-factor authentication you will be asked to pair an authenticator app on first sign-in and to keep the recovery codes somewhere safe.

Platform administrators (Markedge staff) sign in without a tenant and pick one under **Platform** → **Tenants**. A red "Exit tenant" item in the user menu returns them to the platform view. Tenant users never see other tenants.

How the menu is organised

Everything you can open is listed in the sidebar, grouped by area. What you see depends on your role: an employee sees the **Me** group only; a manager also sees **My Team**; HR, payroll, asset and other administrators see the groups they are entitled to. The groups, in menu order, are:

Group	What lives there
Me	My Day, My Team, Assistant, my requests, my letters, knowledge base, announcements, alumni portal
Analytics	Workforce Command Centre, dashboards, reports, Workforce Intelligence, dashboard builder
People	Employees (the Employee 360) and the people control centre widgets on the dashboard
Organisation	Companies, locations, business units, divisions, departments, teams, cost and profit centres, the Organisation Designer
People Setup	Designations, levels, grades, job families, employment types, employee categories, work modes, skills, document types
Access	Users and roles
Customisation	Custom fields and forms
Attendance	Exception centre, records, regularisations, shifts, work schedules, holiday calendars, devices
Leave	Leave requests, balances, encashments, leave types
Payroll	Control room, Payroll Auditor, runs, adjustments, payslips, tax declarations, salary components and structures, statutory profiles and rules

Group	What lives there
Performance	Cycles, goals, appraisals, calibration, feedback, one-on-ones, improvement plans, career passport, rating scales, competencies, KRA library, career paths
Learning	Enrolments, courses, learning paths, training sessions, assignments, certificates
Assets	Asset register, categories, models
Service Desk / Grievances / Knowledge / Communication	Tickets and categories, grievance cases and categories, articles, announcements, notification templates and rules
Exit / Letters / Alumni	Exit cases and insights, letter templates and letters, alumni directory
Workflows	Workflow definitions, running instances, the task inbox
Policies	Policy engine: policies of every type with versions and assignment rules
Configuration	"What do you want to configure?", configuration change centre, packs and blueprints, settings, features
Integrations	API keys
Enterprise	Single sign-on, webhooks, security policy, exchange rates, country packs
Audit	Audit trail, AI interactions
Platform	Tenants (platform administrators only)

Three habits that keep the system trustworthy

- **Give a reason.** Most edit forms end with an "Audit reason" field. Write why you changed something; it is stored with the before-and-after values and cannot be deleted.
- **Use the actions, not the edit form, for state changes.** Approving leave, finalising payroll, assigning an asset, completing an exit: these are buttons on the record page. They run the business rules, notify people and write the audit trail. Editing fields directly is reserved for correcting master data.
- **Configure in the Change Centre when the tenant requires approval.** If the feature *configuration.approval* is on, medium- and high-risk configuration edits (policies, roles, settings, workflows, SSO...) are parked as proposals until a second person approves them.

Setting up a new tenant

A new tenant arrives with sensible defaults: system roles, a starter set of designations and employment types, leave types, salary components, a standard salary structure, ticket and grievance categories, letter templates, a five-point rating scale, competencies, asset categories, six shared reports and an HR overview dashboard. Work through this list in order.

1. [Organisation](#) → [Companies](#): create each legal entity with its legal name, country and currency. Every employee belongs to a company through their position, and payroll runs per company.
2. [Organisation](#) → [Organisation Designer](#): build the tree: company → business unit → division / department → team, and locations. Units can be renamed, moved and retired later; every change is effective-dated.
3. [People Setup](#): review designations, levels, grades, job families, employment types, categories and work modes. Add what your organisation uses; retire what it does not.
4. [Access](#) → [Roles](#): check the system roles (Tenant Super Admin, HR Admin, HR Manager, HR Executive, Payroll Admin, Attendance Admin, Performance Admin, Asset Admin, Manager, Employee, Executive, Alumni, Auditor). Create custom roles if needed and give each person the least access that lets them do their job.
5. [Access](#) → [Users](#): create logins for administrators now; employee logins are created when you hire people (or by SSO / SCIM).
6. [Configuration](#) → [Settings](#): set the employee code prefix, leave year start month, notice period, payroll options, security and retention windows.
7. [Configuration](#) → [Features](#): switch features on or off for the tenant (configuration approval, AI assistants, the language model, sensitive-access auditing).
8. [Configuration](#) → [Packs & blueprints](#): apply a configuration pack (for example the IT Company pack) to load a complete starter policy set, or import a blueprint exported from another tenant.
9. [Attendance](#): create shifts, a work schedule, a holiday calendar, and (if you use devices) attendance devices.
10. [Policies](#): publish attendance, overtime and leave policies and assign them to employees with rules.
11. [Payroll](#) → [Statutory profiles](#): for each company set which statutes apply (EPF, ESI, professional tax state, LWF, TDS) and the registrations.
12. [People](#) → [Employees](#): hire employees, assign salaries, collect documents. Bulk import of employee history is not available yet; enter history through the Employee 360 tabs.

Configuration edits on governed objects are audited; when configuration approval is on they also need a second person. Plan who approves before you start.

Roles, users and permissions

Access is built from **permission keys** (resource.action, for example *leave.approve*). A role is a named set of keys; a user holds one or more roles. Wildcards such as *payroll.** in the system role templates are expanded when the tenant is provisioned, so what you see on a role is always the concrete list.

Manage roles

1. Open [Access](#) → [Roles](#) and choose **New role** (or edit an existing custom role; system roles are updated by the platform).
2. Tick permissions by module. Hover a key for its description.
3. Save with a reason. Role changes are high-risk configuration and may go to the Change Centre.
4. Assign the role to people under [Access](#) → [Users](#) (a user can hold several roles; permissions add up).

System role templates

Role	Purpose	Permissions granted
Tenant Super Admin	Full control of the tenant.	*
Tenant HR Admin	Configures the HRMS for the tenant.	company.*, organisation.*, people_setup.*, employee.*, custom_field.*, form.*, policy.*, configuration.view, configuration.update, configuration.publish, configuration.rollback, configuration.delete, blueprint.*, workflow.*, task.*, notification.*, onboarding.*, document.*, bgv.*, api_key.*, attendance.*, leave.*, payroll.*, compliance.*, performance.*, learning.*, asset.*, servicedesk.*, grievance.*, kb.*, communication.*, exit.*, letter.*, alumni.*, analytics.*, ai.*, sso.*, webhook.*, security.*, currency.*, warehouse.*, user.*, role.view, settings.*, features.view, audit.view
HR Manager	Operates HR processes.	company.view, organisation.view, people_setup.view, employee.view, employee.create, employee.update, employee.position, employee.lifecycle, form.view, form.submit, form.approve, policy.view, configuration.view, workflow.view, workflow.run, task.*, notification.view, notification.deliveries, onboarding.*, document.view, document.upload, document.verify, bgv.*, attendance.view, attendance.approve, leave.*, servicedesk.*, grievance.*, kb.*, communication.*, exit.*, letter.*, alumni.*, analytics.view, analytics.reports, analytics.export, ai.use, ai.manager, ai.hr, ai.workforce, user.view, audit.view
HR Executive	Day-to-day HR operations.	company.view, organisation.view, people_setup.view, employee.view, employee.create, employee.update, task.view, task.act, onboarding.view, onboarding.act, document.view, document.upload, bgv.view, leave.view, leave.apply, user.view
Payroll Admin	Runs and approves payroll.	company.view, organisation.view, people_setup.view, employee.view, employee.sensitive.view, employee.sensitive.update, attendance.view, leave.view, payroll.*, compliance.view, ai.use, ai.payroll_auditor, task.view, task.act, audit.view

Role	Purpose	Permissions granted
Attendance Admin	Manages attendance configuration and exceptions.	company.view, organisation.view, people_setup.view, employee.view, attendance.*, leave.view, policy.view
Performance Admin	Manages performance cycles.	company.view, organisation.view, people_setup.view
Asset Admin	Manages company assets.	company.view, organisation.view, employee.view, asset.*, task.view, task.act
Manager	People manager.	company.view, organisation.view, employee.view, task.view, task.act, onboarding.view, onboarding.act, attendance.view, attendance.approve, attendance.regularise, leave.view, leave.apply, leave.approve, performance.goals, performance.review, performance.feedback, performance.team, learning.learn, learning.assign, asset.own, servicedesk.request, grievance.raise, kb.view, communication.view, exit.clear, exit.resign, ai.use, ai.manager
Employee	Standard employee access.	task.view, task.act, onboarding.act, attendance.regularise, leave.apply, payroll.payslip, performance.goals, performance.review, performance.feedback, learning.learn, asset.own, servicedesk.request, grievance.raise, kb.view, communication.view, exit.resign, ai.use
Executive	Workforce Command Centre and dashboards; no transactional access.	analytics.view, analytics.executive, analytics.reports, ai.workforce, company.view, organisation.view
Alumni	Former employee: own documents and requests only.	alumni.portal, payroll.payslip
Auditor	Read-only access with full audit visibility.	audit.*, company.view, organisation.view, people_setup.view, employee.view, custom_field.view, form.view, policy.view, configuration.view, workflow.view, task.view_all, notification.view, notification.deliveries, onboarding.view, document.view, bgv.view, attendance.view, leave.view, payroll.view, compliance.view, performance.view, learning.view, asset.view, servicedesk.view, kb.view, communication.view, exit.view, letter.view, alumni.view, analytics.view, analytics.executive, ai.admin, webhook.manage, user.view, role.view, settings.view, features.view

Sensitive data

Bank details, statutory identifiers (PAN, Aadhaar reference, UAN, ESIC), salary and payslips are *sensitive*. Viewing them needs the sensitive permissions and every view is written to the audit trail with the purpose the viewer typed. Grievance cases are visible only to their handlers.

People: the Employee 360

The **Employee 360** is the single record for a person: identity, employment, organisation, reporting, attendance, leave, payroll, performance, learning, assets, documents, requests, exit and alumni all hang off it, each as a tab.

Hire an employee

1. Open **People** → **Employees** → **New employee**. The wizard collects person details, employment (joining date, work email, whether to create a login), the first position (company, location, department, designation, level, grade, employment type, work mode) and the reporting manager.
2. On save the person is created, the employee code is generated from the prefix in Settings, the lifecycle starts at *joined* (then *probation* if the employment type has a probation period), and any onboarding template whose rules match starts automatically.
3. Use the **Assign position** action for transfers, promotions and other changes: each creates a new effective-dated position row; history is never overwritten.

Tabs on the Employee 360

Tab	What you do there
Timeline	Read-only journey of the person: joins, confirmations, transfers, salary changes, leave, learning, exits.
Onboarding	The onboarding plan and its tasks; owners tick tasks off, HR can add or reassign.
Attendance / Leave	Records and requests; managers approve here or from the register pages.
Performance	Appraisal history with a goal summary.
Learning	Enrolments and certificates.
Assets	Everything in the person's custody; the active rows become the exit clearance list.
Employment / Reporting	Effective-dated positions and reporting lines.
Salary	Salary history; "Assign / revise salary" (sensitive, audited).
Bank / Statutory	Encrypted, masked; reveal needs a purpose.
Addresses, family, emergency contacts, qualifications, experience, certifications, skills	Person satellites; skills feed the Career Passport and Workforce Intelligence.
Documents	Upload, verify, version and expire documents; files are stored in object storage, not the database.
Verification (BGV)	Background verification cases and checks.
Requests	HR service desk tickets raised by or for the person.
Workflows	Every workflow run in which the employee is the subject.

Lifecycle

The lifecycle state is changed with the **Lifecycle** action, never by editing the field. Allowed moves are configured (for example *probation* → *confirmed*, *active* → *notice period*); each move is audited with its effective date and reason, fires notifications and workflows, and updates the timeline. Reminders for probation ending, joining dates and document expiry are sent by the daily lifecycle job.

Onboarding, documents and verification

Onboarding templates and plans

Under [Workflows](#) → [Onboarding templates](#) define phases (pre-boarding, day one, first week, first month...) with tasks, owners (HR, manager, IT role or the employee) and due offsets. Templates can carry assignment rules so the right template starts by itself when someone is hired. Plans appear on the Employee 360 and tasks in each owner's **Task inbox**.

Documents and verification

Document types come from [People Setup](#) → [Document types](#); mark the ones mandatory for onboarding and those that expire. Background verification cases are opened from the Employee 360 and receive results from the BGV provider through the API or manually.

Attendance

Attendance turns punches, shifts, holidays and policies into one processed record per employee per day.

Set-up

1. [Attendance](#) → [Shifts](#): fixed or flexible shifts with start/end, break, full- and half-day minutes, grace and overtime settings.
2. [Attendance](#) → [Work schedules](#): weekly patterns of shifts (Mon–Fri general, rotations). Assign schedules to employees by rule or individually with an effective date.
3. [Attendance](#) → [Holiday calendars](#): calendars with holidays; rules decide which calendar an employee follows.
4. [Attendance](#) → [Devices](#): register biometric or kiosk devices; each gets an API key to push punches.
5. [Policies](#): attendance and overtime policies (grace minutes, late/absent rules, overtime eligibility).

Every day

- Punches arrive from devices, the web check-in on **My Day**, mobile or import. The nightly job processes yesterday; you can reprocess a range from the records page.
- Open the [Attendance](#) → [Exception centre](#) each morning: missed punches, late marks, short hours, unexplained absences and overtime awaiting approval, with actions to regularise, approve or mark.
- Employees request regularisations from My Day; managers approve under [Attendance](#) → [Regularisations](#) or the task inbox. Approving reprocesses the day.
- Records for a month become **locked** once payroll is finalised for that period; reopen the payroll run to change them.

Leave

Leave types and policies

[Leave](#) → [Leave types](#) lists the kinds of leave (earned, casual, sick, maternity, paternity, bereavement, comp-off, restricted holidays, leave without pay). Entitlements are *not* on the type: they live on a **leave policy** under [Policies](#), one row per type with days per year, accrual frequency, carry-forward, encashment, probation eligibility and half-day rules. Assign policies to groups of employees with rules; publish a new version to change entitlements from a date.

Balances and requests

- Balances are derived from an append-only ledger (accruals, requests, cancellations, encashments, adjustments). The nightly accrual job posts what is due; year-end carries forward and lapses per policy.
- Employees apply from **My Day** or the Leave tab; the system validates policy, balance, half-days, weekends and holidays and either approves directly or starts the approval workflow.
- Managers approve or reject under [Leave](#) → [Leave requests](#) or the task inbox. Approved leave updates attendance automatically.
- HR adjusts balances and handles encashment under [Leave](#) → [Balances](#) and [Leave](#) → [Encashments](#), always with a note.

Payroll and compliance

Payroll follows a fixed pipeline with separation of duties: the person who prepares a run cannot approve it.

Set-up

1. [Payroll → Salary components](#): earnings, deductions and employer contributions with their properties (taxable, PF/ESI wages, part of CTC/gross, prorated for loss of pay). Formula components reference earlier components, e.g. *basic * 0.50*. Statutory lines (PF, ESI, PT, LWF, TDS) are produced by the compliance engine and cannot be edited.
2. [Payroll → Salary structures](#): the ordered set of components an employee is paid with. The provisioned **Standard structure** pays basic 40 % of CTC, HRA 50 % of basic, fixed conveyance and a balancing special allowance.
3. [Payroll → Statutory profiles](#): per company, which statutes apply, the PT and LWF states, whether PF is restricted to the wage ceiling, and registration numbers. [Payroll → Statutory rules](#) shows the versioned rates the platform maintains; you cannot change them.
4. Assign salaries on the Employee 360 → Salary tab: structure, annual CTC, fixed monthly amounts for fixed components, effective date and reason.
5. Ask employees to file [Payroll → Tax declarations](#) (regime and investments) and to record PAN and a primary bank account; the control room shows who is missing what.

Run payroll each month

1. Open [Payroll → Control room → Open payroll run](#), choose company and month.
2. Add one-off items under **Adjustments** (bonus, reimbursements, deductions, manual loss-of-pay days).
3. **Calculate**. Every employee gets an entry with lines and a basis for each amount; exceptions (no salary, no bank, PAN missing, negative net, attendance missing) are listed.
4. Fix inputs and recalculate until no blocking exceptions remain, then **Validate**.
5. A second person opens the run and **Approves**.
6. **Finalize**: attendance for the month is locked, the period is closed, payslips are generated and employees are notified.
7. Download the **Bank file** (CSV) for salary transfer, then **Mark as paid** with the date.
8. If something was wrong: **Reopen** (finalised, unpaid runs only) with a reason; payslips are withdrawn, attendance unlocked.

Payroll Auditor

[Payroll → Payroll Auditor](#) scans a run for anomalies: duplicate bank accounts, large net-pay swings versus the previous month, unusual deductions, high loss of pay, missing PAN or bank, large salary revisions, employees who have already exited. Findings are indicators for review, never automatic changes.

Performance and talent

Set-up

1. [Performance → Rating scales](#): the five-point scale is provided; create others if needed and mark one as default.
2. [Performance → Competencies](#) and [Performance → KRA library](#): what people are rated on and the goal templates they can pick from.
3. [Performance → Cycles](#): period, scale, stages with dates (goal setting, self review, manager review, peer review, calibration, final), weights for goals versus competencies, the competencies rated, and who is eligible (rules).

Run a cycle

1. **Launch** the cycle: one appraisal per eligible employee is created with self and manager reviews; goals in the cycle lock when reviewing starts.
2. Employees keep goals current with **Check in** on Goals; managers can add peer or upward reviewers on an appraisal.
3. Move the cycle through its stages with **Move to ...**; each stage notifies the people who must act.
4. At calibration, use the [Performance → Calibration](#) board to see the rating distribution and calibrate or finalise inline. Finalising sets the label, records promotion or improvement-plan recommendations and notifies the employee, who acknowledges.
5. Close the cycle when every appraisal is final; cycle goals complete automatically.

Continuous performance

- [Performance → Feedback](#): praise, constructive notes and feedback requests with visibility (private, manager, public).
- [Performance → One-on-ones](#): scheduled check-ins with agenda, private notes and action items.
- [Performance → Improvement plans](#): PIPs with objectives, extension and outcome; sensitive.
- [Performance → Career paths](#) and the [Performance → Career passport](#): ladders of designations with required skills; the passport shows each person's skills, credentials, history, aspirations and the gap to the next step.

Learning and assets

Learning

- [Learning → Courses](#): typed courses (video, document, e-learning link, classroom, virtual, assessment) with modules and an optional quiz whose answers stay hidden from learners; mark compliance courses mandatory and set certificate validity.
- [Learning → Learning paths](#): ordered course bundles.
- [Learning → Assignments](#): who must learn what by when, one person or a rule-defined audience, optionally recurring (annual PoSH refreshers). "Apply now" enrolls immediately; the daily job keeps enrolling people who match later and marks overdue items.
- [Learning → Training sessions](#): classroom or virtual dates with capacity; employees register themselves; marking attendance completes the enrolment.
- [Learning → Enrolments](#) and [Learning → Certificates](#): progress, scores, expiry.

Assets

- [Assets → Categories](#) and [Assets → Models](#): laptop, monitor, mobile, SIM, ID card, access card, licence, vehicle, equipment...; mark IT assets and whether a serial number is required.
- [Assets → Asset register](#) → **Receive asset** to add stock, then on the asset page use **Assign**, **Transfer**, **Take back**, **Send for repair**, **Back from repair**, **Change location**, **Report lost**, **Found**, **Retire**, **Dispose**. Every step is recorded in the Lifecycle tab; assigned assets cannot be disposed of.
- Employees see **My assets** and acknowledge receipt. Active custody becomes the asset clearance checklist when someone exits.

Service desk, grievances, knowledge, communication

HR service desk

- [Service Desk → Categories & SLAs](#): request types with resolution and first-response hours, a default agent or agent role, an escalation role and an optional workflow (for example an approval flow for letters).
- Employees use **Ask HR** on My Day; agents work the **Tickets** queue: reply (internal notes are hidden from the employee), wait on the employee, resolve with a linked knowledge article, close. Employees rate closed tickets and can reopen.
- Breached SLAs escalate once to the escalation role; resolved tickets close automatically after five days.

Grievances

- [Grievances → Categories & handlers](#): confidentiality, whether anonymous cases are allowed, the handler roles (for example an Internal Committee role for PoSH) and the resolution SLA.
- Cases are visible only to the assigned handler, users explicitly granted access, holders of the handler roles and, for named cases, the employee. Every view is audited.
- Work a case with the case file (notes, evidence, actions, decisions; each entry marked visible to the employee or not), status updates, resolve and close. Employees can withdraw their own case.

Knowledge base and announcements

- [Knowledge → Articles](#): markdown articles by category with an audience rule, "requires acknowledgement" and "mandatory reading". Publishing creates a version; a new version asks everyone to acknowledge again. Read and acknowledgement counts are shown per article.
- [Communication → Announcements](#): announcements, circulars, newsletters, policy publications and instructions with audience, pinning, scheduling, expiry and acknowledgement. Employees read them on the Announcements feed.
- [Communication → Notification templates / rules](#): which events send which template on which channels (in-app, email, log) to which audience.

Exit, letters and alumni

Exit management

1. Employees resign from My Day (**Resign**); HR initiates other exit types under [Exit](#) → [Exit cases](#) → **Initiate exit** (resignation, termination, retirement, contract expiry, absconding, death, mutual, other). Notice and last working day are computed from Settings and can be overridden.
2. Five clearance stages are created: manager, IT, finance, asset, HR. Owners are the manager and the roles named in Settings. The asset stage lists everything in the person's custody and cannot be cleared while assets remain unless a recoverable amount is recorded. Clearance starts automatically seven days before the last day, or with **Start clearance**.
3. The **Full & final** tab computes the last month's salary through the payroll calculator, leave encashment, notice shortfall recovery and asset recovery; add manual lines; approve (encashment posts to the leave ledger); mark paid.
4. Record the **exit interview** (the employee can fill it themselves); **Exit insights** aggregates reasons and ratings.
5. **Complete exit** once every stage is cleared and the settlement approved: the employee becomes *exited* and the login is suspended.
6. **Create alumni profile**: the login is re-enabled with only the Alumni role; the person can use the Alumni portal to request letters, certificates and references.

Letters

[Letters](#) → [Templates](#) hold subject and body with variables such as `{{ employee.name }}`, `{{ employee.designation }}`, `{{ employee.joining_date }}`, `{{ company.name }}`. Generate a letter from an exit case, an alumni request or [Letters](#) → [Letters](#) → **Generate letter**; templates flagged for approval wait for someone with the issue permission; **Issue** stores it in the employee's documents and notifies them.

Alumni

[Alumni](#) → [Alumni](#) lists former employees with rehire eligibility and portal access. Requests arrive from the portal: verify identity, **Approve & generate** (letters are produced and issued automatically), mark delivered or reject.

Analytics

Dashboards

[Analytics](#) → [Dashboards](#) shows the boards you are entitled to; the provisioned **HR overview** is the default. Administrators design boards under [Analytics](#) → [Dashboard builder](#): choose the audience roles and add widgets: KPI numbers, twelve-month trends, charts or tables from shared reports, leaderboards and a Needs Attention list.

Report builder

1. [Analytics](#) → [Reports](#) → **New report**. Pick a dataset (employees, attendance, leave, payroll, exits, performance, learning, assets, service desk); you only see datasets your permissions allow, and sensitive fields such as CTC only with the sensitive permission.
2. Tick the fields, add filters (equals, any of, contains, greater than, between, last N days, this month...), optionally group by a field with count / sum / average / min / max, add calculated fields with formulas such as *employer_cost* / *paid_days*, choose table, bar, line, pie or single number, and a sort and row limit.
3. Open the report to run it; **Export CSV** (Excel-compatible) is audited. Add **Schedules** (daily, weekly, monthly) with recipients; each run is kept under **Runs** for download.
4. Mark a report *shared* to make it available to dashboards, the API and other users who can see its dataset.

Command centre and intelligence

[Analytics](#) → [Workforce Command Centre](#) (executives) shows headcount, people cost, attrition, absenteeism, joiners and exits, high performers, cost per head, tenure, gender share, learning completion, open grievances, twelve-month trends and critical skills. [Analytics](#) → [Workforce Intelligence](#) lists attrition-risk signals per employee: transparent points (short tenure, no pay revision, low rating, overdue learning, no one-on-one, absences, constructive feedback, stalled high performer, open grievance). It is an inference to start conversations, never grounds for a decision.

AI assistants

The **Assistant** under Me answers questions from the signed-in person's own data and permissions. Which assistants appear depends on role:

Assistant	Who	Ask about
Employee Assistant	Everyone	Leave balance and requests, attendance this month, latest payslip, HR requests, holidays, goals, learning, assets, what needs attention
Policy Assistant	Everyone	Notice period, your attendance/leave/overtime policy, knowledge base articles
Manager Assistant	People with direct reports	Team today, pending approvals and reviews, team goal progress, attrition-risk signals
HR Copilot	HR	Probations ending, onboarding backlog, expiring documents, verifications, workforce metrics, people searches such as "employees in Delhi who joined this year"
Payroll Auditor	Payroll	Anomalies in the latest run
Workforce Analyst	Executives / HR	Summary, trends, cost, critical skills, attrition risk, capacity

Governance

- Assistants never change records; they link to the page where a person acts.
- Every question and answer is logged with its sources under [Audit → AI interactions](#); users rate answers with thumbs up or down.
- Answers are deterministic by default. Turning on the feature *ai.llm* (and configuring a provider) lets a language model rephrase the same facts; identifiers are redacted and the system falls back to the deterministic answer if the model is unavailable.
- Anything marked **inference** (risk signals, audit findings) is an indicator, not a decision.

Configuration platform

Custom fields and forms

[Customisation](#) → [Custom fields](#) adds typed fields (text, number, date, yes/no, dropdown, multi-select, email, phone, URL) to employees, companies, departments, locations, designations and assets with visibility flags. [Customisation](#) → [Forms](#) builds versioned forms whose submissions can start workflows.

Policies and rules

[Policies](#) is the policy engine: policies of configurable types (attendance, overtime, leave, probation...) with versioned settings and effective dates, assigned to employees by **rules** (conditions on company, location, department, designation, level, grade, employment type, category, lifecycle state and more). The engine resolves the right version for each person on each date; modules read policy settings rather than hard-coding them.

Workflows and notifications

- [Workflows](#) → [Workflows](#): versioned definitions of start, approval (single, sequential, parallel, majority), condition, task, notification, wait, webhook, update-record, document and end nodes, triggered manually or by events (employee joined, leave requested, ticket created, exit initiated...). Publish a version to make it live; running instances and their tasks are visible, and the **Task inbox** is where approvers act. Escalations run every five minutes.
- [Communication](#) → [Notification rules](#): event → audience → channels → template, with variables like `{{ employee.name }}`.

Change Centre, packs and blueprints

- [Configuration](#) → [Configuration change centre](#): proposed configuration changes with impact preview, approval, scheduling for a future date and rollback. When the approval feature is off, edits apply immediately but are still audited.
- [Configuration](#) → [Packs & blueprints](#): export a tenant's configuration as a blueprint, import one, or apply a packaged starter set.
- [Configuration](#) → [Settings](#) and [Configuration](#) → [Features](#): tenant-wide values and switches (see the appendix).
- [Configuration](#) → [What do you want to configure?](#): type a word ("working hours", "designation", "pf") to jump to the right page.

Enterprise: integrations, SSO, security, international

Integrations and API

- [Integrations](#) → [API keys](#): issue keys with scopes (recruitment, verification results, attendance punches, and read scopes for employees, attendance, leave, payroll, documents, assets, performance, workflows, report runs, SCIM). The secret is shown once. Keys are sent as *X-Api-Key* or a Bearer token.
- [Enterprise](#) → [Webhooks](#): endpoints subscribed to events (leave approved, payroll finalized, exit initiated...). Deliveries are signed (HMAC-SHA256), retried with back-off, and listed with payload and response; "Send test" pings the endpoint.

Single sign-on and provisioning

- [Enterprise](#) → [Single sign-on](#): add a connection (Microsoft Entra ID, Google Workspace, Okta or generic OpenID Connect), paste client id and secret, adjust the endpoints from the preset, restrict email domains, choose whether first-time users are created automatically and with which role. Share the login URL shown in the list.
- SCIM 2.0: issue an API key with the *scim* scope and configure your identity provider with the base URL [/api/scim/v2](#). Users are created, updated and deactivated from the directory; a new login is linked to an existing employee by employee number or work email.

Security policy

[Enterprise](#) → [Security policy](#): IP allowlist (exact addresses, wildcards, CIDR), require multi-factor authentication for every tenant login, sign out after idle minutes, minimum password length and expiry, and retention windows for AI interactions, notification deliveries and report runs. Audit events are never purged. Platform administrators are exempt from the allowlist.

International

- [Enterprise](#) → [Country packs](#): the countries the platform describes (currency, locale, tax framework, social security, labour rules, documents, formats). Set a company's country and the statutory profile's jurisdiction; India uses the full statutory engine, other countries the generic one with the rules their pack supplies.
- [Enterprise](#) → [Exchange rates](#): dated rates for consolidated reporting in the tenant base currency.

Audit, scheduled jobs and troubleshooting

[Audit](#) → [Audit trail](#) records who did what, when, from where, with before-and-after values, the reason, the approval reference and the effective date. Events are hash-chained per tenant; run **Verify** (or the console command) to prove nothing was altered. Sensitive views, configuration changes, payroll steps, exports and AI inference answers all appear here. Filter by module, actor, entity or date; every record page also has an **Audit history** tab.

Scheduled jobs

The platform scheduler runs these automatically; an administrator only needs to know they exist when something looks stale.

Job	When	What it does
Configuration publish-due	daily 00:05	Applies scheduled configuration changes
Workflow tick	every 5 min	Timers, reminders, escalations
Leave accrual	daily 01:00	Posts accruals; closes the leave year
Attendance processing	daily 02:00	Processes the previous day
Learning tick	daily 03:00	Assignments, overdue, reminders, certificate expiry
Retention purge	daily 03:30	Applies retention windows
Exit tick	daily 04:00	Starts clearance inside the lead window
Warehouse export	daily 05:00	Datasets to the warehouse feed
Lifecycle reminders	daily 06:00	Probation, joining, document expiry reminders
Compliance sync	Mondays 00:30	Loads statutory rule updates
Service desk tick	hourly	SLA escalation, auto-close, overdue grievances
Scheduled reports	hourly	Runs due report schedules
Webhook delivery	every minute	Sends pending webhooks

Troubleshooting

Symptom	Check
A user cannot see a menu item	Their roles under Access → Users ; the permission key on the role; the feature switch under Configuration → Features .
An employee has no leave balance	A leave policy with that type must be published and assigned by a rule that matches the employee; then wait for the accrual job or accrue manually.
Payroll shows "no salary assignment"	Assign a salary on the Employee 360 → Salary tab with an effective date inside the period.
Attendance for a day cannot be changed	The month is locked by a finalized payroll run; reopen the run first.

Symptom	Check
A configuration edit "went to the Change Centre"	Configuration approval is on; a second administrator approves it there.
Nobody can open a grievance case	Set handler roles on the category, or grant access on the case.
A webhook keeps failing	Open the delivery, read the response excerpt, check the endpoint accepts POST with JSON and returns 2xx; retry from the list.
SSO login returns to the login page	Redirect URI registered with the provider must match /sso/<slug>/callback; the email domain must be allowed; auto-provisioning or an existing user is needed.

Appendix: reference

Permission keys

Module	Key	Grants
tenant	tenant.view	View tenants
tenant	tenant.create	Create tenants
tenant	tenant.update	Update tenants
tenant	tenant.suspend	Suspend or reactivate tenants
company	company.view	View companies / legal entities
company	company.create	Create companies
company	company.update	Update companies
company	company.delete	Delete companies
user	user.view	View users
user	user.create	Create users
user	user.update	Update users
user	user.delete	Delete users
user	user.assign_roles	Assign roles to users
role	role.view	View roles and permissions
role	role.create	Create roles
role	role.update	Update roles and their permissions
role	role.delete	Delete roles
settings	settings.view	View tenant settings
settings	settings.update	Update tenant settings
features	features.view	View feature flags
features	features.update	Toggle feature flags
audit	audit.view	View audit and change history
audit	audit.verify	Verify audit chain integrity
organisation	organisation.view	View organisation structure (locations, business units, divisions, departments, teams, cost/profit centres)
organisation	organisation.create	Create organisation units
organisation	organisation.update	Update organisation units
organisation	organisation.delete	Delete organisation units

Module	Key	Grants
organisation	organisation.design	Use the Organisation Designer to build and rearrange the hierarchy
people_setup	people_setup.view	View people setup (levels, grades, job families, designations, categories, employment types, work modes)
people_setup	people_setup.create	Create people setup records
people_setup	people_setup.update	Update people setup records
people_setup	people_setup.delete	Delete people setup records
custom_field	custom_field.view	View custom field definitions
custom_field	custom_field.create	Create custom fields
custom_field	custom_field.update	Update custom fields
custom_field	custom_field.delete	Delete custom fields
form	form.view	View forms and submissions
form	form.create	Create forms
form	form.update	Update draft forms
form	form.delete	Delete forms
form	form.publish	Publish form versions
form	form.submit	Submit forms on behalf of employees
form	form.approve	Approve or reject submissions
policy	policy.view	View policies and assignment rules
policy	policy.create	Create policies and rules
policy	policy.update	Update draft policy versions and rules
policy	policy.delete	Delete policies and rules
policy	policy.publish	Publish policy versions
configuration	configuration.view	View the Configuration Change Centre
configuration	configuration.update	Propose configuration changes
configuration	configuration.approve	Approve or reject configuration changes
configuration	configuration.publish	Publish approved or scheduled changes now
configuration	configuration.rollback	Roll back a published change
configuration	configuration.delete	Discard draft changes
blueprint	blueprint.export	Export configuration blueprints
blueprint	blueprint.import	Import blueprints and apply configuration packs
workflow	workflow.view	View workflows and their runs

Module	Key	Grants
workflow	workflow.create	Create workflows
workflow	workflow.update	Edit draft workflow versions
workflow	workflow.delete	Delete workflows
workflow	workflow.publish	Publish workflow versions
workflow	workflow.run	Start workflows manually
workflow	workflow.cancel	Cancel running workflows
task	task.view	See the task inbox (own tasks)
task	task.act	Approve, reject or complete own tasks
task	task.view_all	See every task in the tenant
task	task.reassign	Reassign tasks to someone else
onboarding	onboarding.view	View onboarding plans and templates
onboarding	onboarding.manage	Create templates, start plans, complete or skip any task
onboarding	onboarding.act	Complete own onboarding tasks
document	document.view	View and download employee documents
document	document.upload	Upload employee documents
document	document.verify	Verify or reject documents
document	document.delete	Delete documents
document	document.types	Manage document types
bgv	bgv.view	View background verification cases
bgv	bgv.manage	Initiate cases and record check results
api_key	api_key.manage	Create and revoke integration API keys
payroll	payroll.view	View payroll runs, entries and payslips (all employees)
payroll	payroll.manage	Configure salary components, structures, adjustments and statutory registrations
payroll	payroll.calculate	Create runs and calculate payroll
payroll	payroll.approve	Approve calculated payroll runs
payroll	payroll.finalize	Finalize, reopen and mark runs as paid
payroll	payroll.payslip	View own payslips
compliance	compliance.view	View statutory rules and compliance status
enterprise	sso.manage	Configure single sign-on connections
enterprise	webhook.manage	Configure webhook endpoints and inspect deliveries

Module	Key	Grants
enterprise	security.manage	Manage tenant security policy (IP allowlist, MFA, passwords, sessions, retention)
enterprise	currency.manage	Maintain exchange rates and the base currency
enterprise	warehouse.export	Export datasets to the data warehouse feed
ai	ai.use	Ask the Employee and Policy assistants about own data and policies
ai	ai.manager	Use the Manager Assistant for direct reports
ai	ai.hr	Use the HR Copilot (workforce questions, pending HR work, natural-language people search)
ai	ai.payroll_auditor	Run the AI Payroll Auditor on payroll runs
ai	ai.workforce	Use Workforce Intelligence (trends, attrition risk, capacity)
ai	ai.admin	Review AI interaction logs and governance settings
analytics	analytics.view	View dashboards
analytics	analytics.reports	Build and run reports on datasets you are allowed to see
analytics	analytics.manage	Manage shared reports, schedules and dashboards
analytics	analytics.export	Export report results
analytics	analytics.executive	Open the Workforce Command Centre
exit	exit.view	View exit cases, clearances and settlements
exit	exit.manage	Initiate, withdraw and complete exits; create alumni
exit	exit.clear	Act on clearance stages assigned to me or my role
exit	exit.settle	Calculate, approve and pay full & final settlements
exit	exit.interview	Conduct and read exit interviews
exit	exit.resign	Submit own resignation
letter	letter.view	View issued letters
letter	letter.manage	Manage letter templates
letter	letter.issue	Generate, approve and issue letters
alumni	alumni.view	View alumni profiles and requests
alumni	alumni.manage	Handle alumni requests and profiles
alumni	alumni.portal	Use the alumni portal (own profile, documents, requests)
servicedesk	servicedesk.view	View and work every HR service desk ticket (agent)
servicedesk	servicedesk.manage	Configure ticket categories, SLAs and assignment
servicedesk	servicedesk.request	Raise and follow own tickets

Module	Key	Grants
grievance	<code>grievance.view</code>	View grievance cases you are assigned to or granted access to
grievance	<code>grievance.manage</code>	Configure grievance categories, assign and close cases
grievance	<code>grievance.raise</code>	Raise a grievance
kb	<code>kb.view</code>	Read published knowledge base articles
kb	<code>kb.manage</code>	Write and publish knowledge base articles
communication	<code>communication.view</code>	Read announcements
communication	<code>communication.manage</code>	Publish announcements, circulars and newsletters
learning	<code>learning.view</code>	View courses, paths, sessions and every enrolment
learning	<code>learning.manage</code>	Configure courses, learning paths, assessments and sessions
learning	<code>learning.assign</code>	Assign learning to employees and mark attendance
learning	<code>learning.learn</code>	Take assigned learning (own enrolments)
asset	<code>asset.view</code>	View the asset register
asset	<code>asset.manage</code>	Configure categories/models, procure, repair and dispose of assets
asset	<code>asset.assign</code>	Assign, transfer and take back assets
asset	<code>asset.own</code>	View and acknowledge own assets
performance	<code>performance.view</code>	View all goals, appraisals, feedback and career data
performance	<code>performance.manage</code>	Configure cycles, rating scales, competencies, KRA library and career paths
performance	<code>performance.goals</code>	Manage own goals and check in on progress
performance	<code>performance.review</code>	Complete reviews assigned to me (self, manager, peer)
performance	<code>performance.calibrate</code>	Calibrate and finalize appraisals
performance	<code>performance.feedback</code>	Give and request continuous feedback
performance	<code>performance.team</code>	View and act on direct reports (goals, reviews, one-on-ones, PIPs)
leave	<code>leave.view</code>	View leave requests, balances and the leave register
leave	<code>leave.apply</code>	Apply for own leave and cancel own requests
leave	<code>leave.approve</code>	Approve or reject leave requests
leave	<code>leave.manage</code>	Configure leave types, adjust balances, encash, apply on behalf, cancel any request
attendance	<code>attendance.view</code>	View attendance records and the exception centre

Module	Key	Grants
attendance	attendance.manage	Configure shifts, schedules, holidays and devices; record manual punches; reprocess
attendance	attendance.regularise	Request regularisation for own attendance
attendance	attendance.approve	Approve regularisations and overtime
notification	notification.view	View notification templates and rules
notification	notification.update	Manage notification templates and rules
notification	notification.deliveries	View the notification delivery log
employee	employee.view	View employees and Employee 360 (non-sensitive tabs)
employee	employee.create	Hire / create employees
employee	employee.update	Update employee and personal data
employee	employee.delete	Delete employee records
employee	employee.position	Assign positions, transfers, promotions and managers
employee	employee.lifecycle	Move employees through lifecycle states
employee	employee.sensitive.view	View bank and statutory details (audited)
employee	employee.sensitive.update	Update bank and statutory details

Tenant settings (defaults)

Setting	Default
branding.display_name	null
branding.primary_colour	#f59e0b
locale.date_format	d M Y
locale.time_format	H:i
security.password.min_length	12
security.session.lifetime_minutes	120
employee.code.prefix	EMP
employee.code.padding	5
employee.probation.default_months	6
employee.probation.reminder_days	14
employee.joining.reminder_days	3
documents.expiry.reminder_days	30
attendance.punch_window_hours	4
attendance.regularisation.window_days	7

Setting	Default
leave.year_start_month	1
payroll.lop_from_attendance	true
tenant.base_currency	INR
tenant.locale	en
security.ip_allowlist	
security.session_idle_minutes	0
security.password_min_length	10
security.password_expiry_days	0
security.mfa_required	false
retention.ai_interactions_days	365
retention.notification_deliveries_days	180
retention.report_runs_days	90
exit.notice_days	30
exit.clearance_lead_days	7
exit.encashment_basis	basic
exit.notice_recovery	true
exit.it_clearance_role	asset-admin
exit.finance_clearance_role	payroll-admin
exit.hr_clearance_role	tenant-hr-admin
payroll.payslip.prefix	PS
leave.exclude_weekly_offs	true
leave.exclude_holidays	true
configuration.approval.minimum_risk	medium

Feature switches (defaults)

Feature	Default	Description
organisation.designer	Off	Visual organisation designer
audit.sensitive_access	On	Audit views of sensitive fields
configuration.approval	Off	Route medium/high-risk configuration changes through the Change Centre for approval
ai.assistants	On	Employee, Policy, Manager and HR assistants (grounded, permission-aware)

Feature	Default	Description
<code>ai.payroll_auditor</code>	On	Anomaly detection on payroll runs
<code>ai.workforce_intelligence</code>	On	Attrition-risk inference and workforce narrative
<code>ai.llm</code>	Off	Send grounded facts to the configured language-model provider for natural-language answers (off = deterministic answers only)
<code>security.mfa</code>	Off	Multi-factor authentication

API key scopes

Scope	Allows
<code>rms.write</code>	Create pre-employees from recruitment
<code>rms.read</code>	Read pre-employee status
<code>bgv.write</code>	Post background verification results
<code>attendance.write</code>	Push attendance punches from devices
<code>employees.read</code>	Read employees and positions
<code>attendance.read</code>	Read attendance records
<code>leave.read</code>	Read leave requests and balances
<code>payroll.read</code>	Read payroll runs and payslips (sensitive)
<code>documents.read</code>	Read document metadata
<code>assets.read</code>	Read the asset register
<code>performance.read</code>	Read appraisals and goals
<code>workflows.read</code>	Read workflow instances and tasks
<code>reports.run</code>	Run saved reports
<code>scim</code>	SCIM 2.0 user provisioning
<code>webhooks.read</code>	Read webhook deliveries

Webhook events

`employee.created`, `employee.joined`, `employee.probation`, `employee.confirmed`,
`employee.notice_period`, `employee.exited`, `employee.alumni`, `employee.salary_changed`,
`leave.requested`, `leave.approved`, `leave.rejected`, `leave.cancelled`,
`attendance.regularisation_requested`, `payroll.calculated`, `payroll.approved`,
`payroll.finalized`, `payroll.paid`, `performance.appraisal.finalized`, `learning.completed`,
`asset.assigned`, `asset.returned`, `servicedesk.ticket.created`, `servicedesk.ticket.resolved`,
`grievance.raised`, `exit.initiated`, `exit.completed`, `letter.issued`, `workflow.completed`,
`document.expiring`