

Manual Test Plan

Shopware 6 Storefront – Guest Checkout Flow

QA / Automation Tester Intern Exercise · Solution25

Test Environment: <https://www.shopware6-demo.development-s25.com/>

1. Overview

This test plan covers the core guest checkout user flow in a Shopware 6 storefront. The scope includes browsing products, adding them to the cart, and completing an order as a guest using 'Cash on Delivery' as the payment method.

Test cases are organised into three categories: Positive (happy-path and variations), Negative (invalid/missing input), and Edge Cases (boundary and unusual inputs).

2. Scope

Category	Count	Browser	OS	URL
Positive	6	Chrome 124+	Windows 11 / macOS 14	https://www.shopware6-demo.development-s25.com/
Negative	4	Firefox 125+	(same)	(same)
Edge Cases	3	Edge 124+	(same)	(same)

3. Positive Test Cases

The following test cases verify that the system works correctly under valid, expected inputs.

ID	Title	Preconditions	Steps	Expected Result	Priority
TC-P01	Happy Path – Guest Checkout with Cash on Delivery	Shopware 6 demo storefront is accessible At least one product is in stock No existing session/cart	1. Navigate to https://www.shopware6-demo.development-s25.com/ 2. Search for an available demo product 3. Click on the first search result 4. Click 'Add to cart' 5. Click on the cart icon → 'Go to cart' 6. Click 'Begin checkout' 7. Select 'Continue as guest' 8. Enter valid first name, last name, email, street, city, zip, country 9. Click 'Continue' 10. Select 'Cash on delivery' as payment method 11. Review order summary 12. Click 'Place order'	Order confirmation page is displayed Page shows a unique order number Order confirmation details are visible	High
TC-P02	Browse Category and Add Product to Cart	Storefront is accessible Cart is empty	1. Open the storefront homepage	Category listing page loads with products Product detail page opens correctly	High

			2. Click on a top-level navigation category (e.g. 'Clothing') 3. Click on any listed product 4. Click 'Add to cart' 5. Open mini-cart overlay	Cart item count badge increments to 1 Mini-cart shows the correct product name and price	
TC-P03	Update Product Quantity in Cart Before Checkout	One product already added to cart User is on the cart page	1. Open cart page 2. Change quantity field from 1 to 3 3. Confirm/update the quantity 4. Verify subtotal updates	Quantity updates to 3 Subtotal = unit price × 3 No error messages are shown	High
TC-P04	Guest Checkout with All Optional Fields Populated	Product in cart On guest checkout form	1. Fill in all required fields (first/last name, email, address) 2. Also fill optional fields: company name, phone number 3. Select 'Cash on delivery' 4. Place the order	Form accepts all fields without validation errors Order is placed successfully Confirmation page displays entered details	Medium
TC-P05	Add Multiple Different Products to Cart	Storefront accessible Cart is empty	1. Search for and add Product A to cart 2. Navigate back to storefront 3. Search for and add Product B to cart 4. Open cart page	Cart shows 2 distinct line items Cart total = sum of both product prices Each product has correct name, price, and quantity	Medium
TC-P06	Complete Checkout After Removing One Cart Item	Two products in cart	1. Open cart page 2. Remove one product using the remove/delete button 3. Verify cart shows 1 item 4. Complete guest checkout with Cash on Delivery	Removed item is no longer listed Total reflects remaining item only Checkout completes successfully with order confirmation	Medium

4. Negative Test Cases

The following test cases verify that the system handles invalid inputs and error conditions gracefully.

ID	Title	Preconditions	Steps	Expected Result	Priority
TC-N01	Proceed to Checkout with Empty Cart	Cart is empty (no products added)	1. Open the cart page directly (e.g. /checkout/cart) 2. Observe page state 3. Attempt to click 'Begin checkout' if the button is visible	'Your cart is empty' message or equivalent is displayed Checkout button is either hidden or disabled No checkout process is initiated	High
TC-N02	Submit Guest Checkout Form with Missing Required Fields	Product in cart On guest checkout form	1. Leave first name field empty 2. Leave email field empty 3. Fill in the remaining required fields 4. Click 'Continue' / 'Next'	Form does NOT submit Validation error messages appear next to empty required fields User remains on the checkout form page	High
TC-N03	Enter Invalid Email Format in Guest Checkout	Product in cart On guest checkout form	1. Fill all required fields correctly 2. Enter 'notanemail' in the email field 3. Click 'Continue'	Form displays an email validation error Checkout does not proceed	High
TC-N04	Set Product Quantity to 0 in Cart	One product in cart User is on cart page	1. Change quantity field value to 0 2. Confirm/update	A validation message should be shown OR the user should be asked to confirm item removal.	Medium

5. Edge Cases

The following test cases target boundary conditions, unusual inputs, and scenarios outside normal use that could expose latent defects.

ID	Title	Preconditions	Steps	Expected Result	Priority
TC-E01	Very Long Input Values in Address Fields	Product in cart On guest checkout form	1. Paste a 300-character string into the 'First Name' field 2. Paste a 300-character string into the 'Street' address field 3. Fill remaining fields with valid data 4. Click 'Continue'	Either: input is truncated to the max allowed length, OR A clear validation error is shown indicating the maximum length The application does not crash or produce an unhandled error	Low
TC-E02	Special Characters and Unicode in Name Fields	Product in cart On guest checkout form	1. Enter 'Ärna Çeku-O'Brien' in the First Name field 2. Enter an address with special characters: 'Ruga e Dibrës, №12' 3. Proceed through checkout with Cash on Delivery 4. Complete the order	Special characters are accepted and stored correctly Confirmation page displays the name and address without garbling No encoding errors appear	Medium
TC-E03	Very Large Quantity (e.g. 9999) in Cart	Product in cart User is on cart page	1. Set product quantity to 9999 2. Confirm the update 3. Observe cart total and system behaviour	System should either enforce a maximum quantity limit or handle the large value without crashing.	Low

6. Priority Key

Priority	Definition
High	Core functionality; blocking if it fails. Must be tested first.
Medium	Important variation; degrades user experience but not a blocker. Test after High.
Low	Edge scenario; low probability but worth tracking. Typically tested during regression or lower-risk validation cycles