

Aarogya360 API (1.0.0)

Download OpenAPI specification: [Download](#)

Aarogya360 Engineering Team: engineering@aarogya360.in | License: [Proprietary](#)

Production-grade REST API for Aarogya360 — a multi-tenant healthcare SaaS platform for small and medium clinics in India.

Phase 1 — Core Foundation Covers: Authentication, Clinic Management, Staff, Departments, Doctors, Availability, Patients, Appointments, Queue Management, and System Administration.

Architecture Rules

- All endpoints prefixed with /api/v1/
- All IDs are UUID v4
- All timestamps are ISO 8601 with timezone
- Soft delete used throughout — deleted records never appear in lists
- Every tenant-scoped endpoint is implicitly scoped to the authenticated user's clinic_id
- Standard error envelope used for all error responses

Health

Platform health check

Platform health check

Returns current platform status. Public endpoint, no auth required.

Responses

> 200 Platform is healthy

GET /health



Response samples

200

Content type

application/json

Copy

```
{
  "status": "ok",
  "environment": "production",
  "version": "1.0.0"
}
```

Auth

Authentication, sessions, MFA, password reset

Register a new clinic with owner account

Creates a new clinic tenant and the first clinic_owner user account in a single atomic transaction. On success, returns JWT tokens so the owner is immediately authenticated. No JWT required. Rate limited to 5 requests per IP per hour. Side effect: audit_log record created for clinic creation.

REQUEST BODY SCHEMA: application/json

required

clinic > required	object
owner > required	object

Responses

> **201** Clinic and owner account created successfully

> **409** Resource conflict — duplicate record or slot taken

> **422** Request body failed schema validation

> **429** Too many requests — rate limit exceeded

> **500** Unexpected server error

POST /api/v1/auth/register

Request samples

Payload

Content type

application/json

Copy Expand all Collapse all

```
{
  - "clinic": {
    "name": "Sharma Multi-Speciality Clinic",
    "email": "admin@sharmaclinic.in",
    "phone": "+91-2222345678",
    "address_line_1": "12 Linking Road",
    "address_line_2": "Bandra West",
    "city": "Mumbai",
    "state": "Maharashtra",
    "country": "India",
    "pincode": "400050",
    "gsttin": "27AABCS1429B1Z1",
    "timezone": "Asia/Kolkata"
  },
}
```

```
- "owner": {
  "name": "Dr. Rajesh Sharma",
  "email": "rajesh@sharmaclinic.in",
  "phone": "+91-9876543210",
  "password": "SecureP@ss123"
}
```

Response samples

201

409

422

429

500

Content type

application/json

Copy Expand all Collapse all

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
  "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4...",
  "token_type": "bearer",
  "expires_in": 1800,
  - "user": {
    "id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
    "name": "Dr. Rajesh Sharma",
    "email": "rajesh@sharmaclinic.in",
    "role": "clinic_owner",
    "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890"
  }
}
```

Authenticate user and issue JWT tokens

Authenticates any user (clinic_owner, doctor, receptionist, lab_technician, system_admin) with email and password. Returns short-lived access_token and long-lived refresh_token. If MFA is enabled, returns mfa_required: true and a temporary mfa_token. The full access_token is only issued after MFA verification via POST /api/v1/auth/mfa/verify. Rate limited to 10 requests per IP per minute.

REQUEST BODY SCHEMA: application/json

required

email required	string <email> Registered email address
password required	string >= 8 characters Account password

Responses

> **200** Authentication successful

> **401** Authentication token missing, expired, or invalid

> **422** Request body failed schema validation

> **429** Too many requests — rate limit exceeded

POST /api/v1/auth/login

Request samples

Payload

Content type
application/json

Copy

```
{
  "email": "rajesh@sharmaclinic.in",
  "password": "SecureP@ss123"
}
```

Response samples

200

401

422

429

Content type
application/json

Copy Expand all Collapse all

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
  "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4...",
  "token_type": "bearer",
  "expires_in": 1800,
  "mfa_required": false,
  - "user": {
    "id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
    "name": "Dr. Rajesh Sharma",
    "email": "rajesh@sharmaclinic.in",
    "role": "clinic_owner",
    "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890"
  }
}
```

Rotate refresh token and issue new access token

Accepts a valid refresh_token and returns a new access_token and rotated refresh_token. The old refresh_token is immediately revoked. Implements refresh token rotation to prevent token reuse.

REQUEST BODY SCHEMA: application/json

required

→ refresh_token	string
required	The current valid refresh token

Responses

> 200 New tokens issued

> 401 Authentication token missing, expired, or invalid

> 429 Too many requests — rate limit exceeded

POST /api/v1/auth/refresh



Request samples

Payload

Content type

application/json

Copy

```
{
  "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4..."
}
```

Response samples

200

401

429

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
  "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4...",
  "token_type": "bearer",
  "expires_in": 1800,
  "mfa_required": false,
  - "user": {
    "id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
    "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
    "name": "Dr. Priya Sharma",
    "email": "priya@sharmaclinic.in",
    "phone": "+91-9123456780",
    "role": "doctor",
    "mfa_enabled": false,
    "is_active": true,
    "last_login_at": "2026-06-25T09:00:00+05:30",
    "created_at": "2026-06-01T10:00:00+05:30"
  }
}
```

Request a password reset OTP

Sends a time-limited OTP (valid 10 minutes) to the user's registered email or phone. Always returns 200 even if the email does not exist — to prevent user enumeration attacks. Rate limited to 3 requests per email per hour.

REQUEST BODY SCHEMA: `application/json`

required

<code>email</code> required	<code>string <email></code> Registered email address
--------------------------------	---

Responses

> **200** OTP dispatched if the email exists. Always returns 200 regardless of whether email was found.

> **422** Request body failed schema validation

> **429** Too many requests — rate limit exceeded

POST `/api/v1/auth/password-reset/request`

Request samples

Payload

Content type
`application/json`

Copy

```
{
  "email": "rajesh@sharmaclinic.in"
}
```

Response samples

200

422

429

Content type
`application/json`

Copy

```
{  
  "message": "If this email is registered, an OTP has been sent."  
}
```

Confirm OTP and set new password

Validates the OTP issued by /password-reset/request and sets the new password. OTP is single-use and expires after 10 minutes. All active refresh tokens for the user are revoked on success.

REQUEST BODY SCHEMA: application/json

required

email required	string <email>
otp required	string = 6 characters
new_password required	string >= 8 characters Must be at least 8 characters

Responses

> 200 Password reset successful

> 401 Authentication token missing, expired, or invalid

> 422 Request body failed schema validation

> 429 Too many requests — rate limit exceeded

POST /api/v1/auth/password-reset/confirm

Request samples

Payload

Content type

application/json

Copy

```
{
  "email": "rajesh@sharmaclinic.in",
  "otp": "482910",
  "new_password": "NewSecureP@ss456"
}
```

Response samples

200

401

422

429

Content type

application/json

Copy

```
{
  "message": "Password updated successfully. Please log in again."
}
```

Logout and revoke current refresh token

Revokes the provided refresh_token, invalidating the current session. The access_token expires naturally per its TTL.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json
required

— refresh_token
required string

Responses

> 200 Logged out successfully

> 401 Authentication token missing, expired, or invalid

POST /api/v1/auth/logout

Request samples

Payload

Content type

application/json

Copy

```
{
  "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4..."
}
```

Response samples

200

401

Content type

application/json

Copy

```
{
  "message": "Logged out successfully."
}
```

Enable MFA and return TOTP secret

Enables multi-factor authentication for the authenticated user. Returns a TOTP secret and QR code URL for authenticator app setup. MFA is not active until verified via `/mfa/verify`. Recommended for `clinic_owner` and `doctor` roles.

AUTHORIZATIONS: >

BearerAuth

Responses

> **200** TOTP secret generated

> **401** Authentication token missing, expired, or invalid

POST /api/v1/auth/mfa/enable

Response samples

200

401

Content type

application/json

Copy

```
{
  "secret": "JBSWY3DPEHPK3PXP",
  "qr_code_url": "otpauth://totp/Aarogya360:rajesh@sharmaclinic.in?secret=JBSWY3DP
  "message": "Scan the QR code and verify with your OTP to activate MFA."
}
```

Verify OTP to complete MFA login or activation

Used in two scenarios:

1. After login when mfa_required is true — submit the OTP to receive the full access_token.
2. After /mfa/enable — submit the OTP to activate MFA on the account. Rate limited to 5 attempts per user per 15 minutes.

REQUEST BODY SCHEMA: application/json
required

mfa_token required	string Temporary token returned when mfa_required is true
otp required	string = 6 characters

Responses

> **200** MFA verified — full access token issued

> **401** Authentication token missing, expired, or invalid

> **429** Too many requests — rate limit exceeded

POST /api/v1/auth/mfa/verify

Request samples

Payload

Content type

application/json

Copy

```
{
  "mfa_token": "eyJtZmEiOiJ0cnVlIn0...",
  "otp": "391847"
}
```

Response samples

200

401

429

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
  "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4...",
  "token_type": "bearer",
  "expires_in": 1800,
  "mfa_required": false,
}
```

```
- "user": {
  "id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Dr. Priya Sharma",
  "email": "priya@sharmaclinic.in",
  "phone": "+91-9123456780",
  "role": "doctor",
  "mfa_enabled": false,
  "is_active": true,
  "last_login_at": "2026-06-25T09:00:00+05:30",
  "created_at": "2026-06-01T10:00:00+05:30"
}
```

Get current authenticated user profile

Returns the full profile of the currently authenticated user, including role, clinic association, and MFA status.

AUTHORIZATIONS: > *BearerAuth*

Responses

> **200** Current user profile

> **401** Authentication token missing, expired, or invalid

GET /api/v1/auth/me

Response samples

200

401

Content type

application/json

Copy

```
{
  "id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Dr. Rajesh Sharma",
  "email": "rajesh@sharmaclinic.in",
  "phone": "+91-9876543210",
  "role": "clinic_owner",
  "mfa_enabled": false,
  "is_active": true,
  "last_login_at": "2026-06-25T09:00:00+05:30",
  "created_at": "2026-06-01T10:00:00+05:30"
}
```

List own active sessions

Returns all active (non-expired, non-revoked) sessions for the authenticated user. Useful for security review.

AUTHORIZATIONS: > *BearerAuth*

Responses

> **200** List of active sessions

> **401** Authentication token missing, expired, or invalid

GET /api/v1/auth/sessions

Response samples

200

401

Content type

application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ],
  "total": 2
}
```

Revoke a specific session

Revokes the specified session by session_id. Users can only revoke their own sessions. clinic_owner can revoke any session within their clinic via the Staff Sessions endpoint.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

— session_id
required string <uuid>
Example: f6a7b8c9-d0e1-2345-f012-456789012345
UUID of the session to revoke

Responses

— 204 Session revoked successfully

> 401 Authentication token missing, expired, or invalid

> 404 Resource does not exist or has been soft-deleted

DELETE /api/v1/auth/sessions/{session_id}

Response samples

401

404

Content type

application/json

Copy

```
{
  "error_code": "UNAUTHORIZED",
  "message": "Authentication required. Please log in.",
  "details": null
}
```

Clinics

Clinic registration and profile management

Get own clinic profile

Returns the full profile of the authenticated user's clinic. Scoped to authenticated user's clinic. Returns 403 TENANT_VIOLATION if cross-tenant access is attempted.

AUTHORIZATIONS: > *BearerAuth*

Responses

> **200** Clinic profile

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/clinics/me



Response samples

200

401

403

Content type

application/json

Copy

```
{
  "id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Sharma Multi-Speciality Clinic",
  "email": "admin@sharmaclinic.in",
  "phone": "+91-2222345678",
  "address_line_1": "12 Linking Road",
  "address_line_2": "Bandra West",
  "city": "Mumbai",
  "state": "Maharashtra",
  "country": "India",
  "pincode": "400050",
  "gstn": "27AABCS1429B1Z1",
  "timezone": "Asia/Kolkata",
  "subscription_plan": "pro",
  "is_active": true,
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

Update clinic profile

Updates editable fields on the clinic profile. Only clinic_owner may perform this action. Side effect: audit_log record created with entity_type=Clinic.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json
required

name	string
address_line_1	string
address_line_2	string or null
city	string

state	string
pincode	string
gsttin	string or null
timezone	string
logo_url	string or null
phone	string

Responses

> **200** Clinic updated successfully

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **422** Request body failed schema validation

PUT /api/v1/clinics/me

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "Sharma Multi-Speciality Clinic",
  "address_line_1": "15 Linking Road",
  "city": "Mumbai",
  "gsttin": "27AABCS1429B1Z1",
  "timezone": "Asia/Kolkata",
  "logo_url": "https://cdn.aarogya360.in/logos/clinic-abc.png"
}
```

Response samples

200

401

403

422

Content type

application/json

Copy

```
{
  "id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Sharma Multi-Speciality Clinic",
  "email": "admin@sharmaclinic.in",
  "phone": "+91-2222345678",
  "address_line_1": "12 Linking Road",
  "address_line_2": "Bandra West",
  "city": "Mumbai",
  "state": "Maharashtra",
  "country": "India",
  "pincode": "400050",
  "gsttin": "27AABCS1429B1Z1",
  "timezone": "Asia/Kolkata",
  "logo_url": "https://cdn.aarogya360.in/logos/clinic-abc.png",
  "subscription_plan": "pro",
  "is_active": true,
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

Staff

List all staff members in the clinic

Returns all active (non-deleted) staff members scoped to the authenticated clinic. Supports filtering by role. Scoped to authenticated user's clinic. Returns 403 TENANT_VIOLATION if cross-tenant access is attempted.

AUTHORIZATIONS: > *BearerAuth*

QUERY PARAMETERS

role	string Enum: "doctor" "receptionist" "lab_technician" Filter by staff role
page	integer Default: 1
page_size	integer <= 100 Default: 20

Responses

> **200** Paginated list of staff members

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/staff

Response samples

200

401

403

Content type
application/json

```
{
  - "data": [
    + { ... }
  ],
  "total": 8,
  "page": 1,
  "page_size": 20
}
```

Invite a new staff member to the clinic

Creates a new user account in the clinic with the specified role. A temporary password or invite link is dispatched to the provided email address. Side effect: audit_log record created with entity_type=User. Only clinic_owner may invite staff.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json

required

name required	string >= 2 characters
email required	string <email>
phone required	string ^\+91-[0-9]{10}\$
role required	string Enum: "doctor" "receptionist" "lab_technician"

Responses

> **201** Staff member invited successfully

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **409** Resource conflict — duplicate record or slot taken

> 422 Request body failed schema validation

POST /api/v1/staff



Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "Dr. Priya Sharma",
  "email": "priya@sharmaclinic.in",
  "phone": "+91-9123456780",
  "role": "doctor"
}
```

Response samples

201

401

403

409

422

Content type

application/json

Copy

```
{
  "id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Dr. Priya Sharma",
  "email": "priya@sharmaclinic.in",
  "phone": "+91-9123456780",
  "role": "doctor",
  "mfa_enabled": false,
  "is_active": true,
  "last_login_at": "2026-06-25T09:00:00+05:30",
  "created_at": "2026-06-01T10:00:00+05:30"
}
```

Update a staff member's details or role

Updates name, phone, or role of a staff member. Only clinic_owner may update staff. Side effect: audit_log record created with entity_type=User.

AUTHORIZATIONS: > BearerAuth

PATH PARAMETERS

user_id string <uuid>
required Example: b2c3d4e5-f6a7-8901-bcde-f12345678901

REQUEST BODY SCHEMA: application/json
required

name string
phone string
role string
Enum: "doctor" "receptionist" "lab_technician"

Responses

> 200 Staff member updated

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 404 Resource does not exist or has been soft-deleted

> 422 Request body failed schema validation

PUT /api/v1/staff/{user_id}

Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "Dr. Priya Sharma",
  "phone": "+91-9123456780",
  "role": "doctor"
}
```

Response samples

200

401

403

404

422

Content type

application/json

Copy

```
{
  "id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Dr. Priya Sharma",
  "email": "priya@sharmaclinic.in",
  "phone": "+91-9123456780",
  "role": "doctor",
  "mfa_enabled": false,
  "is_active": true,
  "last_login_at": "2026-06-25T09:00:00+05:30",
  "created_at": "2026-06-01T10:00:00+05:30"
}
```

Deactivate a staff member (soft delete)

Soft deletes the user by setting `deleted_at`. The user can no longer log in. Their historical records are preserved. Side effect: `audit_log` record created with `entity_type=User`. Only `clinic_owner` may perform this action.

AUTHORIZATIONS: >

BearerAuth

→ `user_id`
`required` string <uuid>
Example: `b2c3d4e5-f6a7-8901-bcde-f12345678901`

Responses

— **204** Staff member deactivated (soft deleted)

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

DELETE `/api/v1/staff/{user_id}`

Response samples

401

403

404

Content type

application/json

Copy

```
{
  "error_code": "UNAUTHORIZED",
  "message": "Authentication required. Please log in.",
  "details": null
}
```

View all active sessions across the clinic

Returns all active user sessions for every staff member in the authenticated clinic. Used by clinic_owner for security oversight. Scoped to authenticated user's clinic.

AUTHORIZATIONS: >

BearerAuth

QUERY PARAMETERS

page	integer Default: 1
page_size	integer Default: 20

Responses

> **200** All active sessions in the clinic

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/staff/sessions

Response samples

200

401

403

Content type

application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ],
  "total": 12,
  "page": 1,
  "page_size": 20
}
```

Revoke any staff session in the clinic

Allows clinic_owner to forcibly revoke any active session belonging to staff in their clinic. Used for security incidents.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

— session_id
required string <uuid>

Responses

> 200 Session revoked

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 404 Resource does not exist or has been soft-deleted

POST /api/v1/staff/sessions/{session_id}/revoke

Response samples

200

401

403

404

Content type

application/json

Copy

```
{
  "message": "Session revoked successfully."
}
```

Departments

Department configuration within a clinic

List all departments in the clinic

Returns all active departments in the authenticated clinic. Scoped to authenticated user's clinic.

AUTHORIZATIONS: > *BearerAuth*

QUERY PARAMETERS

page	integer Default: 1
page_size	integer Default: 20

Responses

> **200** Paginated list of departments

> **401** Authentication token missing, expired, or invalid

GET /api/v1/departments

Response samples

200

401

Content type
application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ],
  "total": 5,
  "page": 1,
  "page_size": 20
}
```

Create a new department

Creates a department within the authenticated clinic. Side effect: audit_log record created with entity_type=Department. Only clinic_owner may create departments.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json

required

name	string
required	[2 .. 100] characters
description	string or null

Responses

> 201 Department created

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 422 Request body failed schema validation

POST /api/v1/departments



Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "Cardiology",
  "description": "Department handling heart and cardiovascular conditions"
}
```

Response samples

201

401

403

422

Content type

application/json

Copy

```
{
  "id": "a9b8c7d6-e5f4-3210-abcd-ef0987654321",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Cardiology",
  "description": "Department handling heart and cardiovascular conditions",
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

Update a department

Updates name or description of an existing department. Side effect: audit_log record created with entity_type=Department.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

— department_id
required string <uuid>

REQUEST BODY SCHEMA: application/json
required

name	string
required	[2 .. 100] characters
description	string or null

Responses

> **200** Department updated

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

PUT /api/v1/departments/{department_id}

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "Cardiology",
  "description": "Department handling heart and cardiovascular conditions"
}
```

Response samples

200

401

403

404

Content type
application/json

Copy

```
{
  "id": "a9b8c7d6-e5f4-3210-abcd-ef0987654321",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Cardiology",
  "description": "Department handling heart and cardiovascular conditions",
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

Delete a department (soft delete)

Soft deletes a department by setting `deleted_at`. Doctors assigned to this department retain their `department_id` but the department no longer appears in listings. Side effect: `audit_log` record created.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

— department_id
required string <uuid>

Responses

— 204 Department soft deleted

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 404 Resource does not exist or has been soft-deleted

DELETE /api/v1/departments/{department_id}

Response samples

401

403

404

Content type
application/json

Copy

```
{
  "error_code": "UNAUTHORIZED",
  "message": "Authentication required. Please log in.",
  "details": null
}
```

Doctors

Doctor profile management

List all doctors in the clinic

Returns all active doctors in the authenticated clinic. Supports filtering by department and specialization. Scoped to authenticated user's clinic.

AUTHORIZATIONS: > *BearerAuth*

QUERY PARAMETERS

department_id	string <uuid> Filter by department
specialization	string Filter by specialization keyword
page	integer Default: 1
page_size	integer Default: 20

Responses

> 200 Paginated list of doctors

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

GET /api/v1/doctors

Response samples

200

401

403

Content type

application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ],
  "total": 6,
  "page": 1,
  "page_size": 20
}
```

Get own doctor profile

Returns the doctor profile of the currently authenticated doctor. Only accessible by users with the doctor role.

AUTHORIZATIONS: > *BearerAuth*

Responses

> 200 Doctor profile

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/doctors/me

Response samples

200

401

403

Content type

application/json

Copy

```
{
  "id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "user_id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
  "department_id": null,
  "specialization": "General Physician",
  "qualification": "MBBS, MD",
  "registration_number": "MH-12345",
  "consultation_fee": 500,
  "experience_years": 8,
  "created_at": "2026-06-01T10:00:00+05:30"
}
```

Update own doctor profile

Allows a doctor to update their own profile fields. Side effect: audit_log record created with entity_type=Doctor.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json
required

specialization string

qualification	string
consultation_fee	number <decimal>
experience_years	integer
department_id	string or null <uuid>

Responses

> **200** Doctor profile updated

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **422** Request body failed schema validation

PUT /api/v1/doctors/me

Request samples

Payload

Content type

application/json

Copy

```
{
  "qualification": "MBBS, MD, DM Cardiology",
  "consultation_fee": 800,
  "experience_years": 10
}
```

Response samples

200

401

403

422

Content type

application/json

Copy

```
{
  "id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "user_id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
  "department_id": null,
  "specialization": "General Physician",
  "qualification": "MBBS, MD",
  "registration_number": "MH-12345",
  "consultation_fee": 500,
  "experience_years": 8,
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

Get a specific doctor profile

Returns the profile of a doctor by ID. Scoped to authenticated user's clinic.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ doctor_id required	string <uuid> Example: c3d4e5f6-a7b8-9012-cdef-123456789012
-------------------------	--

Responses

> **200** Doctor profile

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> 404 Resource does not exist or has been soft-deleted

GET /api/v1/doctors/{doctor_id} 

Response samples

200

401

403

404

Content type

application/json

Copy

```
{
  "id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "user_id": "b2c3d4e5-f6a7-8901-bcde-f12345678901",
  "department_id": null,
  "specialization": "General Physician",
  "qualification": "MBBS, MD",
  "registration_number": "MH-12345",
  "consultation_fee": 500,
  "experience_years": 8,
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

Availability

Doctor working hours, slots, and leave management

Get own availability schedule

Returns all configured availability slots for the authenticated doctor.

Responses

> **200** List of availability slots> **401** Authentication token missing, expired, or invalid> **403** Authenticated but insufficient role permissions

GET /api/v1/doctors/me/availability

Response samples

200**401****403**

Content type

application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ]
}
```

Set a new availability slot

Creates a new weekly availability slot for the authenticated doctor. Multiple slots can be set for different days or time ranges within the same day.

<code>required</code>	0=Monday, 1=Tuesday, ..., 6=Sunday
⌵ <code>start_time</code> <code>required</code>	string <code>^([01]\d 2[0-3]):([0-5]\d)\$</code> Start time in HH:MM (24-hour)
⌵ <code>end_time</code> <code>required</code>	string <code>^([01]\d 2[0-3]):([0-5]\d)\$</code> End time in HH:MM (24-hour)
⌵ <code>slot_duration_minutes</code> <code>required</code>	integer <code>[5 .. 120]</code> Duration of each appointment slot in minutes

Responses

> **201** Availability slot created

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **422** Request body failed schema validation

POST `/api/v1/doctors/me/availability`

Request samples

Payload

Content type
application/json

Copy

```
{
  "day_of_week": 0,
  "start_time": "09:00",
  "end_time": "13:00",
  "slot_duration_minutes": 15
}
```

Response samples

201

401

403

422

Content type

application/json

Copy

```
{
  "id": "a1a2a3a4-b5b6-7890-cdef-123456789abc",
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "day_of_week": 0,
  "start_time": "09:00",
  "end_time": "13:00",
  "slot_duration_minutes": 15,
  "created_at": "2026-06-01T10:00:00+05:30"
}
```

Update a specific availability slot

Updates time range or slot duration for an existing availability slot.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ slot_id
required string <uuid>

REQUEST BODY SCHEMA: application/json
required

→ day_of_week required	integer [0 .. 6] 0=Monday, 1=Tuesday, ..., 6=Sunday
→ start_time required	string ^([01]\d 2[0-3]):([0-5]\d)\$ Start time in HH:MM (24-hour)
→ end_time required	string ^([01]\d 2[0-3]):([0-5]\d)\$ End time in HH:MM (24-hour)
→ slot_duration_minutes required	integer [5 .. 120] Duration of each appointment slot in minutes

Responses

> **200** Slot updated

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

PUT /api/v1/doctors/me/availability/{slot_id} 

Request samples

Payload

Content type

application/json

Copy

```
{
  "day_of_week": 0,
  "start_time": "09:00",
  "end_time": "13:00",
  "slot_duration_minutes": 15
}
```

Response samples

200

401

403

404

Content type

application/json

Copy

```
{
  "id": "a1a2a3a4-b5b6-7890-cdef-123456789abc",
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "day_of_week": 0,
  "start_time": "09:00",
  "end_time": "13:00",
}
```

```
"slot_duration_minutes": 15,  
"created_at": "2026-06-01T10:00:00+05:30"  
}
```

Delete an availability slot

Removes a specific weekly availability slot. Existing booked appointments in this slot are not affected.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

— slot_id
required string <uuid>

Responses

— 204 Slot deleted

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 404 Resource does not exist or has been soft-deleted

DELETE /api/v1/doctors/me/availability/{slot_id} ▼

Response samples

401

403

404

Content type
application/json

Copy

```
{  
  "error_code": "UNAUTHORIZED",  
}
```

```
"message": "Authentication required. Please log in.",
"details": null
}
```

Get own doctor leaves

Returns all leave records for the authenticated doctor.

AUTHORIZATIONS: > *BearerAuth*

Responses

> **200** List of doctor leaves

> **401** Authentication token missing, expired, or invalid

GET /api/v1/doctors/me/leaves

Response samples

200

401

Content type
application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ]
}
```

Create a leave record

Marks the doctor as unavailable for a specific date range. Available slots within this range will not be returned by GET /api/v1/doctors/{id}/available-slots.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json
required

start_date required	string <date>
end_date required	string <date>
reason	string or null

Responses

> 201 Leave created

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 422 Request body failed schema validation

POST /api/v1/doctors/me/leaves

Request samples

Payload

Content type
application/json

Copy

```
{
  "start_date": "2026-07-01",
  "end_date": "2026-07-05",
  "reason": "Personal travel"
}
```

Response samples

201

401

403

422

Content type

application/json

Copy

```
{
  "id": "b1b2b3b4-c5c6-7890-def0-234567890bcd",
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "start_date": "2026-07-01",
  "end_date": "2026-07-05",
  "reason": "Personal travel",
  "created_at": "2026-06-20T10:00:00+05:30"
}
```

Delete a leave record

Removes a doctor leave, making those dates available again for booking.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ `leave_id`
required string <uuid>

Responses

— 204 Leave deleted

> 401 Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

DELETE /api/v1/doctors/me/leaves/{leave_id}

Response samples

401

403

404

Content type

application/json

Copy

```
{
  "error_code": "UNAUTHORIZED",
  "message": "Authentication required. Please log in.",
  "details": null
}
```

Get available appointment slots for a doctor on a date

Returns all bookable time slots for the specified doctor on the given date. A slot is available only when ALL of the following conditions are true:

1. The slot falls within a doctor_availability record for that day_of_week.
2. No appointment row exists with that (doctor_id, slot_start) – enforced by the UNIQUE DB constraint.
3. The date does not fall within any doctor_leaves date range. Scoped to authenticated user's clinic.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

— doctor_id
required

string <uuid>

Example: c3d4e5f6-a7b8-9012-cdef-123456789012

QUERY PARAMETERS

→ date
required

string <date>

Example: `date=2026-06-25`

Date to check availability for (YYYY-MM-DD)

Responses

> **200** List of available slots

> **401** Authentication token missing, expired, or invalid

> **404** Resource does not exist or has been soft-deleted

GET /api/v1/doctors/{doctor_id}/available-slots

Response samples

200

401

404

Content type

application/json

Copy Expand all Collapse all

```
{
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "date": "2026-06-25",
  - "available_slots": [
    + { ... }
  ]
}
```

Patients

Patient registration, search, and profile management

Search patients in the clinic

Fast search across the clinic's patient base by name, phone, patient_id, or qr_code. Returns paginated results. At least one search parameter is required. Scoped to authenticated user's clinic. Side effect: audit_log READ record created.

AUTHORIZATIONS: > *BearerAuth*

QUERY PARAMETERS

q	string Example: <code>q=Rahul</code> Search by patient name (partial match supported)
phone	string Example: <code>phone=+91-9876543210</code> Exact phone number match
patient_id	string <uuid> Exact patient UUID
qr_code	string QR code value for clinic check-in
page	integer Default: <code>1</code>
page_size	integer Default: <code>20</code>

Responses

> **200** Paginated patient search results

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/patients



Response samples

200

401

403

Content type

application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ],
  "total": 1240,
  "page": 1,
  "page_size": 20
}
```

Register a new patient

Registers a new patient and links them to the authenticated clinic via clinic_patients. A unique QR code is auto-generated.

DUPLICATE DETECTION: If a patient with the same phone number already exists in this clinic, returns 409 PATIENT_ALREADY_EXISTS with the existing patient_id in the response body so the receptionist can open the existing record.

MINOR PATIENT: If is_minor is true, the response includes a warning field indicating that a guardian consent record is required before this patient can be booked for an appointment.

Side effect: audit_log CREATE record created with entity_type=Patient.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json

required

name required	string [2 .. 200] characters
phone required	string <code>^\+91-[0-9]{10}\$</code> Primary contact number (used for duplicate detection)
email	string or null <email>

date_of_birth	string or null <date>
gender required	string Enum: "male" "female" "other"
blood_group	string or null Enum: "A+" "A-" "B+" "B-" "AB+" "AB-" "O+" "O-"
address	string or null
emergency_contact_name	string or null
emergency_contact_phone	string or null <code>^\+91-[0-9]{10}\$</code>
is_minor required	boolean Set to true for patients under 18

Responses

> **201** Patient registered successfully

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **409** Patient with this phone already exists in clinic

> **422** Request body failed schema validation

POST /api/v1/patients

Request samples

Payload

Content type
application/json

Copy

```
{
  "name": "Rahul Mehta",
  "phone": "+91-9876543210",
  "email": "rahul.mehta@email.com",
  "date_of_birth": "1990-05-15",
  "gender": "male",
  "blood_group": "B+",
  "address": "45 MG Road, Pune, Maharashtra 411001",
  "emergency_contact_name": "Sunita Mehta",
  "emergency_contact_phone": "+91-9876543211",
  "is_minor": false
}
```

Response samples

201

401

403

409

422

Content type

application/json

Copy

```
{
  "id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "name": "Rahul Mehta",
  "phone": "+91-9876543210",
  "qr_code": "QR-A1B2C3D4",
  "is_minor": false,
  "warning": null,
  "created_at": "2026-06-25T09:30:00+05:30"
}
```

Get a patient's full profile

Returns the complete profile of a patient. Scoped to authenticated user's clinic — only patients linked to this clinic via `clinic_patients` are accessible. Side effect: `audit_log READ` record created.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ patient_id
required

string <uuid>

Example: d4e5f6a7-b8c9-0123-def0-234567890123

Responses

> **200** Patient profile

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

GET /api/v1/patients/{patient_id}

Response samples

200

401

403

404

Content type

application/json

Copy

```
{
  "id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "name": "Rahul Mehta",
  "phone": "+91-9876543210",
  "email": "rahul.mehta@email.com",
  "date_of_birth": "1990-05-15",
  "gender": "male",
  "blood_group": "B+",
  "address": "45 MG Road, Pune, Maharashtra 411001",
  "emergency_contact_name": "Sunita Mehta",
  "emergency_contact_phone": "+91-9876543211",
  "qr_code": "QR-A1B2C3D4",
  "is_minor": false,
  "abha_id": null,
  "created_at": "2026-06-25T09:30:00+05:30",
  "updated_at": "2026-06-25T09:30:00+05:30"
```

```
}
```

Update patient details

Updates editable fields on a patient record. Side effect: audit_log UPDATE record created with entity_type=Patient, old_value and new_value captured.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

patient_id string <uuid>
required
Example: d4e5f6a7-b8c9-0123-def0-234567890123

REQUEST BODY SCHEMA: application/json
required

name	string
email	string or null <email>
date_of_birth	string or null <date>
gender	string Enum: "male" "female" "other"
blood_group	string or null Enum: "A+" "A-" "B+" "B-" "AB+" "AB-" "O+" "O-"
address	string or null
emergency_contact_name	string or null
emergency_contact_phone	string or null ^\+91-[0-9]{10}\$

Responses

> 200 Patient updated

> 401 Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

> **422** Request body failed schema validation

PUT /api/v1/patients/{patient_id}

Request samples

Payload

Content type

application/json

Copy

```
{
  "name": "Rahul Mehta",
  "email": "user@example.com",
  "date_of_birth": "2019-08-24",
  "gender": "male",
  "blood_group": "A+",
  "address": "string",
  "emergency_contact_name": "string",
  "emergency_contact_phone": "^\\+91-0000000000$"
}
```

Response samples

200

401

403

404

422

Content type

application/json

Copy

```
{
  "id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "name": "Rahul Mehta",
  "phone": "+91-9876543210",
  "email": "rahul.mehta@email.com",
  "date_of_birth": "1990-05-15",
}
```

```
"gender": "male",
"blood_group": "B+",
"address": "45 MG Road, Pune, Maharashtra 411001",
"emergency_contact_name": "Sunita Mehta",
"emergency_contact_phone": "+91-9876543211",
"qr_code": "QR-A1B2C3D4",
"is_minor": false,
"abha_id": null,
"created_at": "2026-06-25T09:30:00+05:30",
"updated_at": "2026-06-25T09:30:00+05:30"
}
```

Get guardian consent records for a minor patient

Returns all guardian consent records linked to the specified minor patient. Only applicable when `patient.is_minor` is true.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ <code>patient_id</code> <i>required</i>	string <uuid> Example: <code>d4e5f6a7-b8c9-0123-def0-234567890123</code>
--	---

Responses

> **200** Guardian consent records

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

GET /api/v1/patients/{patient_id}/guardian-consent

Response samples

200

401

403

404

Content type

application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ]
}
```

Link a guardian to a minor patient

Creates a guardian consent record linking a guardian patient to a minor patient. Required before a minor can be booked for an appointment. Side effect: audit_log CREATE record created.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

patient_id string <uuid>
required The minor patient's UUID

REQUEST BODY SCHEMA: application/json
required

guardian_patient_id string <uuid>
required UUID of the guardian's patient record

consent_type string
required Enum: "registration" "treatment" "data_sharing"

Responses

> 201 Guardian linked successfully

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 422 Request body failed schema validation

POST /api/v1/patients/{patient_id}/guardian-consent

Request samples

Payload

Content type

application/json

Copy

```
{
  "guardian_patient_id": "d4e5f6a7-b8c9-0123-def0-999999999999",
  "consent_type": "registration"
}
```

Response samples

201

401

403

422

Content type

application/json

Copy

```
{
  "id": "c1c2c3c4-d5d6-7890-ef01-345678901cde",
  "minor_patient_id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "guardian_patient_id": "d4e5f6a7-b8c9-0123-def0-999999999999",
  "consent_type": "registration",
  "granted_at": "2026-06-25T10:00:00+05:30",
  "revoked_at": null
}
```

Appointments

Book an appointment (slot-locked)

Books an appointment for a patient with a doctor at a specified slot_start time.

SLOT LOCKING: A UNIQUE database constraint on (doctor_id, slot_start) guarantees only one appointment can be persisted per slot regardless of concurrent requests. Under load, exactly one concurrent request will receive 201 Created; all others will receive 409 SLOT_ALREADY_BOOKED.

A token_number is auto-generated sequentially for the doctor's daily queue.

Scoped to authenticated user's clinic. Returns 403 TENANT_VIOLATION if cross-tenant access is attempted.

Side effect: audit_log CREATE record with entity_type=Appointment.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json

required

doctor_id required	string <uuid>
patient_id required	string <uuid>
slot_start required	string <date-time> Must match an available slot from GET /doctors/{id}/available-slots. UNIQUE with doctor_id at DB level.
slot_end required	string <date-time>
notes	string or null

Responses

> **201** Appointment booked successfully

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> 409 Slot already booked

> 422 Request body failed schema validation

POST /api/v1/appointments

Request samples

Payload

Content type

application/json

Copy

```
{
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "patient_id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "slot_start": "2026-06-25T10:00:00+05:30",
  "slot_end": "2026-06-25T10:15:00+05:30",
  "notes": "Patient reports persistent headache for 3 days"
}
```

Response samples

201

401

403

409

422

Content type

application/json

Copy

```
{
  "id": "e5f6a7b8-c9d0-1234-ef01-345678901234",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "patient_id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "slot_start": "2026-06-25T10:00:00+05:30",
  "slot_end": "2026-06-25T10:15:00+05:30",
  "token_number": 7,
  "status": "scheduled",
  "notes": "Patient reports persistent headache for 3 days",
  "created_at": "2026-06-24T15:00:00+05:30"
}
```

```
}
```

Get a single appointment

Returns full details of a specific appointment. Scoped to authenticated user's clinic.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ `appointment_id` string <uuid>
required
Example: `e5f6a7b8-c9d0-1234-ef01-345678901234`

Responses

> **200** Appointment details

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

GET /api/v1/appointments/{appointment_id} ▾

Response samples

200

401

403

404

Content type

application/json

Copy

```
{
  "id": "e5f6a7b8-c9d0-1234-ef01-345678901234",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
```

```
"doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
"patient_id": "d4e5f6a7-b8c9-0123-def0-234567890123",
"slot_start": "2026-06-25T10:00:00+05:30",
"slot_end": "2026-06-25T10:15:00+05:30",
"token_number": 7,
"status": "scheduled",
"notes": "Patient reports persistent headache for 3 days",
"created_at": "2026-06-24T15:00:00+05:30",
"updated_at": "2026-06-24T15:00:00+05:30"
}
```

Reschedule an appointment to a new slot

Moves an existing appointment to a new slot_start time. Applies the same slot locking as booking – returns 409 SLOT_ALREADY_BOOKED if the new slot is taken. Old slot is freed. token_number may be reassigned. Side effect: audit_log UPDATE record created.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ appointment_id
required string <uuid>

REQUEST BODY SCHEMA: application/json
required

└ slot_start
required string <date-time>

└ slot_end
required string <date-time>

Responses

> **200** Appointment rescheduled

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

PUT /api/v1/appointments/{appointment_id}/reschedule

Request samples

Payload

Content type

application/json

Copy

```
{
  "slot_start": "2026-06-26T11:00:00+05:30",
  "slot_end": "2026-06-26T11:15:00+05:30"
}
```

Response samples

200

401

403

404

409

Content type

application/json

Copy

```
{
  "id": "e5f6a7b8-c9d0-1234-ef01-345678901234",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "patient_id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "slot_start": "2026-06-25T10:00:00+05:30",
  "slot_end": "2026-06-25T10:15:00+05:30",
  "token_number": 7,
  "status": "scheduled",
  "notes": "Patient reports persistent headache for 3 days",
  "created_at": "2026-06-24T15:00:00+05:30",
  "updated_at": "2026-06-24T15:00:00+05:30"
}
```

Cancel an appointment

Sets appointment status to cancelled. The slot becomes available for rebooking. Record is soft-deleted. Side effect: audit_log UPDATE record created.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ appointment_id
required string <uuid>

REQUEST BODY SCHEMA: application/json
optional

→ reason
string
Optional cancellation reason

Responses

> 200 Appointment cancelled

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 404 Resource does not exist or has been soft-deleted

PUT /api/v1/appointments/{appointment_id}/cancel

Request samples

Payload

Content type
application/json

Copy

```
{
  "reason": "Patient requested cancellation"
}
```

Response samples

200

401

403

404

Content type

application/json

Copy

```
{
  "id": "e5f6a7b8-c9d0-1234-ef01-345678901234",
  "clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "patient_id": "d4e5f6a7-b8c9-0123-def0-234567890123",
  "slot_start": "2026-06-25T10:00:00+05:30",
  "slot_end": "2026-06-25T10:15:00+05:30",
  "token_number": 7,
  "status": "scheduled",
  "notes": "Patient reports persistent headache for 3 days",
  "created_at": "2026-06-24T15:00:00+05:30",
  "updated_at": "2026-06-24T15:00:00+05:30"
}
```

Update appointment status

Updates the status of an appointment. Valid transitions: scheduled → arrived → in_progress → completed scheduled → cancelled scheduled → no_show Side effect: audit_log UPDATE record created.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ appointment_id
required string <uuid>

REQUEST BODY SCHEMA: application/json
required

→ status string

required

Enum: "arrived" "in_progress" "completed" "cancelled"
"no_show"

Responses

> **200** Status updated

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

> **422** Request body failed schema validation

PUT /api/v1/appointments/{appointment_id}/status

Request samples

Payload

Content type
application/json

Copy

```
{  
  "status": "arrived"  
}
```

Response samples

200

401

403

404

422

Content type
application/json

Copy

```
{  
  "id": "e5f6a7b8-c9d0-1234-ef01-345678901234",  
  "status": "arrived"  
}
```

```
"clinic_id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
"doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
"patient_id": "d4e5f6a7-b8c9-0123-def0-234567890123",
"slot_start": "2026-06-25T10:00:00+05:30",
"slot_end": "2026-06-25T10:15:00+05:30",
"token_number": 7,
"status": "scheduled",
"notes": "Patient reports persistent headache for 3 days",
"created_at": "2026-06-24T15:00:00+05:30",
"updated_at": "2026-06-24T15:00:00+05:30"
}
```

Queue

OPD queue management and real-time status

Get OPD queue for a doctor on a date

Returns the ordered list of appointments for a specific doctor on a given date, sorted by token_number ascending. Defaults to today's date if no date is provided. Scoped to authenticated user's clinic.

AUTHORIZATIONS: > *BearerAuth*

QUERY PARAMETERS

doctor_id required	string <uuid> Example: doctor_id=c3d4e5f6-a7b8-9012-cdef-123456789012
date	string <date> Example: date=2026-06-25 Date in YYYY-MM-DD. Defaults to today.
status	string Enum: "scheduled" "arrived" "in_progress" "completed" "cancelled" "no_show" Filter by appointment status

Responses

> **200** OPD queue for the doctor on the specified date

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/queue

Response samples

200

401

403

Content type

application/json

Copy Expand all Collapse all

```
{
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "date": "2026-06-25",
  "total_appointments": 12,
  - "queue": [
    + { ... }
  ]
}
```

Manually reorder the OPD queue

Allows manual resequencing of token numbers within a doctor's daily queue. Accepts an ordered list of appointment IDs and reassigns token_number values sequentially. Useful for managing walk-ins and priority cases. Side effect: audit_log UPDATE records created for each reordered appointment.

AUTHORIZATIONS: > *BearerAuth*

REQUEST BODY SCHEMA: application/json
required

doctor_id required	string <uuid>
date required	string <date>
ordered_appointment_ids required	Array of strings <uuid> [items <uuid >] Appointment IDs in the desired queue order

Responses

> **200** Queue reordered successfully

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **422** Request body failed schema validation

PUT /api/v1/queue/reorder

Request samples

Payload

Content type

application/json

Copy Expand all Collapse all

```
{
  "doctor_id": "c3d4e5f6-a7b8-9012-cdef-123456789012",
  "date": "2026-06-25",
  "ordered_appointment_ids": [
    "e5f6a7b8-c9d0-1234-ef01-345678901234",
    "f6a7b8c9-d0e1-2345-f012-456789012345"
  ]
}
```

Response samples

200

401

403

422

Content type

application/json

Copy

Expand all

Collapse all

```
{
  "message": "Queue reordered successfully.",
  - "queue": [
    + { ... }
  ]
}
```

Admin

System administrator platform-wide operations

List all clinics platform-wide

Returns all clinics registered on the platform. Only accessible by system_admin. Supports filtering by is_active status.

AUTHORIZATIONS: >

BearerAuth

QUERY PARAMETERS

 is_active	boolean Filter by active status
 page	integer Default: 1
 page_size	integer Default: 20

Responses

> **200** Paginated list of all clinics

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/admin/clinics

Response samples

200

401

403

Content type

application/json

Copy Expand all Collapse all

```
{
  - "data": [
    + { ... }
  ],
  "total": 42,
  "page": 1,
  "page_size": 20
}
```

Get a specific clinic platform-wide

Returns full clinic details for any clinic by ID. Only accessible by system_admin.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

→ clinic_id
required

string <uuid>

Example: a1b2c3d4-e5f6-7890-abcd-ef1234567890

Responses

> **200** Clinic details

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

> **404** Resource does not exist or has been soft-deleted

GET /api/v1/admin/clinics/{clinic_id} ▾

Response samples

200

401

403

404

Content type

application/json

Copy

```
{
  "id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Sharma Multi-Speciality Clinic",
  "email": "admin@sharmaclinic.in",
  "phone": "+91-2222345678",
  "address_line_1": "12 Linking Road",
  "address_line_2": "Bandra West",
  "city": "Mumbai",
  "state": "Maharashtra",
  "country": "India",
  "pincode": "400050",
  "gsttin": "27AABCS1429B1Z1",
  "timezone": "Asia/Kolkata",
  "logo_url": "https://cdn.aarogya360.in/logos/clinic-abc.png",
  "subscription_plan": "pro",
  "is_active": true,
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

Activate or deactivate a clinic

Sets `is_active` on a clinic. Deactivating a clinic prevents all its users from logging in. Side effect: `audit_log` record created.

AUTHORIZATIONS: > *BearerAuth*

PATH PARAMETERS

clinic_id
required string <uuid>

REQUEST BODY SCHEMA: application/json
required

is_active
required boolean
reason
string
Reason for status change (optional)

Responses

> 200 Clinic status updated

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

> 404 Resource does not exist or has been soft-deleted

PUT /api/v1/admin/clinics/{clinic_id}/status

Request samples

Payload

Content type
application/json

[Copy](#)

```
{
  "is_active": false,
  "reason": "Subscription payment failed"
}
```

Response samples

200**401****403****404**

Content type

application/json

[Copy](#)

```
{
  "id": "a1b2c3d4-e5f6-7890-abcd-ef1234567890",
  "name": "Sharma Multi-Speciality Clinic",
  "email": "admin@sharmaclinic.in",
  "phone": "+91-2222345678",
  "address_line_1": "12 Linking Road",
  "address_line_2": "Bandra West",
  "city": "Mumbai",
  "state": "Maharashtra",
  "country": "India",
  "pincode": "400050",
  "gst_in": "27AABCS1429B1Z1",
  "timezone": "Asia/Kolkata",
  "logo_url": "https://cdn.aarogya360.in/logos/clinic-abc.png",
  "subscription_plan": "pro",
  "is_active": true,
  "created_at": "2026-06-01T10:00:00+05:30",
  "updated_at": "2026-06-20T14:00:00+05:30"
}
```

View audit logs platform-wide

Returns audit log entries with filtering support. Only accessible by system_admin.

AUTHORIZATIONS: >

BearerAuth

QUERY PARAMETERS

clinic_id	string <uuid> Filter by clinic
actor_user_id	string <uuid> Filter by user who performed the action
entity_type	string Enum: "Patient" "Appointment" "Doctor" "User" "Clinic" "Department" Filter by entity type
action	string Enum: "CREATE" "READ" "UPDATE" "DELETE"
from_date	string <date-time> Example: from_date=2026-06-01T00:00:00+05:30 Start of date range filter
to_date	string <date-time> Example: to_date=2026-06-30T23:59:59+05:30 End of date range filter
page	integer Default: 1
page_size	integer Default: 50

Responses

> **200** Paginated audit log entries

> **401** Authentication token missing, expired, or invalid

> **403** Authenticated but insufficient role permissions

GET /api/v1/admin/audit-logs



Response samples

200

401

403

Content type

application/json

Copy

Expand all

Collapse all

```
{
  - "data": [
    + { ... }
  ],
  "total": 3840,
  "page": 1,
  "page_size": 50
}
```

Get platform health summary

Returns real-time platform-level aggregate metrics. Only accessible by system_admin.

AUTHORIZATIONS: > *BearerAuth*

Responses

> 200 Platform health metrics

> 401 Authentication token missing, expired, or invalid

> 403 Authenticated but insufficient role permissions

GET /api/v1/admin/health-summary



Response samples

200

401

403

Content type

application/json

Copy

```
{
  "active_clinics_count": 42,
  "total_users_count": 310,
  "appointments_today": 187,
  "patients_registered_today": 23,
  "generated_at": "2026-06-25T10:00:00+05:30"
}
```