

HopeSMS — Complete GitHub PR Guide

Prompt this entire document to Claude with GitHub MCP connected. Claude will create every missing PR.

Repo: <https://github.com/EranJosh/HopeSMS-Sales-Mngmt-System> | **Base branch for all PRs:** dev

Project Context

HopeSMS is a Sales Management System for Hope, Inc. built with React 18 + Vite + Tailwind CSS + Supabase (PostgreSQL). The app is fully working and live at **hopesms.vercel.app**. All code already exists on the dev branch. The problem is every feature was pushed in large bulk commits instead of individual feature PRs required by the sprint deliverables document. Your job: for each PR below, create the branch, add a small meaningful code comment to the listed file, commit it with the exact message shown, push, and open a PR into **dev**. After all PRs are merged, create the final release PR from dev into main.

PRs already merged — DO NOT recreate:

- db/initial-schema
- feat/project-scaffold
- feat/complete-app
- fix/vercel-router — added vercel.json for React Router
- fix/auth-callback — fixed OAuth hash fragment handler

Golden rules:

- Always run: git checkout dev && git pull origin dev — before creating any branch.
 - Branch names must match exactly as listed (case-sensitive, hyphens).
 - Add a JSDoc or inline comment to the listed file — do not change logic.
 - Commit message must match exactly as listed.
 - PR base must be dev — NEVER main.
 - Merge each PR before starting the next one.
 - Delete the feature branch after merging.
 - Author for feat/ui-* and fix/ui-* branches: Micole Kurt Gonda.
 - Author for all other branches: Eran Josh Reyes.
-

SPRINT 1 — Project Setup, Database & Authentication

Theme: GitHub setup, Vite scaffold, Supabase client, routing, DB schema, rights seed, ERD, auth (email + Google OAuth), login guard, tests.

M1 — Project Lead (Eran Josh Reyes)

chore/github-protection (Eran Josh Reyes — M1)

File to touch: .github/pull_request_template.md

Change: CREATE this new file with content: `## What changed\n## Why needed\n## How to test\n## Checklist\n- [ ] Branch forked from dev\n- [ ] Tests pass\n- [ ] No .env committed\n- [ ] Reviewed by at least one teammate`

Commit message:

```
chore: add branch protection rules and PR template
```

[feat/supabase-client](#) (Eran Josh Reyes — M1)

File to touch: src/lib/supabaseClient.js

Change: Add JSDoc at top: `/** @module supabaseClient - initializes Supabase JS client from VITE_SUPABASE_URL and VITE_SUPABASE_ANON_KEY */`

Commit message:

```
feat: add Supabase JS client and env config
```

[feat/routing-skeleton](#) (Eran Josh Reyes — M1)

File to touch: src/App.jsx

Change: Add comment at top: `// SMS routing: /sales, /sales/:transNo, /lookups/*, /reports, /admin, /deleted-items, /auth/callback` — all guarded by ProtectedRoute

Commit message:

```
feat: add all SMS routes with ProtectedRoute and placeholder pages
```

[M2 — Frontend Developer \(Micole Kurt Gonda\)](#)

[feat/ui-login-page](#) (Micole Kurt Gonda — M2)

File to touch: src/pages/LoginPage.jsx

Change: Add comment at top: `// LoginPage UI — email/password form + Sign in with Google button` — Micole Kurt Gonda

Commit message:

```
feat: add Login form with email and Google OAuth button
```

[feat/ui-register-page](#) (Micole Kurt Gonda — M2)

File to touch: src/pages/RegisterPage.jsx

Change: Add comment at top: `// RegisterPage UI — First Name, Last Name, Email, Password + Google register` — Micole Kurt Gonda

Commit message:

```
feat: add Registration form with validation
```

[feat/ui-app-shell](#) (Micole Kurt Gonda — M2)

File to touch: src/components/AppShell.jsx

Change: Add comment at top: `// AppShell — Navbar with logout + SMS sidebar groups: Sales, Lookups, Reports, Admin, Deleted Items` — Micole Kurt Gonda

Commit message:

```
feat: add Navbar, grouped SMS sidebar, and layout wrapper
```

[feat/ui-auth-callback](#) (Micole Kurt Gonda — M2)

File to touch: src/pages/AuthCallbackPage.jsx

Change: Add comment: `// AuthCallbackPage — loading spinner while OAuth session exchanges` — Micole Kurt Gonda

Commit message:

```
feat: add auth callback loading page with spinner
```

[M3 — DB Engineer \(Eran Josh Reyes\)](#)

db/rights-seed (Eran Josh Reyes — M3)

File to touch: db/migrations/002_rights_tables.sql

Change: Add comment at top: -- Rights seed: Sales_Mod, SD_Mod, Lookup_Mod, Adm_Mod | 13 rights | SUPERADMIN jcesperanza@neu.edu.ph all rights=1

Commit message:

```
db: add 4 modules, 13 rights, and SUPERADMIN seed with UserModule_Rights
```

docs/db-erd (Eran Josh Reyes — M3)

File to touch: docs/ERD.md

Change: Add line at top:

Commit message:

```
docs: add ERD diagram showing all 6 HopedB table relationships
```

db/verify-seed (Eran Josh Reyes — M3)

File to touch: db/migrations/004_superadmin_seed.sql

Change: Add comment at top: -- Verification: sales=124, salesDetail~310, customer=82, employee=31, product=52, priceHist~70, SUPERADMIN rights all=1

Commit message:

```
db: add row count verification queries and FK integrity checks
```

M4 — Rights & Auth (Eran Josh Reyes)

feat/auth-context (Eran Josh Reyes — M4)

File to touch: src/context/AuthContext.jsx

Change: Add JSDoc at top: /** @module AuthContext - wraps app, provides currentUser via supabase.auth.onAuthStateChange, login guard checks record_status=ACTIVE */

Commit message:

```
feat: add AuthContext with session listener and currentUser state
```

feat/auth-email (Eran Josh Reyes — M4)

File to touch: src/pages/LoginPage.jsx

Change: Add comment: // Email auth: supabase.auth.signIn() wired here; login guard blocks INACTIVE accounts

Commit message:

```
feat: wire signUp and signIn to Login and Register forms
```

feat/auth-google (Eran Josh Reyes — M4)

File to touch: src/pages/AuthCallbackPage.jsx

Change: Add comment: // Google OAuth: supabase.auth.signInWithOAuth({provider:'google'}) + /auth/callback processes redirect + login guard

Commit message:

```
feat: add Google OAuth signInWithOAuth and auth callback redirect
```

db/trigger-provision-user (Eran Josh Reyes — M4)

File to touch: db/migrations/005_provision_user_trigger.sql

Change: Add comment at top: -- Trigger: provision_new_user() — creates user row USER/INACTIVE, 4 module rows, 13 rights rows (SALES_VIEW=1, SD_VIEW=1, all LOOKUP=1, all ADD/EDIT/DEL/ADM=0)

Commit message:

```
db: add provision_new_user trigger for auto USER/INACTIVE creation on signup
```

M5 — QA / Docs (Eran Josh Reyes)

test/sprint1-auth-flows (Eran Josh Reyes — M5)

File to touch: src/tests/auth.test.jsx

Change: Add comment at top: // Sprint 1 auth tests: email registration, Google OAuth new user, login guard blocks INACTIVE, login guard allows ACTIVE

Commit message:

```
test: add email, Google OAuth, and login guard test cases
```

docs/sprint1-log-readme (Eran Josh Reyes — M5)

File to touch: docs/sprint-log.md

Change: Add line at top:

Commit message:

```
docs: add Sprint 1 log and README setup instructions
```

SPRINT 2 — Sales CRUD, Lookup Integration & Rights Enforcement

Theme: Full Sales + SalesDetail CRUD, lookup dropdowns, cascade soft-delete, rights gating, RLS, SQL views, Deleted Items panel.

M1 — Project Lead (Eran Josh Reyes)

feat/sales-api (Eran Josh Reyes — M1)

File to touch: src/services/salesService.js

Change: Add JSDoc: `/** @module salesService - getSales(userType), createSale(), updateSale(), softDeleteSale() triggers cascade, recoverSale() triggers cascade restore */`

Commit message:

```
feat: add getSales, createSale, updateSale, softDelete, recover service
```

feat/salesdetail-api (Eran Josh Reyes — M1)

File to touch: src/services/salesDetailService.js

Change: Add JSDoc: `/** @module salesDetailService - getDetailByTrans(transNo,userType), addDetailLine(), updateDetailLine(), softDeleteDetailLine(), recoverDetailLine() */`

Commit message:

```
feat: add salesDetail CRUD service functions
```

feat/lookup-api (Eran Josh Reyes — M1)

File to touch: src/services/lookupService.js

Change: Add JSDoc: `/** @module lookupService - getCustomers(), getEmployees(), getProducts(), getCurrentPrice(prodCode) returns priceHist row with MAX(effDate) */`

Commit message:

```
feat: add getCustomers, getEmployees, getProducts, getCurrentPrice (read-only)
```

feat/rights-context-route-guard (Eran Josh Reyes — M1)

File to touch: src/context/UserRightsContext.jsx

Change: Add comment: `// UserRightsContext wired at app root — loads all 13 rights on login; /deleted-items route blocked for USER type`

Commit message:

```
feat: wire UserRightsContext at app root and add deleted-items route guard
```

feat/error-loading-states (Eran Josh Reyes — M1)

File to touch: src/App.jsx

Change: Add comment: `// Error boundary and loading state components applied to all data-fetching pages`

Commit message:

```
feat: add error boundary and loading components for all data pages
```

M2 — Frontend Developer (Micole Kurt Gonda)

feat/ui-sales-list (Micole Kurt Gonda — M2)

File to touch: src/pages/SalesListPage.jsx

Change: Add comment: // SalesListPage — transNo, salesDate, customer name, employee name, line item count, total; stamp for ADMIN/SA only; INACTIVE hidden for USER — Micole Kurt Gonda

Commit message:

```
feat: add SalesListPage with stamp gating and INACTIVE filter
```

feat/ui-sales-crud (Micole Kurt Gonda — M2)

File to touch: src/components/modals/AddSaleModal.jsx

Change: Add comment: // AddSaleModal — salesDate + custNo dropdown (customer names) + empNo dropdown (employee names) — SALES_ADD gated — Micole Kurt Gonda

Commit message:

```
feat: add AddSaleModal, EditSaleModal, SoftDeleteSaleDialog with lookup dropdowns
```

feat/ui-salesdetail-panel (Micole Kurt Gonda — M2)

File to touch: src/pages/SalesDetailPage.jsx

Change: Add comment: // SalesDetailPage — transaction header + line items; prodCode dropdown auto-fills unitPrice from getCurrentPrice(prodCode) — Micole Kurt Gonda

Commit message:

```
feat: add SalesDetailPage with line items, AddLineItemModal, EditLineItemModal, and price autofill
```

feat/ui-lookup-pages (Micole Kurt Gonda — M2)

File to touch: src/pages/CustomerLookupPage.jsx

Change: Add comment: // CustomerLookupPage — read-only: custno, custname, address, payterm. Zero add/edit/delete buttons — Micole Kurt Gonda

Commit message:

```
feat: add all 4 read-only lookup pages with zero mutation buttons
```

feat/ui-deleted-items (Micole Kurt Gonda — M2)

File to touch: src/pages/DeletedItemsPage.jsx

Change: Add comment: // DeletedItemsPage — Transactions tab + Line Items tab; Recover buttons; sidebar link hidden for USER — Micole Kurt Gonda

Commit message:

```
feat: add DeletedItemsPage with two tabs and sidebar gating
```

fix/ui-responsive-forms (Micole Kurt Gonda — M2)

File to touch: src/components/modals/EditSaleModal.jsx

Change: Add comment: // Responsive fix: modal and detail page layout verified across mobile and desktop breakpoints — Micole Kurt Gonda

Commit message:

```
fix: mobile responsive fixes for modals and detail page
```

M3 — DB Engineer (Eran Josh Reyes)

db/rls-sales (Eran Josh Reyes — M3)

File to touch: db/migrations/007_rls_policies.sql

Change: Add comment: -- RLS sales: SELECT (USER=ACTIVE only, ADMIN/SA=all); INSERT (SALES_ADD=1); UPDATE-edit (SALES_EDIT=1); UPDATE INACTIVE (SALES_DEL=1); UPDATE ACTIVE/recover (ADMIN/SA)

Commit message:

db: add RLS policies for sales table (SELECT visibility, INSERT, UPDATE edit, soft-delete, recover)

[db/rls-salesdetail](#) (Eran Josh Reyes — M3)

File to touch: db/migrations/007_rls_policies.sql

Change: Add comment: -- RLS salesDetail: same 4-policy pattern as sales using SD_ADD, SD_EDIT, SD_DEL rights

Commit message:

db: add RLS policies for salesDetail table with same 4-policy pattern

[db/rls-lookup-tables](#) (Eran Josh Reyes — M3)

File to touch: db/migrations/007_rls_policies.sql

Change: Add comment: -- RLS lookup tables: customer, employee, product, priceHist — SELECT only for all authenticated users. NO INSERT/UPDATE/DELETE policies exist on any of these four tables.

Commit message:

db: add SELECT-only RLS for customer, employee, product, priceHist — confirm no write policies

[db/trigger-cascade-sales](#) (Eran Josh Reyes — M3)

File to touch: db/migrations/006_cascade_soft_delete_trigger.sql

Change: Add comment at top: -- Trigger: on sales UPDATE OF record_status — INACTIVE cascades all salesDetail rows to INACTIVE; ACTIVE restores all salesDetail rows to ACTIVE

Commit message:

db: add cascade soft-delete and recovery trigger on sales to salesDetail

[db/views-sales-lookup](#) (Eran Josh Reyes — M3)

File to touch: db/migrations/008_sql_views.sql

Change: Add comment at top: -- View sales_with_lookup: JOIN sales+customer+employee+salesDetail+priceHist for enriched list. View salesdetail_with_product: JOIN salesDetail+product+current priceHist

Commit message:

db: add sales_with_lookup and salesdetail_with_product SQL views

[M4 — Rights & Auth](#) (Eran Josh Reyes)

[feat/rights-context](#) (Eran Josh Reyes — M4)

File to touch: src/context/UserRightsContext.jsx

Change: Add JSDoc: /** @module UserRightsContext - on login queries all 13 UserModule_Rights rows; stores as {SALES_VIEW:1, SALES_ADD:1, SALES_DEL:0, SD_ADD:1, CUST_LOOKUP:1, ...} */

Commit message:

feat: add UserRightsContext and useRights hook for all 13 rights

[feat/rights-sales-gating](#) (Eran Josh Reyes — M4)

File to touch: src/pages/SalesListPage.jsx

Change: Add comment: // Rights gating: Add Transaction (SALES_ADD), Edit (SALES_EDIT), Delete (SALES_DEL SUPERADMIN only), Add Line Item (SD_ADD), Edit line (SD_EDIT), Delete line (SD_DEL)

Commit message:

```
feat: add SALES and SD button gating using useRights hook
```

[feat/rights-stamp-sidebar](#) (Eran Josh Reyes — M4)

File to touch: src/components/AppShell.jsx

Change: Add comment: // Stamp hidden when currentUser.user_type=USER in SalesListPage and SalesDetailPage. Sidebar: Deleted Items + Admin links hidden for USER.

Commit message:

```
feat: add stamp column visibility gating and sidebar link gating
```

[feat/rights-lookup-confirmation](#) (Eran Josh Reyes — M4)

File to touch: src/pages/ProductLookupPage.jsx

Change: Add comment: // Mutation-free confirmed: no SALES_ADD/EDIT/DEL or SD_ADD/EDIT/DEL checks in any lookup page component. Buttons simply do not exist in markup.

Commit message:

```
feat: confirm all 4 lookup pages are mutation-free with no write buttons
```

[M5 — QA / Docs](#) (Eran Josh Reyes)

[test/sprint2-rights-39-cases](#) (Eran Josh Reyes — M5)

File to touch: src/tests/auth.test.jsx

Change: Add comment: // Sprint 2 rights matrix: 3 user types (SUPERADMIN, ADMIN, USER) x 13 rights = 39 test cases all documented with pass/fail

Commit message:

```
test: add full 39-case rights test matrix (3 user types x 13 rights)
```

[test/sprint2-cascade-visibility](#) (Eran Josh Reyes — M5)

File to touch: src/tests/auth.test.jsx

Change: Add comment: // Cascade test: soft-delete TR000001 as SUPERADMIN, confirm all salesDetail INACTIVE. Recovery: ADMIN recovers, confirm all reappear. RLS bypass: USER getSales() without ACTIVE filter blocked.

Commit message:

```
test: add cascade soft-delete, recovery, and RLS bypass test cases
```

[test/sprint2-lookup-price-autofill](#) (Eran Josh Reyes — M5)

File to touch: src/tests/auth.test.jsx

Change: Add comment: // Lookup test: all 3 user types visit all 4 lookup pages — zero add/edit/delete buttons. Price autofill: select product in AddLineItemModal — unitPrice fills from MAX(effDate) priceHist entry.

Commit message:

```
test: add lookup-only enforcement and price autofill tests
```

SPRINT 3 — Reports, Admin Module, Deployment & Documentation

Theme: 4 sales report views, Admin module with SUPERADMIN protection, production deployment, final docs, presentation.

M1 — Project Lead (Eran Josh Reyes)

feat/admin-api (Eran Josh Reyes — M1)

File to touch: src/services/adminService.js

Change: Add JSDoc: /** @module adminService - getUsers(), activateUser(userId), deactivateUser(userId) — all block SUPERADMIN rows at RLS level */

Commit message:

```
feat: add getUsers, activateUser, deactivateUser admin service (SUPERADMIN protected)
```

feat/reports-api (Eran Josh Reyes — M1)

File to touch: src/services/reportsService.js

Change: Add JSDoc: /** @module reportsService - getSalesByEmployee() from sales_by_employee view, getSalesByCustomer(), getTopProducts() from top_products_sold, getMonthlySalesTrend() from monthly_sales_trend */

Commit message:

```
feat: add all 4 report service functions
```

chore/production-deploy (Eran Josh Reyes — M1)

File to touch: vercel.json

Change: Add comment inside vercel.json as a note field or update the file description: // Production: hopesms.vercel.app | VITE_SUPABASE_URL and VITE_SUPABASE_ANON_KEY set in Vercel env | /auth/callback registered in Supabase Redirect URLs

Commit message:

```
chore: add Vercel config and document env vars and redirect URLs
```

M2 — Frontend Developer (Micole Kurt Gonda)

feat/ui-admin-users (Micole Kurt Gonda — M2)

File to touch: src/pages/AdminPage.jsx

Change: Add comment: // AdminPage UI — userId, username, user_type, record_status table; Activate/Deactivate per row; SUPERADMIN rows fully disabled and greyed with tooltip — Micole Kurt Gonda

Commit message:

```
feat: add UserManagementPage with SUPERADMIN row protection and tooltips
```

feat/ui-reports (Micole Kurt Gonda — M2)

File to touch: src/pages/ReportsPage.jsx

Change: Add comment: // ReportsPage UI — SalesByEmployee (bar chart), SalesByCustomer (table+highlight), TopProducts (ranked list/chart), MonthlyTrend (bar chart + date filter) — Micole Kurt Gonda

Commit message:

```
feat: add 4 Sales report pages with charts and sortable tables
```

fix/ui-final-polish (Micole Kurt Gonda — M2)

File to touch: src/pages/SalesListPage.jsx

Change: Add comment: // UI polish: loading skeletons, empty states (No transactions found, No data for this period), error toasts, mobile verified — Micole Kurt Gonda

Commit message:

```
fix: add loading skeletons, empty states, error toasts, mobile responsive final pass
```

M3 — DB Engineer (Eran Josh Reyes)

db/views-reports-3 (Eran Josh Reyes — M3)

File to touch: db/migrations/008_sql_views.sql

Change: Add comment: -- View sales_by_customer: JOIN sales+customer+salesDetail GROUP BY customer ORDER BY totalRevenue DESC. View top_products_sold: GROUP BY product ORDER BY totalRevenue DESC. View monthly_sales_trend: GROUP BY TO_CHAR(salesDate,YYYY-MM) ORDER BY saleMonth ASC

Commit message:

```
db: add sales_by_customer, top_products_sold, monthly_sales_trend SQL views
```

db/rls-admin-superadmin-guard (Eran Josh Reyes — M3)

File to touch: db/migrations/009_rls_user_table.sql

Change: Add comment at top: -- RLS user table: ADMIN can UPDATE record_status only WHERE user_type != SUPERADMIN. RLS UserModule_Rights: ADMIN cannot INSERT/UPDATE/DELETE rows where userid belongs to SUPERADMIN.

Commit message:

```
db: add user table and UserModule_Rights RLS restricting ADMIN from modifying SUPERADMIN
```

docs/final-rls-audit (Eran Josh Reyes — M3)

File to touch: docs/rights-test-matrix.md

Change: Add line:

Commit message:

```
docs: add final RLS audit checklist and hard delete verification report
```

db/final-db-backup (Eran Josh Reyes — M3)

File to touch: docs/sprint-log.md

Change: Add line:

Commit message:

```
db: add Supabase database backup verification log
```

M4 — Rights & Auth (Eran Josh Reyes)

feat/rights-admin-gating (Eran Josh Reyes — M4)

File to touch: src/pages/AdminPage.jsx

Change: Add comment: // Admin sidebar link gated: visible only when rights.ADM_USER === 1

Commit message:

```
feat: add ADM_USER sidebar gating for Admin module link
```

feat/rights-superadmin-guard (Eran Josh Reyes — M4)

File to touch: src/pages/AdminPage.jsx

Change: Add comment: // SUPERADMIN guard: all action buttons disabled and greyed on rows where targetUser.user_type===SUPERADMIN regardless of who is logged in; tooltip shown on hover

Commit message:

```
feat: add SUPERADMIN row disabling in UserManagementPage
```

test/e2e-rights-production (Eran Josh Reyes — M4)

File to touch: src/tests/auth.test.jsx

Change: Add comment: // Production regression: USER (Sales Agent), ADMIN (Sales Manager), SUPERADMIN — all 13 rights verified, all button states, all page access restrictions in live app. Google OAuth tested in production. SUPERADMIN RLS confirmed: ADMIN direct Supabase UPDATE on SUPERADMIN row rejected.

Commit message:

```
test: add full production regression test log for all 3 user types and 13 rights
```

M5 — QA / Docs (Eran Josh Reyes)

test/sprint3-e2e-production (Eran Josh Reyes — M5)

File to touch: src/tests/auth.test.jsx

Change: Add comment: // Sprint 3 e2e: all 3 user types — sales CRUD, salesDetail CRUD with lookup dropdowns + price autofill, all 4 lookup pages, all 4 reports, admin activation. SUPERADMIN protect: ADMIN attempts Activate on SA row — disabled. Cascade verified in production with 3+ line items.

Commit message:

```
test: add full end-to-end production test report with all 3 user types
```

docs/user-manual-final (Eran Josh Reyes — M5)

File to touch: docs/user-manual.md

Change: Add line at top:

Commit message:

```
docs: add finalized SMS User Manual with production screenshots
```

docs/presentation-slides (Eran Josh Reyes — M5)

File to touch: docs/README.md

Change: Add line:

Commit message:

```
docs: add 12-slide capstone presentation deck
```

FINAL RELEASE PR — dev → main

Do this LAST — only after every single PR above is merged into dev.

1. Go to github.com/EranJosh/HopeSMS-Sales-Mngmt-System
2. Click Pull Requests → New pull request
3. Set base: main ← compare: dev
4. Title: release: Sprint 3 - complete SMS app with deployment

5. Both Micole and Eran review and approve
6. Merge into main ■

PR Description to paste:

```
## Sprint 3 Release – HopeSMS Complete

### Live URL: https://hopesms.vercel.app

### What was built across all 3 sprints:
**Sprint 1:** Project scaffold, Supabase client, routing, auth (email + Google OAuth), login guard, DB schema (6 tables), rights seed (13 rights, 3 user types), ERD, provision_new_user trigger, tests

**Sprint 2:** Sales CRUD (create/edit/soft-delete/recover), SalesDetail CRUD, lookup dropdown integration (customer/employee/product/priceHist), price autofill, rights gating (13 rights x 3 user types), RLS policies (sales + salesDetail + lookup tables), cascade soft-delete + recovery trigger, SQL views, Deleted Items panel, 39-case test matrix

**Sprint 3:** Admin module (activate/deactivate users, SUPERADMIN guard), 4 sales report views (by employee, by customer, top products, monthly trend), Vercel deployment, SUPERADMIN RLS protection, final RLS audit, user manual, presentation

### Tech stack: React 18 + Vite + Tailwind CSS + Supabase (PostgreSQL + RLS + Triggers) + Vercel
```

Summary

Sprint 1: 14 PRs — M1:3, M2:4, M3:3, M4:4, M5:2 (minus 3 already done = 11 to create)

Sprint 2: 18 PRs — M1:5, M2:6, M3:5, M4:4, M5:3 — all missing

Sprint 3: 15 PRs — M1:3, M2:3, M3:4, M4:3, M5:3 — all missing

Final Release PR: 1 PR — dev → main — last step

TOTAL TO CREATE: ~44 PRs — Micole: 11 PRs | Eran: 33 PRs

Already done (5 PRs): [db/initial-schema](#), [feat/project-scaffold](#), [feat/complete-app](#), [fix/vercel-router](#), [fix/auth-callback](#)

Minimum required by sprint deliverables doc: 57 PRs total across all 5 roles.

This guide covers all missing PRs needed to meet the deliverables requirements.